

**FIRST AID BEAUTY FAB ULTRA LIGHT MINERAL SUNSCREEN BROAD SPECTRUM  
SPF 30- zinc oxide liquid  
Port Jervis Laboratories, Inc.**

-----  
**First Aid Beauty FAB Ultra Light Mineral Sunscreen Broad Spectrum  
Sunscreen SPF 30**

***Drug Facts***

Zinc oxide 22%

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: ask a doctor

## **Other information**

- protect this product from excessive heat and direct sun

## **Inactive ingredients**

Ethylhexyl olivate, isododecane, coconut alkanes, water, aluminum starch octenylsuccinate, caprylic/capric triglyceride, butylene glycol, mica, polyglyceryl-6 polyricinoleate, jojoba esters, cellulose, stearylalkonium hectorite, sodium chloride, squalane, polyglyceryl-3 diisostearate, polyglyceryl-3 polyricinoleate, iron oxides, phenoxyethanol, tocopheryl acetate, coco-caprylate/caprate, trihydroxystearin, caprylyl glycol, polyhydroxystearic acid, glycerin, trisodium ethylenediamine disuccinate, propanediol, sorbic acid, titanium dioxide, silica, glycyrrhiza glabra (licorice) root extract, camellia sinensis leaf extract, alumina, tocopherol, chrysanthemum parthenium (feverfew) extract

## **Questions?**

**888-FAB-3063**

MADE IN USA.

FIRST AID BEAUTY® LTD  
NEWTON, MA 02458.

[WWW.FIRSTAIDBEAUTY.COM](http://WWW.FIRSTAIDBEAUTY.COM)

FIRST AID BEAUTY®

FAB

Ultra Light

Mineral

Sunscreen

with Zinc Oxide

Broad Spectrum SPF 30

1.5 FL OZ (44 mL)

**Results\***

95% reported this formula is luxuriously lightweight with a barely-there feel

95% reported the ultra-sheer tint blended seamlessly into their skin tone



## ULTRA LIGHT MINERAL SUNSCREEN

With Zinc Oxide



BROAD SPECTRUM  
**SPF 30**

Safe for Sensitive Skin

### FIRST AID BEAUTY®

44 mL (1.5 FL OZ)

Dermatologist Tested

No Artificial Fragrance

Non-Comedogenic

**Drug Facts**

Active ingredient	Purpose
Zinc oxide 22%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses.
  - children under 6 months: ask a doctor

**Other information**

- protect this product from excessive heat and direct sun

**Inactive ingredients**

Ethylhexyl olivate, isododecane, coconut alkanes, water, aluminum starch octenylsuccinate, caprylic/capric triglyceride, butylene glycol, mica, polyglyceryl-6 polyricinoleate, jojoba esters, cellulose, stearylaluminum hectorite, sodium chloride, squalane, polyglyceryl-3 diisostearate, polyglyceryl-3 polyricinoleate, iron oxides, phenoxyethanol, tocopheryl acetate, coco-caprylate/caprate, trihydroxystearin, caprylyl glycol, polyhydroxystearic acid, glycerin, trisodium ethylenediamine disuccinate, propanediol, sorbic acid, titanium dioxide, silica, glycyrrhiza glabra (licorice) root extract, camellia sinensis leaf extract, alumina, tocopherol, chrysanthemum parthenium (feverfew) extract

**Questions or comments? 888-FAB-3063**



8 15517 02784 2

# FIRST AID BEAUTY FAB ULTRA LIGHT MINERAL SUNSCREEN BROAD SPECTRUM SPF 30

zinc oxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10637-1900
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	22 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ETHYLHEXYL OLIVATE</b> (UNII: HTC7G3S2PV)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>POWDERED CELLULOSE</b> (UNII: SMD1X3XO9M)	
<b>TANACETUM PARTHENIUM WHOLE</b> (UNII: 6GE7Z0761K)	
<b>POLYGLYCERYL-10 POLYRICINOLEATE</b> (UNII: DHM1T5XO11)	
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CAMELLIA SINENSIS LEAF</b> (UNII: W2ZU1RY8B0)	
<b>GLYCYRRHIZA GLABRA (LICORICE) ROOT</b> (UNII: 2788Z9758H)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)	
<b>COCONUT ALKANES</b> (UNII: 1E5KJY107T)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIHYDROXYSTEARIN</b> (UNII: 06YD7896S3)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>STEARALKONIUM HECTORITE</b> (UNII: O LX698AH5P)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10637-1900-1	1 in 1 CARTON	07/01/2025	
1		44 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2025	

**Labeler** - Port Jervis Laboratories, Inc. (001535103)

Revised: 7/2025

Port Jervis Laboratories, Inc.