

**WALGREENS EXTRA THICK CALLUS REMOVERS- salicylic acid patch
Walgreen Co.**

Walgreens EXTRA THICK Callus Removers

Drug Facts

Active ingredient (in each dosage unit)

Salicylic acid 40% in a plaster vehicle

Purposes

Corn and calluses removal

Uses

- For the removal of corns and calluses
- Relieves pain by removing corns and calluses
- Adhesive bandage holds the medicated pad in position

Warnings

For external use only

Do not use

- If you are a diabetic
- If you have poor blood circulation
- On irritated skin or any area that is infected or reddened

Stop use and ask a doctor if

Discomfort lasts

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Wash affected area and dry thoroughly
- Apply medicated bandage after 48 hours, remove medicated bandage
- Repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- May soak corn in warm water for 5 minutes to assist in removal

Other information

Store between 0° to 40°C (32° to 104°F)

Inactive ingredients

Pressure sensitive adhesive fabric

Questions?

1-800-723-2465

Maximum Strength

- **Safe & effective callus removal treatment**
- **Extra thick pads to protect against friction & reduce pressure**

4 MEDICATED PATCHES

4 PADS

Pharmaplast S.A.E.

Amria, Free zone 23512,

Alexandria, Egypt.

www.pharmaplast-online.com

†Our pharmacists recommend the Walgreens brand.

DISTRIBUTED BY: **WALGREEN CO.**

DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com

©2023 Walgreen Co. **MADE IN EGYPT**

Packaging



NDC 0363-6045-04





Pharmacist SA.E
Amrta, Free zone 23512,
Alexandria, Egypt
www.pharmacist-online.com

Drug Facts

Active ingredient (in each dosage unit)
Salicylic acid 40% in a plaster vehicle

Purposes
Corn and calluses removal

Uses

- For the removal of corns and calluses
- Relieves pain by removing corns and calluses
- Adhesive bandage holds the medicated pad in position

Warnings

For external use only

Do not use

- If you are a diabetic
- If you have poor blood circulation
- On irritated skin or any area that is infected or reddened

Stop use and ask a doctor if
Discomfort lasts

Keep out of reach of children
If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Wash affected area and dry thoroughly
- Apply medicated bandage after 48 hours, remove medicated bandage
- Repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- May soak corn in warm water for 5 minutes to assist in removal

Other information
Store between 0° to 40°C (32° to 104°F)

Inactive ingredients
Pressure sensitive adhesive fabric

Questions?
1-800-723-2465

8 PIECES 4 MEDICATED PATCHES
4 PADS

- Maximum Strength
- Medicated
- Safe & effective callus removal treatment
- Extra thick pads to protect against friction & reduce pressure

Our pharmacists recommend the Walgreens brand.

DISTRIBUTED BY: WALGREEN CO. ITEM 998912 W00000-0000-0
DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED
walgreens.com 1-800-723-2465
©2023 Walgreen Co. MADE IN EGYPT



3 11917 03661 8

W3ORG0823-F

WALGREENS EXTRA THICK CALLUS REMOVERS			
salicylic acid patch			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-6045
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.23 g
Inactive Ingredients			
	Ingredient Name	Strength	
	POLYACRYLATE-13 (UNII: FS2D4T67EA)		
Packaging			

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-6045-04	4 in 1 CARTON; Type 0: Not a Combination Product	10/18/2023	09/30/2026
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030		10/18/2023	09/30/2026

Labeler - Walgreen Co. (008965063)

Revised: 12/2025

Walgreen Co.