

**E.L.F. SUNTOUCHABLE INVISI-STICK GLITZ SPF 50- avobenzone, homosalate, octisalate, octocrylene stick
e.l.f cosmetics, Inc.**

e.l.f. Suntouchable Invisi-Stick Glitz SPF 50

Drug Facts

Active Ingredients

Avobenzone 3.0%

Homosalate 7.3%

Octisalate 5.0%

Octocrylene 10.0%

Purpose

Sunscreen

Use

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warning

- **For external use only.**
- **Do not use**
on damaged or broken skin.
- **When using this product**
keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor**
if rash occurs.
- **Keep out of reach of children.**
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously and evenly 15 minutes before sun exposure

- Reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months: Ask a doctor.

Other Information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Diphenylsiloxy Phenyl Trimethicone, Mineral Oil (Paraffinum Liquidum), Hydroxystearic Acid, Triethylhexanoin, Calcium Aluminum Borosilicate, Dibutyl Lauroyl Glutamide, Silica, C12-15 Alkyl Benzoate, Helianthus Annuus (Sunflower) Seed Oil, Oryzanol, Polyamide-8, Silica Silylate, Ethylhexylglycerin, Bisabolol, Synthetic Fluorophlogopite, Triethoxycaprylylsilane, Tin Oxide, Tocopherol, Water (Aqua), Butylene Glycol, Phenoxyethanol, Citrullus Lanatus (Watermelon) Fruit Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491) [C-00143]

Questions or comments?

1-888-315-9814

Package Labelling:



OUTSIDE - FRONT

OUTSIDE - BACK

INSIDE - FRONT

WHAT IT DOES:

This SPF 50 formula applies clear on all skin tones with a silky finish. Thanks to its non-greasy feel, it won't pill up your makeup. Safe for eye area.

HOW TO USE:

Apply evenly and generously 15 minutes prior to sun exposure as the last step of your skincare routine. Reapply at least every 2 hours. **DO NOT WEAR, WORK, DRIVE, SWIM, OR EXERCISE WHILE WEARING THIS PRODUCT. KEEP AWAY FROM FIRE. KEEP AWAY FROM CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER IMMEDIATELY. FROM OUR 100% RECYCLED TUBING OF PAPER AND OTHER RECYCLED MATERIALS. NET WT. 0.33 OZ (9.5g).**



FRONT



BACK

E.L.F. SUNTOUCHABLE INVISI-STICK GLITZ SPF 50

avobenzone, homosalate, octisalate, octocrylene stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76354-457
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	73 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
FERRIC IRON OXIDE ADIPATE (UNII: Z7N65Y2T96)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
MINERAL OIL (UNII: T5L8T28FGP)	
12-HYDROXYSTEARIC ACID (UNII: 933ANU3H2S)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
DIBUTYL LAUROYL GLUTAMIDE (UNII: 3V7K3IA58X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ORYZANOL (UNII: SST9XCL51M)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATERMELON (UNII: 231473QB6R)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYAMIDE-8 (4500 MW) (UNII: 77723GV81A)	
BISABOLOL (UNII: 24WE03BX2T)	
TIN OXIDE (UNII: KM7N50LOS6)	
FLUOROURACIL (UNII: U3P01618RT)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76354-457-01	1 in 1 POUCH	02/01/2026	
1		18 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2026	

Labeler - e.l.f cosmetics,Inc. (093902816)