

GOOD NEIGHBOR PHARMACY PAIN RELIEF- acetaminophen tablet, film coated
Amerisource Bergen

Amerisource Bergen Pain Relief Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"> • take 2 caplets every 6 hours while symptoms last • do not take more than 6 caplets in 24 hours, unless directed by a doctor • do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

croscarmellose sodium, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, mica-based pearlescent pigment, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Compare to Tylenol® Extra Strength active ingredient

Rapid Release

FOR ADULTS

Pain Relief

Extra Strength

acetaminophen

pain reliever/fever reducer

actual size

100 Caplets | 500 mg Each



Compare to Tylenol® Extra Strength active ingredient*

NDC 46122-312-78

Rapid Release

FOR ADULTS

Pain Relief

Extra Strength

acetaminophen
pain reliever/fever reducer

actual size

100 Caplets | 500 mg Each



Compare to Tylenol® Extra Strength active ingredient*

NDC 46122-312-78

Rapid Release

FOR ADULTS

Pain Relief

Extra Strength

acetaminophen
pain reliever/fever reducer

actual size

100 Caplets | 500 mg Each





Distributed By
 AmerisourceBergen
 1300 Morris Drive
 Chesterbrook, PA 19087
 Questions or Concerns?
www.mygnp.com

Drug Facts

Active ingredient **Purpose**
(in each caplet)

Acetaminophen 500 mg.....Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - minor pain of arthritis
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present
- These could be signs of a serious condition. ▶

Drug Facts (continued)

if pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"> ■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information ■ store at 20-25°C (68-77°F)

Inactive ingredients croscarmellose sodium, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, mica-based pearlescent pigment, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid

Questions or comments? 1-800-719-9260

DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

*Good Neighbor Pharmacy® Pain Relief is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Tylenol® Extra Strength.

GLUTEN FREE



3S078 29 C2

GOOD NEIGHBOR PHARMACY PAIN RELIEF

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-312
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	RED	Score	no score
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	3S0
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-312-62	1 in 1 CARTON	11/09/2015	08/31/2020
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:46122-312-78	1 in 1 CARTON	01/11/2016	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:46122-312-70	225 in 1 BOTTLE; Type 0: Not a Combination Product	09/24/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/09/2015	

Labeler - Amerisource Bergen (007914906)

Revised: 11/2025

Amerisource Bergen