

**VICKS PAINQUIL AND VICKS PAINQUIL PM LIQUICAPS PAIN RELIEVER-
acetaminophen, diphenhydramine hcl
The Procter & Gamble Manufacturing Company**

**PainQuil Liquicaps Pain Reliever / PainQuil PM Liquicaps Pain Reliever +
Nighttime Sleep-Aid
Convenience Pack**

PainQuil Pain Reliever

Drug Facts

Active Ingredient (in each LiquiCap)

Acetaminophen 500 mg

Purpose

Pain reliever

Uses

for the temporary relief of minor aches and pains associated with:

- sore throat • headache • muscular aches • backache

Warnings

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 3 doses (2 LiquiCaps each) in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert:

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning:

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- liver disease

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- do not exceed 3 doses (2 LiquiCaps each) per day (24 hours)

adults & children 12 yrs & over
children under 12 yrs

2 LiquiCaps every 6 hours
ask a doctor

Other information

store at no greater than 25°C (77°F)

Inactive ingredients

1,4 sorbitan, D&C Red No. 33, FD&C Blue No. 1, ferric oxide, gelatin, glycerin, mannitol, polyethylene glycol 400, polyethylene glycol 600, polyvinyl acetate phthalate, povidone, propylene glycol, sorbitol, titanium dioxide, water

Questions?

1-877-881-5813

TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED.

DIST. BY PROCTER & GAMBLE,

CINCINNATI OH 45202

PainQuil PM Liquicaps Pain Reliever + Nighttime Sleep-Aid

Drug Facts

Active ingredients (in each LiquiCap)

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

Purpose

Pain reliever

Nighttime sleep-aid

Uses

- for the temporary relief of occasional minor aches and pains with accompanying sleeplessness.

Warnings

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 3 doses (2 LiquiCaps each) in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert:

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning:

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- Sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

These could be signs of a serious condition.

When using this product

- avoid alcoholic beverages
- drowsiness will occur
- do not drive a motor vehicle or operate machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only one dose (2 LiquiCaps) per day (24 hours)

adults & children 12 yrs & over	2 LiquiCaps at bedtime
children under 12 yrs	do not use

Other information

store at no greater than 25°C (77°F)

Inactive ingredients

1,4 sorbitan, D&C Red No. 33, FD&C Blue No. 1, gelatin, glycerin, mannitol, polyethylene glycol 400, polyethylene glycol 600, polyvinyl acetate phthalate, povidone, propylene glycol, sorbitol, titanium dioxide, water

Questions?

1-877-881-5813

TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED.

**DIST. BY PROCTER & GAMBLE,
CINCINNATI OH 45202**

PRINCIPAL DISPLAY PANEL

MAX STRENGTH

VALUE PACK

VICKS®

PainQuil™

LIQUICAPS™

Vicks PainQuil LIQUICAPS PAIN RELIEVER

Acetaminophen

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84126-377
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84126-377-20	1 in 1 CARTON; Type 1: Convenience Kit of Co-Package	03/17/2026	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	100
Part 2	1 BOTTLE	100

Part 1 of 2**VICKS PAINQUIL LIQUICAPS PAIN RELIEVER**

acetaminophen capsule, liquid filled

Product Information**Item Code (Source)** NDC:84126-376**Route of Administration** ORAL**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE (UNII: FZ989GH94E)	
WATER (UNII: 059QF0KO0R)	
1,4-SORBITAN (UNII: AV0YTZ4E6J)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
MANNITOL (UNII: 3OWL53L36A)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYETHYLENE GLYCOL 600 (UNII: NL4J9F21N9)	
GELATIN (UNII: 2G86QN327L)	
SORBITOL (UNII: 506T60A25R)	

GLYCERIN (UNII: PDC6A3C0OX)	
POLYVINYL ACETATE PHTHALATE (UNII: 58QVG85GW3)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	PQ
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84126-376-01	1 in 1 CARTON		
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/17/2026	

Part 2 of 2

VICKS PAINQUIL PM LIQUICAPS PAIN RELIEVER PLUS NIGHTTIME SLEEP-AID

acetaminophen, diphenhydramine hcl capsule, liquid filled

Product Information

Item Code (Source)	NDC:84126-375
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HCL (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HCL	25 mg

Inactive Ingredients

Ingredient Name	Strength
POLYVINYL ACETATE PHTHALATE (UNII: 58QVG85GW3)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POLYETHYLENE GLYCOL 600 (UNII: NL4J9F21N9)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POVIDONE (UNII: FZ989GH94E)	
1,4-SORBITAN (UNII: AV0Y TZ 4E6J)	
D&C RED NO. 33 (UNII: 9DBA05BB0L)	
MANNITOL (UNII: 3OWL53L36A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	purple	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	PQPM
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84126-375-01	1 in 1 CARTON		
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/17/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/17/2026	

Labeler - The Procter & Gamble Manufacturing Company (004238200)