#### SENNOSIDES AND DOCUSATE SODIUM- sennosides and docusate sodium tablet American Health Packaging

\_\_\_\_\_

Sennosides and Docusate Sodium Tablets Natural Vegetable Laxative with Stool Softener 0462201/0621

### Active ingredient (in each tablet)

Docusate Sodium	50 mg
Sennosides	8.6 mg

## Purpose

Stool softener Laxative

#### Uses

- relieves occasional constipation (irregularity)
- this product generally produces a bowel movement in 6 to 12 hours

#### Warnings

**Do not use** for more than one week unless directed by a doctor.

## Ask a doctor before use if you

- have abdominal pain, nausea or vomiting
- are taking mineral oil
- have noticed a sudden change in bowel habits that lasts over two weeks

#### Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### Directions

- do not exceed 8 tablets in 24 hours
- Adults and children 12 years of age and older take 2 tablets once a day preferably at

bedtime; increase as needed, or as directed by a doctor; the maximum dose should be 4 tablets in the morning and 4 tablets at bedtime

• Children under 12 years ask a doctor

## Other information

- each tablet contains: calcium 20 mg, sodium 3 mg
- store at controlled room temperature
- Keep this and all drugs out of reach of children.
- FOR YOUR PROTECTION: Do not use if blister is torn or broken.

## Inactive ingredients

cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6 lake, hypromellose, magnesium stearate, PEG, silica, talc, titanium dioxide.

## PACKAGING INFORMATION

The drug product contained in this package is from NDC # 57896-555, Geri-Care Pharmaceuticals Corp.

Distributed by: American Health Packaging, Columbus, Ohio 43217

762201 0462201/0621A

Package/Label Display Panel - Carton - 8.6 mg/50 mg

## NDC 60687-622-01

	and Docusate Sodium Tablets ble Laxative with Stool Softener Concentrate
8.6 mg/50	mg
100 Tablets (10 x	10)
	01) 0 03 60687 622 01 9
Drug Facts	
Docusate Sodium 50 mg	each tablet)Purposu Stool softene Laxative
Uses • relieves occasional of a bowel movement in 6 to 12 h	constipation (irregularity) + this product generally produces nours
Warnings Do not use for more than one w	ask unlass directed by a douter
*Standardized Senna Co	e Laxative with Stool Softener
*Standardized Senna Co 8.6 mg/50 100 Tablets (10 x	mg
*Standardized Senna Co 8.6 mg/50 100 Tablets (10 x	mg 10)
*Standardized Senna Co 8.6 mg/50 100 Tablets (10 x Drug Facts (continued	mg 10)
"Standardized Senna Co 8.6 mg/50 100 Tablets (10 x Drug Facts (continued) Warnings (continued) Ask a doctor before use if you	mg 10)
*Standardized Senna Co 8.6 mg/50 100 Tablets (10 x Drug Facts (continued) Warnings (continued) Ask a doctor before use if you + 01 + have noticed a sudden chai Stop use and ask a doctor if y	oncentrate mg 10) have abdominal pain, nausea or vomiting • are taking minera nge in bowel habits that lasts over two weeks ou have rectal bleeding or fail to have a bowel movement after
*Standardized Senna Co 8.6 mg/50 100 Tablets (10 x Drug Facts (continued Warnings (continued) Ask a doctor before use if you oll • have noticed a sudden cha Stop use and ask a doctor if y use of a laxativa. These may ind if pregnant or breast-feeding, as	oncentrate mg 10) have abdominal pain, nausea or vomiting • are taking minera nge in bowel habits that lasts over two weeks ou have rectal bleeding or fail to have a bowel movement after
*Standardized Senna Co 8.6 mg/50 100 Tablets (10 x Drug Facts (continued Warnings (continued) Ask a doctor before use if you oll • have noticed a sudden cha Stop use and ask a doctor if y use of a laxative. These may ind if pregnant or breast-feeding, at Keep out of reach of children Control Center right away. Directions • do not exce ase and older take 2 tablets onc	Dencentrate  D
*Standardized Senna Co 8.6 mg/50 100 Tablets (10 x Drug Facts (continued Warnings (continued) Ask a doctor before use if you • oil • have noticed a sudden char Stop use and ask a doctor hay stop use and ask a doctor hay the of a laxative. These may ind if prognant or breast-feeding, as Keep out of reach of children Control Center right away. Directions • do not exect age and older take 2 tablets out directed by a doctor, the maxim bedtime • Children under 12 ye Other information • each tablet contains, calcium 5 • Keep this and all drugs out	Dencentrate  D
*Standardized Senna Co 8.6 mg/50 100 Tablets (10 x Drug Facts (continued Warnings (continued) Ask a doctor before use if you • oil • have noticed a sudden chai Stop use and ask a doctor if y use of a laxative. These may ind if pregnant or breast-feeding, as Keep out of reach of children Control Center right away. Directions • do not exce age and older take 2 tablets ond directed by a doctor, the maximu- bedtime • Children under 12 yet Other information • each tablet contains, calcium 2 Keep this and all drugs out • FOR YOUR PROTECTION: Do Inactive ingredients	Dencentrate  D
*Standardized Senna Co 8.6 mg/50 100 Tablets (10 x Drug Facts (continued Warnings (continued) Ask a doctor before use if you + oil • have noticed a sudden char Stop use and ask a doctor its stop use and ask a doctor the use of a laxative. These may ind if prognant or breast-feeding, as Keep out of reach of children Control Center right away. Directions • do not exec age and older take 2 tablets offereted by a doctor, the maxim bedtime • Children under 12 ye Other information • each tablet contains, calcium 2 • Keep this and all drugs out • FOR YOUR PROTECTION: Do Inactive ingredients FD&C yellow H6 lake, hyprome dioxide.	mg 10) 0 Ave abdominal pain, nausea or vomiting • are taking minera nge in bowel habits that lasts over two weeks ou have rectal bleeding or fail to have a bowel movement afte leate a serious condition. k a health professional before use. In case of overdose, get medical help or contact a Poison es d stablets in 24 hours • Adults and children 12 years of e a day preferably at bedtime; increase as needed, or as m does should be 4 tablets in the morning and 4 tablets at tars ask a doctor 20 mg, sodium 3 mg • store at controlled room temperature of reach of children. not use if blister is torn or broken. cellulose, croscarmellose sodium, dicalcium phosphate,

## NDC 60687- 622-01

**Sennosides\* and Docusate Sodium** Tablets Natural Vegetable Laxative with Stool Softener

\*Standardized Senna Concentrate

## 8.6 mg/50 mg

100 Tablets (10 x 10)

## Drug Facts

# Active ingredients (in each

tablet)	Purpose
Docusate Sodium 50 mg	Stool
softener	

Sennosides 8.6 mg..... Laxative

The drug product contained in this package is from NDC # 57896-555, Geri-Care Pharmaceuticals Corp.

Distributed by: American Health Packaging, Columbus, Ohio 43217

762201 0462201/0621A

# Package/Label Display Panel - Blister - 8.6 mg/50 mg

Sennosides and Docusate Sodium Tablet Laxative/Stool Softener: 8.6 mg/50 mg LTTTIL KS: CTTTIL 1000 60687 622 11 8 American Healt Padagag, Columbus, Otic 4217	Expiry: 06/21 Lot: 1234567	Expiry: 06/21 Lot: 1234567	Sennosides and Docusate Sodium Tablet Laxative/Stool Softener 8.6 mg/50 mg (01) 003 60687 622 11 8 Arendon Hadin Padaging, Columbus, Chio 42217
Sennosides and Docusate Sodium Tablet Lavative/Stool Softener 8.6 mg/50 mg LASE IF ASE CASE IF IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Expiry: 06/21 Lot: 1234567	Expiny: 06/21 Lot: 1234567	Sennosides and Docusate Sodium Tablet Laxative/Stool Softener 8.6 mg/50 mg LAT III KAR CAR IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
Sennosides and Docusate Sodium Tablet Lavative/Stool Softener 8.6 mg/50 mg I/TCIII ASS CONTRACTOR (01) 003 60687 622 11 8 American Heatt Passages, Columbus, Oto 43217	Expiry: 06/21 Lot: 1234567	Expiry: 06/21 Lot: 1234567	Sennosides and Docusate Sodium Tablet Laxative/Stool Softener 8.6 mg/50 mg LATE III RES (TABLE) (01) 003 60687 622 11 8 Anerican Heath Padaging, Columbus, Otio 42217
Sennosides and Docusate Sodium Tablet Laxative/Stool Softener 8.6 mg/50 mg IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Expiry: 06/21 Lot: 1234567	Expiry: 06/21 Lot: 1234567	Sennosides and Docusate Sodium Tablet Laxative/Stool Softener 8.6 mg/50 mg Control Control Control Control Control Control Control Control Control Control Control Con
Sennosides and Docusate Sodium Tablet Lavative/Stool Softener 8.6 mg/50 mg LAT III A Store The Soft IIII A Soft Soft Soft Soft Soft IIIII A Soft Soft Soft Soft Soft Soft Soft Soft	Expiry: 06/21 Lot: 1234567	Expiry: 06/21 Lot: 1234567	Sennosides and Docusate Sodium Tablet Laxative/Stool Softener 8.6 mg/50 mg LATELE Construction IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII

Sennosides and Docusate Sodium Tablet Laxative/Stool Softener

## 8.6 mg/50 mg

# SENNOSIDES AND DOCUSATE SODIUM

sennosides and docusate sodium tablet

**Product Information** 

Product Type		HUMAN OTC DRU	G Item Code	(Source)	NDC:60687	7-622(NDC:	57896-555)	
Route of Admini	istration	ORAL						
Active Ingred	ent/Activ	e Moiety						
Ingredient Name Basis of Streng					trength	Strength		
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX) SENNOSIDES							8.6 mg	
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG) DOCUSATE SODIUM						DIUM	50 mg	
Inactive Ingre	dients							
		Ingredient	Name			9	Strength	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)								
CROSCARMELLOS	E SODIUM (	UNII: M28OL1HH48)						
ANHYDROUS DIBA	SIC CALCIU	M PHOSPHATE (UN	ll: L11K75P92J)					
FD&C YELLOW NO	<b>D. 6</b> (UNII: H7	7VEI93A8)						
HYPROMELLOSE,	UNSPECIFIE	<b>D</b> (UNII: 3NXW29V3W	Ю)					
MAGNESIUM STEA	RATE (UNII:	70097M6I30)						
POLYETHYLENE G	LYCOL, UNS	SPECIFIED (UNII: 3W)	QOSDW1A)					
SILICON DIOXIDE	(UNII: ETJ7Z6	SXBU4)						
TALC (UNII: 7SEV7J4R1U)								
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)								
Product Chara	acteristic	S						
Color	C	orange S	ige Score no sco			no score	core	
Shape	F	ROUND	ND Size 9mm			9mm	m	
Flavor		I	Imprint Code PSD22			PSD22		
Contains								
Packaging								
# Item Code		Package Descrip	otion		ng Start		eting End	
1 NDC:60687-622-	100 in 1 BO	X, UNIT-DOSE		08/03/2021	ate	L	Date	
- 01								
<b>1</b> NDC:60687-622- 11	Product	ER PACK; Type 0: No	La Complination					

Marketing I	oformation		
Marketing II Marketing Category	nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End

# Labeler - American Health Packaging (929561009)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
American Health Packaging		929561009	repack(60687-622)		

Revised: 11/2024

1.0

American Health Packaging