

HYDROGEN PEROXIDE 3%- hydrogen peroxide 3% solution
4 Visions LLC

Epic Medical Hydrogen Peroxide 3%, USP

Drug Facts

Active Ingredient

Hydrogen Peroxide (stabilized) 3%

Purpose

First Aid Antiseptic/Oral Debriding Agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in removal of phlegm, mucous, or other secretions associated with occasional sore mouth

Warnings

For external use only

Do not use

- in the eyes or apply over large areas of the body
- longer than 1 week

Ask a doctor before use if you have deep puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

First Aid Antiseptic

**Oral Debriding Agent (oral
rinse):**

Adults and children 2 years of
age & over:

- | | |
|---|---|
| <ul style="list-style-type: none">• clean the affected area• apply a small amount of product on the area 1 to 3 times a day• may be covered with a sterile bandage• if bandaged, let dry first | <ul style="list-style-type: none">• mix with an equal amount of water• swish around in the mouth over the affected area for at least 1 minute and then spit out• use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor |
|---|---|

- children under 12 years of age should be supervised in the use of this product
- children under 2 years of age: consult a dentist or doctor

Other Information

- Keep tightly closed in a cool dark place
- Do not shake bottle
- Hold away from face when opening

Inactive Ingredient

Purified Water

Principal Display Panel One Gallon

NDC 87251-002-99

REF: 613-1172

epic medical supply

Solution of

Hydrogen Peroxide

3% USP 10 Volume

First Aid Antiseptic

Tamper evident cap for your protection. If ring band is detatche or missing do not use.

One Gallon (3.8L)

Made in USA

Manufactured for:

4 Visions LLC

Lakewood, NJ 08701

www.epicmedsupply.com



REF 613-1172

**SOLUTION OF
HYDROGEN
PEROXIDE 3% USP
10 VOLUME**

3%
First Aid Antiseptic

Tamper evident cap for your Protection. If ring-band is Detached from Cap or missing do not use.



**Net Content
ONE GALLON (3.8L)**

NDC 87251-002-99

Manufactured for:
4 Visions LLC
Lakewood NJ 08701
www.epicmedsupply.com
1-07-D0012N05EF



Drug Facts

Active ingredient	Purpose
Hydrogen Peroxide (stabilized) 3%	Purpose First aid antiseptic / Oral debriding agent

Uses: first aid help to prevent the risk of infection in minor cuts, scrapes and burns
 • aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings For external use only

Do not use • on the eyes or apply over large areas of the body • longer than 1 week

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if • the condition persists or gets worse
 • sore mouth symptoms do not improve in 7 days
 • irritation, pain, or redness persists or worsens • swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

First Aid Antiseptic:

- clean the affected area
- apply a small amount of product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Oral debriding agent (oral rinse):

- Adults and children 2 years of age and over
- mix with an equal amount of water
- swish around in the mouth over the affected area for at least 1 minute and then spit out
- use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor

- children under 12 years of age should be supervised in the use of this product
- children under 2 years of age: consult a dentist or doctor

Other Information Keep tightly closed in a cool dark place.
 Do not shake bottle. Hold away from face when opening.

Inactive Ingredient purified water

1-07-A0013N05EC

HYDROGEN PEROXIDE 3%

hydrogen peroxide 3% solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87251-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:87251-002-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/23/2026	
2	NDC:87251-002-99	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/23/2026	
3	NDC:87251-002-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/23/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	02/23/2026	

Labeler - 4 Visions LLC (144898309)

Revised: 2/2026

4 Visions LLC