

**GENTLE CARE KIT- zinc oxide**  
**Kenvue Brands LLC**

-----  
**Gentle Care Kit**

**Desitin Diaper Rash Ointment**

***Drug Facts***

**Active ingredient**

Zinc Oxide (40%)

**Purpose**

Skin Protectant

**Uses**

- helps treat and prevent diaper rash
- protects chafed skin due to diaper rash and helps seal out wetness

**Warnings**

**For external use only.**

**When using this product** • do not get into eyes

**Stop use and ask a doctor if**

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- change wet and soiled diapers promptly
- cleanse the diaper area
- allow to dry
- apply paste liberally as often as necessary, with each diaper change, especially at bedtime or anytime when exposure to wet diapers may be prolonged

**Other information**

- store at 20°C to 25°C (68°F to 77°F)

- may stain clothing

## **Inactive ingredients**

Petrolatum, Cod Liver Oil, Lanolin, Zea Mays (Corn) Starch, Glycerin, Beeswax, Sorbitan Sesquioleate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Tocopheryl Acetate, Fragrance

## **Questions?**

Call toll-free **800-720-3843** or **215-273-8755** (collect)

Distributed by:

Kenvue Brands LLC  
Summit, NJ 07901

## **Infants' TYLENOL**

### ***Drug Facts***

### **Active ingredient**

#### ***Active ingredient (in each 5 mL)***

Acetaminophen 160 mg

### **Purpose**

Pain reliever/fever reducer

### **Uses**

temporarily:

- reduces fever
- relieves minor aches and pains due to:
- the common cold ■ flu ■ headache ■ sore throat ■ toothache

### **Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if your child has** liver disease

**Ask a doctor or pharmacist before use if your child is** taking the blood thinning drug warfarin

**When using this product do not exceed recommended dose (see overdose warning)**

### **Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present.

These could be signs of a serious condition.

**Keep out of reach of children.Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. **(1-800-222-1222)** Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- this product does not contain directions or complete warnings for adult use.
- do not give more than directed (see overdose warning)
- shake well before using
- mL = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- push air out of syringe. Insert syringe tip into bottle opening
- flip bottle upside down. Pull yellow part of syringe to correct dose
- dispense liquid slowly into child's mouth, toward inner cheek
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- replace cap tightly to maintain child resistance

### **Dosing Chart**

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (mL)*</b>
under 24	under 2 years	ask a doctor
24-35 lbs	2-3 years	5

---

\* or as directed by a doctor

**Attention:** use only enclosed syringe specifically designed for use with this product. Do not use any other dosing device.

### **Other information**

■ store between 20-25°C (68-77°F)

■ **do not use if carton tape or bottle wrap imprinted with “TYLENOL” is broken or missing**

### **Inactive ingredients**

anhydrous citric acid, flavors, glycerin, microcrystalline cellulose and carboxymethylcellulose sodium, potassium sorbate, purified water, sorbitol solution, sucralose, sucrose, xanthan gum

### **Questions or comments?**

call **1-800-458-1635** (toll-free) or **215-273-8755** (collect)

Distributed by:

Kenvue Brands LLC

Summit, NJ 07901

### **PRINCIPAL DISPLAY PANEL - Kit Package**

**Gentle**

**Care Kit**

**For all baby's firsts**

**VALUE**

**PACK**

**pain/fever**

**gentle cleansing**

**stuffy noses**

**diaper rash**

***Pediatrician recommended brands***

**Infants' TYLENOL®**

Dye-Free

1 fl oz (30 mL)

JOHNSON'S® baby HEAD-TO-TOE®

Wash & Shampoo

13.6 FL. OZ. (400 mL)

ZARBEE'S® Soothing Saline

Nasal Mist with Aloe

3 FL. OZ. (88 mL)

DESITIN®

Max Strength Paste

NET WT 2 Oz (57 g)

Use products only as directed

products shown are not sized to scale



# GENTLE CARE KIT

zinc oxide kit

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0964
---------------------	----------------	---------------------------	----------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0964-9	1 in 1 KIT	11/20/2025	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 CAN	88 mL
Part 2	1 BOTTLE	30 mL
Part 3	1 BOTTLE	400 mL
Part 4	1 TUBE	57 g

## Part 1 of 4

### ZARBEES SOOTHING SALINE NASAL MIST WITH ALOE

other baby products, leave-on [baby products] liquid

## Product Information

<b>Route of Administration</b>	NASAL
--------------------------------	-------

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	<b>SODIUM CHLORIDE</b> (UNII: 451W471Q8X)	
INGR	<b>ALOE BARBADENSIS LEAF</b> (UNII: ZY81Z83H0X)	
INGR	<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		88 mL in 1 CAN; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing</b>	<b>Application Number or Monograph</b>	<b>Marketing Start</b>	<b>Marketing End</b>
------------------	--	------------------------	----------------------

Category	Citation	Date	Date
Cosmetic		01/30/2024	

**Part 2 of 4**

**INFANTS TYLENOL**  
acetaminophen suspension

**Product Information**

<b>Item Code (Source)</b>	NDC:50580-599
<b>Route of Administration</b>	ORAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

**Inactive Ingredients**

Ingredient Name	Strength
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
GLYCERIN (UNII: PDC6A3C0OX)	

**Product Characteristics**

<b>Color</b>	white (Dye Free)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-599-03	1 in 1 CARTON		
1		30 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/20/2020	

## Part 3 of 4

### JOHNSONS BABY HEAD TO TOE WASH AND SHAMPOO

baby shampoos [baby products] liquid

## Product Information

Route of Administration	TOPICAL
-------------------------	---------

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	CITRIC ACID (UNII: 2968PHW8QP)	
INGR	ALOE BARBADENSIS LEAF (UNII: ZY81Z83H0X)	
INGR	ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	PANTHENOL (UNII: WW9CM0O67Z)	
INGR	PEG-80 SORBITAN LAURATE (UNII: 239B50Y732)	
INGR	COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	
INGR	WATER (UNII: 059QF0KO0R)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
INGR	DECYL GLUCOSIDE (UNII: Z17H97EA6Y)	
INGR	PEG-150 PENTAERYTHRITYL TETRASTEARATE (UNII: 8L40OQ76AM)	
INGR	PPG-2 HYDROXYETHYL COCAMIDE (UNII: 34N07GUJ3X)	
INGR	SODIUM METHYL COCOYL TAURATE (UNII: JVL98CG53G)	
INGR	SODIUM BENZOATE (UNII: OJ245FE5EU)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		400 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		07/25/2025	

## Part 4 of 4

# DESITIN MAXIMUM STRENGTH ZINC OXIDE DIAPER RASH

zinc oxide paste

### Product Information

**Item Code (Source)** NDC:69968-0848

**Route of Administration** TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	400 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
LANOLIN (UNII: 7EV65EAW6H)	
COD LIVER OIL (UNII: BBL281NWFG)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
GLYCERIN (UNII: PDC6A3C0OX)	
BEESWAX (UNII: 2ZA36H0S2V)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
ZEA MAYS (CORN) STARCH (UNII: O8232NY3SJ)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0848-2	1 in 1 CARTON		
1		57 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	05/27/2024	

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M013	11/20/2025	

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 2/2026

Kenvue Brands LLC