PLEO SANUVIS- lactic acid, l- tablet Sanum Kehlbeck GmbH & Co. KG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Pleo® Sanuvis TABLETS

Homeopathic Digestive Aid Lactic Acid 80 Tablets

Indications

Digestive aid for pre and post operative support.

INGREDIENTS

One tablet contains 50 mg Acidum L(+)-lacticum 4X, 50 mg Acidum L(+)-lacticum 6X, 50 mg Acidum L(+)-lacticum 12X, 50 mg Acidum L(+)-lacticum 30X, 50 mg Acidum L(+)-lacticum 200X in a base of lactose, potato starch, magnesium stearate.

Tamper Evident

Do not use this product if imprinted inner blister pack is broken.

DOSAGE

1-3x daily 1-2 tablet.

WARNING

If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product.

Keep this and all other medications out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Protect fom light and heat.

Made in Germany

Distributed by:

SANUM USA Corp. 1465 Slater Road, Ferndale, WA 98248

Manufactured by:

Sanum-Kehlbeck GmbH & Co. KG Hoya, Germany

Rev. 10/2012

PRINCIPAL DISPLAY PANEL - 80 Tablet Carton

Pleo® **Sanuvis** TABLETS

Homeopathic Digestive Aid Lactic Acid

The original **SANUM**® brand remedies

Indications:

Digestive aid for pre and post operative support.

80 TABLETS



1-6069

Exp.:

:# 107

Pleo® Sanuvis

Homeopathic Digestive Aid Lactic Acid

The original

SANUM®

brand remedies

Indications:

Digestive aid for pre and post operative support.

80 TABLETS

INGREDIENTS: One tablet contains 50 mg Acidum L(+)-lacticum 4X, 50 mg Acidum L(+)-lacticum 6X, 50 mg Acidum L(+)-lacticum 12X, 50 mg Acidum L(+)-lacticum 30X, 50 mg Acidum L(+)-lacticum 200X in a base of lactose, potato starch, magnesium stearate.

Tamper Evident: Do not use this product if imprinted inner blister pack is broken.

Made in Germany

Manufactured by: SANUM-Kehlbeck GmbH & Co. KG, Hoya, Germany

Distributed by: SANUM USA Corp., 1465 Slater Road, Ferndale, WA 98248 DOSAGE: 1-3x daily 1-2 tablets.

WARNING: If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product. Keep this and all other medications out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. Protect from light and heat.

Rev. 10/2012

6303-1

750TAPAFS80US210

PLEO SANUVIS

lactic acid, l- tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60681-6303
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
lactic acid, l- (UNII: F9S9FFU82N) (lactic acid, l UNII:F9S9FFU82N)	lactic acid, l-	200 [hp_X]	

Inactive Ingredients			
Ingredient Name	Strength		
Lactose (UNII: J2B2A4N98G)			
Starch, Potato (UNII: 81089 SAH3T)			
Magnesium Stearate (UNII: 70097M6I30)			

Product Characteristics				
Color	WHITE	Score	no score	
Shape	ROUND	Size	4mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:60681-6303-1	1 in 1 CARTON			
1		80 in 1 BLISTER PACK			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
Unapproved homeopathic		06/15/2010		

Labeler - Sanum Kehlbeck GmbH & Co. KG (318386133)

Revised: 5/2013 Sanum Kehlbeck GmbH & Co. KG