

# **ASPIRIN LOW DOSE CHEWABLE ORANGE- aspirin tablet, chewable**

## **Major Pharmaceuticals**

-----

### **Drug Facts**

#### **Active ingredient (in each tablet)**

Aspirin 81mg (NSAID)\*

\*nonsteroidal anti-inflammatory drug

#### **Purpose**

Pain reliever

#### **Uses**

- for the temporary relief of minor aches and pains or as recommended by your doctor
- ask your doctor about other uses for Chewable Aspirin 81 mg

#### **Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include

- hives
- facial swelling
- asthma (wheezing)
- shock

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

#### **Do not use**

- if you are allergic to aspirin or any other pain reliever/fever reducer
- for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor

### **Ask a doctor before use if**

- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease
- you have asthma
- you are taking a diuretic

### **Ask a doctor or pharmacist before use if you are**

taking a prescription drug for

- gout
- diabetes
- arthritis

### **Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever get worse or lasts more than 3 days
- redness or swelling is present
- ringing in the ears or loss of hearing occurs
- any new symptoms occur

These could be signs of a serious condition

### **If pregnant or breast-feeding**

ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

### **Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. (800-222-1222).

### **Directions**

- drink a full glass of water with each dose
-

adults and children 12 years and over

take 4 to 8 tablets every 4 hours not exceed 48 tablets in 24 hours unless directed by a doctor

children under 12 years

consult a doctor

---

### Other information

- store at room temperature (15<sup>0</sup>-30<sup>0</sup>C)
- **Tamper Evident:** do not use if safety seal under cap is broken or missing

### Inactive ingredients

corn starch, dextrose monohydrate, FD&C yellow #6, orange flavor, silicon dioxide, sodium saccharine, stearic acid

### Questions or comments?

**(866) 562-2756** (Mon-Fri 8 AM to 4 PM EST)

### Packaged and Distributed by:

**MAJOR® PHARMACEUTICALS**

Indianapolis, IN 46268 USA

Refer to package label for Distributor's NDC Number

WARNING: This Unit Dose package is not child resistant and is Intended for Institutional Use Only. Keep this and all drugs out of the reach of children.

LBLN0294-01

Rev. 03/25

### Principal Display Panel

MAJOR®

NDC 0904-7509-30

Unit Dose

**Aspirin Low Dose Chewable Orange**

**Pain Reliever (NSAID)**

**Tablets**

**81 mg**

300 TABLETS (30 x 10)

Keep this and all drugs out of the reach of children. This Unit Dose package is not child resistant and is Intended for Institutional Use Only.

The drug product contained in this package is from NDC # 0904-6794, Major®  
Pharmaceuticals

Packaged and Distributed by:

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268 USA

[www.major-rugby.com](http://www.major-rugby.com)

Drug Facts	
<b>Active ingredient (in each tablet)</b> Aspirin 81 mg (NSAID) *nonsteroidal anti-inflammatory drug	<b>Purpose</b> Pain reliever
<b>Uses</b> ■ for the temporary relief of minor aches and pains or as recommended by your doctor ■ ask your doctor about other uses for Chewable Aspirin 81 mg	
<b>Warnings</b> <b>Reye's syndrome:</b> Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness. <b>Allergy alert:</b> Aspirin may cause a severe allergic reaction which may include ■ hives ■ facial swelling ■ asthma (wheezing) ■ shock <b>Stomach bleeding warning:</b> This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you ■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed <b>Do not use</b> ■ if you are allergic to aspirin or any other pain reliever/fever reducer ■ for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor <b>Ask a doctor before use if</b> ■ stomach bleeding warning applies to you ■ you have a history of stomach problems such as heartburn ■ you have high blood pressure, heart disease, liver cirrhosis or kidney disease ■ you have asthma ■ you are taking a diuretic <b>Ask a doctor or pharmacist before use if you are taking a prescription drug for</b> ■ gout ■ diabetes ■ arthritis <b>Stop use and ask a doctor if</b> ■ an allergic reaction occurs. Seek medical help right away ■ you experience any of the following signs of stomach bleeding: ■ feel faint ■ vomit blood ■ have bloody or black stools ■ have stomach pain that does not get better ■ pain gets worse or lasts more than 10 days ■ fever get worse or lasts more than 3 days ■ redness or swelling is present ■ ringing in the ears or loss of hearing occurs ■ any new symptoms occur These could be signs of a serious condition <b>If pregnant or breast-feeding,</b> ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (800-222-1222).	
<b>Directions</b> ■ drink a full glass of water with each dose	
adults and children 12 years and over	take 4 to 8 tablets every 4 hours not exceed 48 tablets in 24 hours unless directed by a doctor
children under 12 years	consult a doctor
<b>Other information</b> ■ store at room temperature (15°-30°C) ■ Tamper Evident: do not use if safety seal under cap is broken or missing	
<b>Inactive ingredients:</b> corn starch, dextrose monohydrate, FD&C yellow #6, orange flavor, silicon dioxide, sodium saccharine, stearic acid	
<b>Questions or comments?</b> (866) 562-2756 (Mon-Fri 8 AM to 4 PM EST)	

LBN0294-01

Rev. 03/25

**MAJOR®**

NDC 0904-7509-30

Unit Dose

**Aspirin Low Dose Chewable Orange Pain Reliever (NSAID)**

Tablets

**81 mg****300 TABLETS (30 x 10)**

Keep this and all drugs out of the reach of children. This Unit Dose package is not child resistant and is intended for Institutional Use Only.

The drug product contained in this package is from NDC # 0904-6794, Major® Pharmaceuticals

Packaged and Distributed by:  
**MAJOR® PHARMACEUTICALS**  
 Indianapolis, IN 46268 USA  
[www.major-rugby.com](http://www.major-rugby.com)



ASPIRIN LOW DOSE CHEWABLE ORANGE

aspirin tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-7509(NDC:0904-6794)
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

Inactive Ingredients	
Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics			
Color	orange	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	PH034
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7509-30	300 in 1 CARTON	05/22/2025	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/22/2025	

Labeler - Major Pharmaceuticals (191427277)

