

OMIC MINERAL SUNSCREEN- zinc oxide lotion
Mitchell Cosmetics, Inc

OMIC MINERAL SUNSCREEN

Directions • apply liberally 15 minutes before sun exposure

- reapply: after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor.

Active Ingredients:	Purpose
Zinc Oxide 18.00%	Sunscreen

Inactive Ingredients: Alanine, Allantoin, Argania Spinosa Kernel Oil, Arginine, Behenyl Alcohol, Betaine, Bisabolol, Butylene Glycol, Butyloctyl Salicylate, C13-14 Isoalkane, Carbomer, Ceramide AP, Ceramide EOP, Ceramide NP, Cetareth-20, Cetyl Alcohol, Cholesterol, Citrus Aurantium Bergamia Fruit Oil, Citrus Limon Peel Oil, Citrus Paradisi (Grapefruit) Seed Oil, Coco-Caprylate, Copper Gluconate, Dimethicone, Dimethicone Crosspolymer, Disodium EDTA, Ethylhexyl Methoxycrylene, Ethylhexylglycerin, Glutamic Acid, Glycerin, Glycine, Glycoproteins, Helianthus Annuus (Sunflower) Seed Oil, 1,2-Hexanediol, Iron Oxides, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Laureth-7, Leucine, Lysine HCl, Magnesium Aluminum Silicate, Maltodextrin, Mica, Palmitoyl Tetrapeptide-7, Palmitoyl Tripeptide-1, PCA, PEG-10 Dimethicone, Pelargonium Graveolens Flower Oil, Pentylene Glycol, Phenoxyethanol, Phytosphingosine, Polyacrylamide, Polyglyceryl-10 Pentastearate, Polyhydroxystearic Acid, Polysorbate 20, Polyurethane-62, Proline, Propanediol, Serine, Silica, Sodium Chloride, Sodium Hyaluronate, Sodium Lactate, Sodium Lauroyl Lactylate, Sodium PCA, Sodium Stearoyl Lactylate, Threonine, Titanium Dioxide (CI 77891), Tocopherol, Tocopheryl Acetate, Trehalose, Tribehenin PEG-20 Esters, Trideceth-6, Tyrosine, Urea, Valine, Water (Aqua), Xanthan Gum, Zinc Gluconate

Warnings

For external use only.

Do not use • on damaged or broken skin

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor • if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.



Other information: protect the product in this container from excessive heat and direct sun

Stop use and ask a doctor • if rash occurs

Do not use • on damaged or broken skin

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Active Ingredients:	Purpose
Zinc Oxide 18.00%	Sunscreen

When using this product • keep out of eyes. Rinse with water to remove.

Uses Helps prevent sunburn

Directions • apply liberally 15 minutes before sun exposure
 • reapply: after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses
 • children under 6 months: Ask a doctor.



SKINCARE

MINERAL
SUNSCREEN

50 

The number '50' is rendered in a large, elegant serif font. To the right of the '0' is a stylized sun icon with rays.

BROAD SPECTRUM SPF 50
TINTED

WATER RESISTANT
(80 minutes)

80 ml / 2.2 fl oz

Drug Facts	SkinProtect Lotion
Active Ingredients:	Purpose
Zinc Oxide 18.00%	Sunscreen
Uses Helps prevent sunburn	
Warnings For external use only.	
Do not use • on damaged or broken skin	
When using this product • keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor • if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions • apply liberally 15 minutes before sun exposure • reapply: after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor.	
Other information: protect the product in this container from excessive heat and direct sun	
Inactive Ingredients: Alanine, Alanine, Argania Spinosa Kernel Oil, Arginine, Behenyl Alcohol, Betaine, Bisabolol, Butylene Glycol, Butyloctyl Salicylate, C13-14 Isododecane, Carbonier, Ceramide AP, Ceramide EOP, Ceramide NP, Cetareth-20, Cetyl Alcohol, Cholesterol, Citrus Aurantium Bergamia Fruit Oil, Citrus Limon Peel Oil, Citrus Paradisi (Grapefruit) Seed Oil, Coco-Caprylate, Copper Gluconate, Dimethicone, Dimethicone Crosspolymer, Disodium EDTA, Ethylhexyl Methoxycrylate, Ethylhexylglycerin, Glutamic Acid, Glycerin, Glycine, Glycoproteins, Helianthus Annuus (Sunflower) Seed Oil, 1,2-Hexanediol, Iron Oxides, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Laureth-7, Leucine, Lysine HCl, Magnesium Aluminum Silicate, Maltodextrin, Mica, Palmitoyl Tetrapeptide-7, Palmitoyl Tripeptide-1, PCA, PEG-10 Dimethicone, Palargonium Graveolens Flower Oil, Pentylene Glycol, Phenoxyethanol, Phytosphingosine, Polyacrylamide, Polyglyceryl-10 Pentastearate, Polyhydroxystearic Acid, Polysorbate 20, Polyurethane-62, Proline, Propanediol, Serine, Silica, Sodium Chloride, Sodium Hyaluronate, Sodium Lactate, Sodium Lauroyl Lactylate, Sodium PCA, Sodium Stearoyl Lactylate, Threonine, Titanium Dioxide (CI 77891), Tocopherol, Tocopheryl Acetate, Trehalose, Tribehenin PEG-20 Esters, Trideceth-6, Tyrosine, Urea, Valine, Water (Aqua), Xanthan Gum, Zinc Gluconate	

Made in USA
 USA Distribution: Mitchell Group
 1 SE 3rd Ave Suite 1860
 Miami, FL 33131 PH: 1 888 726 6211
 www.mitchellgroupinternational.com
 UK Distribution: Mitchell Cosmetics Inc. Ltd.
 167-169 Great Portland Street
 Fifth Floor London W1W 5PF
 UK Toll Free 0 800 041 8158
 EU Distribution: Mitchell Cosmetics Ltd.
 First Floor, Penrose 1, Penrose Dock, Cork
 T23 KW81 | EU Toll Free 0 805 98 54 94



OMIC MINERAL SUNSCREEN

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79009-902
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.18 g in 1 g
Inactive Ingredients		
Ingredient Name	Strength	
CETEARETH-20 (UNII: YRC528SWJY)		
1,2-HEXANEDIOL (UNII: TR046Y3K1G)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
BETAINE (UNII: 3SCV180C9W)		
COPPER GLUCONATE (UNII: RV823G6G67)		
TYROSINE (UNII: 42HK56048U)		
VALINE (UNII: HG18B9YRS7)		
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)		
CHOLESTEROL (UNII: 97C5T2UQ7J)		
LYSINE HCL (UNII: JNJ23Q2COM)		
MALTODEXTRIN (UNII: 7CVR7L4A2D)		
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)		
XANTHAN GUM (UNII: TTV12P4NEE)		
POLYSORBATE 20 (UNII: 7T1F30V5YH)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
BEHENYL ALCOHOL (UNII: 9G1OE216XY)		
LEUCINE (UNII: GMW67QNF9C)		
SODIUM LACTATE (UNII: TU7HW0W0QT)		
ARGININE (UNII: 94ZLA3W45F)		
PCA (UNII: SZB83O1W42)		
CETYL ALCOHOL (UNII: 936JST6JCN)		
SODIUM PCA (UNII: 469OTG57A2)		
PROPANEDIOL (UNII: 5965N8W85T)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
PENTYLENE GLYCOL (UNII: 50C1307PZG)		
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)		
ALANINE (UNII: OF5P57N2ZX)		
CI 77491 (UNII: 1K09F3G675)		
EDETATE DISODIUM (UNII: 7FLD91C86K)		
ALLANTOIN (UNII: 344S277G0Z)		
BISABOLOL (UNII: 24WE03BX2T)		
POLYGLYCERYL-10 PENTASTEARATE (UNII: PMX5872701)		
CI 77492 (UNII: EX438O2MRT)		
POLYACRYLAMIDE (10000 MW) (UNII: E2KR9C9V2I)		
BERGAMOT OIL (UNII: 39W1PKE3JI)		
POLYURETHANE-62 (UNII: TBK645J3J8)		
CERAMIDE 9 (UNII: 88KCS7120E)		
CERAMIDE NP (UNII: 4370DF050B)		
CITRUS PARADISI (GRAPEFRUIT) SEED OIL (UNII: 598D944HOL)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
PLATELET GLYCOPROTEIN VI (UNII: L2RO3AL4JN)		
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)		
ARGANIA SPINOSA KERNEL OIL (UNII: 4V59G5UW9X)		

GLYCINE (UNII: TE7660XO1C)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)
LAURETH-7 (UNII: Z95S6G8201)
CERAMIDE AP (UNII: F1X8L2B00J)
COCO-CAPRYLATE (UNII: 4828G836N6)
DIMETHICONE (UNII: 92RU3N3Y1O)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
UREA (UNII: 8W8T17847W)
ZINC GLUCONATE (UNII: U6WSN5SQ1Z)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
CI 77499 (UNII: XM0M87F357)
PROLINE (UNII: 9DLQ4CIU6V)
SODIUM HYALURONATE (UNII: YSE9PPT4TH)
SODIUM STEAROYL LACTYLATE (UNII: IN99IT31LN)
TOCOPHEROL (UNII: R0ZB2556P8)
TRIDECETH-6 (UNII: 3T5PCR2H0C)
PELARGONIUM GRAVEOLENS FLOWER OIL (UNII: 3K0J1S7QGC)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
GLUTAMIC ACID (UNII: 3KX376GY7L)
TREHALOSE (UNII: B8WCK70T7I)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
SERINE (UNII: 452VLY9402)
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)
AQUA (UNII: 059QF0KO0R)
THREONINE (UNII: 2ZD004190S)
LEMON OIL, COLD PRESSED (UNII: I9GRO824LL)
MICA (UNII: V8A1AW0880)
TRIBEHENIN PEG-20 ESTERS (UNII: 84K9EH29Y9)
CARBOMER (UNII: 0A5MM307FC)
HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL (UNII: 3W1JG795YI)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
GLYCERIN (UNII: PDC6A3C0OX)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79009-902-80	1 g in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	03/02/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/02/2026	

Labeler - Mitchell Cosmetics, Inc (106643576)

Registrant - Mitchell Cosmetics, Inc. (106643576)

Establishment

Name	Address	ID/FEI	Business Operations
Mitchell Cosmetics Inc		106643576	manufacture(79009-902)

Revised: 2/2026

Mitchell Cosmetics, Inc