

MUCUS RELIEF DM- guaifenesin, dextromethorphan hbr tablet
WinCo Foods, LLC

Drug Facts

Active ingredients (in each extended-release tablet)

Dextromethorphan HBr 30 mg

Guaifenesin 600 mg

Purpose

Cough Suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product,

do not use more than directed.

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent

headache. These could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regards for timing of meals
- adults and children 12 years of age and older: 1 or 2 tablet every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

carbomer, colloidal silicon dioxide, D&Cyellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

Questions or comments?

Call **1-800-824-1706** Monday - Friday 9AM - 4PM MST

Principal Display Panel

*Compare to active ingredients in MUCINEX® DM

Mucus Relief DM

EXPECTORANT & COUGH SUPPRESSANT

DEXTROMETHORPHAN HBr 30 mg/COUGH SUPPRESSANT

GUAIFENESIN 600 mg / EXPECTORANT

Controls Cough for 12 Hours

Thins & Loosen Mucus

EXTENDED-RELEASE TABLETS

*This product is not manufactured or distributed RECKITT BENCKISER LLC, distributor of MUCINEX® DM.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY:

WINCO FOODS, LLC,

BOISE, ID 83704

Package Label

<p>Drug Facts</p> <p>Active ingredients (in each extended-release tablet)</p> <p>Dextromethorphan HBr 30 mg.....Cough Suppressant Guaifenesin 600 mg.....Expectorant</p> <p>Purposes</p> <p>Uses</p> <ul style="list-style-type: none"> helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive temporarily relieves <ul style="list-style-type: none"> cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants the intensity of coughing the impulse to cough to help you get to sleep <p>Warnings</p> <p>Do not use <ul style="list-style-type: none"> for children under 12 years of age if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. </p> <p>Ask a doctor before use if you have <ul style="list-style-type: none"> persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) </p> <p>When using this product, do not use more than directed.</p> <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p> <p>Directions</p> <ul style="list-style-type: none"> do not crush, chew, or break tablet take with a full glass of water this product can be administered without regard for timing of meals adults and children 12 years of age and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours children under 12 years of age: do not use <p>Other information <ul style="list-style-type: none"> store between 20° to 25°C (68° to 77°F) </p> <p>Inactive ingredients carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc</p> <p>Questions or comments? Call 800-824-1706 Monday - Friday 9am - 4pm MST</p>	<p style="writing-mode: vertical-rl; transform: rotate(180deg);">WinCo FOODS</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Mucus Relief DM</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">EXPECTORANT & COUGH SUPPRESSANT</p>	<p style="text-align: right;">*Compare to the active ingredients in MUCINEX® DM</p> <div style="border: 2px solid blue; padding: 10px; text-align: center;"> <p>WinCo FOODS</p> <h1>Mucus Relief DM</h1> <p>EXPECTORANT & COUGH SUPPRESSANT</p> </div> <p style="text-align: center;">GUAIFENESIN 600 mg/ EXPECTORANT DEXTROMETHORPHAN HBr 30 mg/ COUGH SUPPRESSANT</p> <p style="text-align: center;">Controls Cough for 12 Hours</p> <p style="text-align: center;">.....</p> <p style="text-align: center;">Thins & Loosens Mucus</p> <div style="border: 2px solid blue; border-radius: 50%; width: 60px; height: 60px; display: flex; align-items: center; justify-content: center; margin: 10px auto;"> <p style="font-size: 2em; font-weight: bold;">20</p> </div> <p style="text-align: center;">Tablets</p> <p style="text-align: center;">Extended-Release Tablets for 12-Hour Relief</p>
<p>*This product is not manufactured or distributed by RECKITT BENCKISER LLC, distributor of MUCINEX® DM.</p> <p>DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 83704</p> <p>PRODUCT OF INDIA</p> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px; font-size: 8px;"> PARENTS: Learn about teen medicine abuse www.StopMedicineAbuse.org </div> <div style="margin: 0 10px;">  </div> <div style="text-align: center;"> <p>100% SATISFACTION GUARANTEE</p> <p>Comments & Questions? www.wincofoods.com</p> </div> <div style="margin-left: 20px;"> <p>PLD-C519A FC008774 WF2308</p>  <p>0 70552 25079 6</p> </div> </div>		<p style="text-align: center; border: 1px solid red; padding: 2px; font-size: 8px;">TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.</p> <p style="text-align: center; border: 1px solid red; padding: 2px; font-size: 8px;">KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.</p> <p>Lot No: Exp. Date:</p>

WINCO FOODS mUCUS rELIEF dm

MUCUS RELIEF DM

guaifenesin, dextromethorphan hbr tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67091-344
---------------------	----------------	---------------------------	---------------

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CARBOMER 934 (UNII: Z135WT9208)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	yellow	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	AN038
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-344-20	20 in 1 CARTON	09/01/2019	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209692	09/01/2019	

Labeler - WinCo Foods, LLC (056098817)