

KIDS DAYTIME COUGH AND NIGHTTIME COUGH COMBO PACK-
dextromethorphan hbr, guaifenesin, chlorpheniramine maleate
Genexa Inc.

Kids' Daytime Cough + Nighttime Cough Combo pack

Kids' Cough & Chest Congestion - Daytime

Drug Facts

Active ingredients

(in each 5 mL)

Dextromethorphan HBr, USP 5 mg

Guaifenesin, USP 100 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and makes coughs more productive

Warnings

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI)(certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- **SHAKE WELL BEFORE EACH USE**
- do not give more than 6 doses in any 24-hour period
- use only with enclosed dose cup. Do not use with any other dosing device.
- mL = milliliter

Age

Dose

children 6 to under 12 years 5 mL - 10 mL every 4 hours
children 4 to under 6 years 2.5 mL - 5 mL every 4 hours
children under 4 years **do not use**

Other information

store between 20-25 °C (68-77 °F)

Inactive ingredients

agave syrup (organic), blueberry flavor (organic), flavors (natural), purified water

Questions? 1-855-436-3921

Kids' Long-Acting Nighttime Cough

Drug Facts

Active ingredients

(in each 10 mL)

Chlorpheniramine maleate, USP 2 mg

Dextromethorphan HBr, USP 15 mg

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use

- to sedate a child or make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- trouble urinating due to an enlarged prostate gland
- glaucoma
- a cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- **Do not use more than directed**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- **SHAKE WELL BEFORE EACH USE**

- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- do not take more than 4 doses in any 24-hour period

Age

Adults and children 12 years and older	20 mL every 6 hours
Children 6 to under 12 years	10 mL every 6 hours
Children under 6 years	do not use

Dose

Other information

store between 20-25 °C (68-77 °F)

Inactive ingredients

agave syrup (organic), blueberry flavor (organic), flavors (natural), purified water

Questions? 1-855-436-3921

SHAKE WELL BEFORE EACH USE

DO NOT use if perforated band around the bottle is disturbed or missing.

U.S. Patent No. 11,931,413 (Kids' Daytime Cough)

Distributed by: Genexa Inc.

Atlanta, GA 30324 | genexa.com

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org

NDC 69676-0110-9

COMBO PACK

Genexa®

CLEAN MEDICINE

Kids DAYTIME Cough & Chest Congestion

Ages 4-11

Dextromethorphan HBr

Cough Suppressant

Guaifenesin

Expectorant

Cough, Mucus, Chest Congestion

Kids NIGHTTIME Long-Acting Cough Relief

Ages 6+

Chlorpheniramine Maleate

Antihistamine

Dextromethorphan HBr

Cough Suppressant

Sneezing & Runny Nose

Up to 8 Hour Cough Relief

0% Artificial Additives, Dyes, Artificial Sweeteners, Common Allergens

Made with Real Agave + Blueberry Flavoring

TWO - 4 FL OZ (118 mL) BOTTLES

TOTAL - 8 FL OZ (236 mL)

<p>• Kids' Cough & Chest Congestion - Daytime</p> <p>Drug Facts (continued)</p> <table border="1"> <thead> <tr> <th>Age</th> <th>Dose</th> </tr> </thead> <tbody> <tr> <td>children 6 to under 12 years</td> <td>5 mL - 10 mL every 4 hours</td> </tr> <tr> <td>children 4 to under 6 years</td> <td>2.5 mL - 5 mL every 4 hours</td> </tr> </tbody> </table> <p>children under 4 years do not use</p> <p>Other information store between 20-25°C (68-77°F)</p> <p>Inactive ingredients agave syrup (organic), blueberry flavor (organic), flavors (natural), purified water</p> <p>Questions? 1-855-436-3921</p>	Age	Dose	children 6 to under 12 years	5 mL - 10 mL every 4 hours	children 4 to under 6 years	2.5 mL - 5 mL every 4 hours	<p>• Kids' Long-Acting Nighttime Cough</p> <p>Drug Facts (continued)</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> trouble urinating due to an enlarged prostate gland glaucoma a cough that occurs with too much phlegm (mucus) a breathing problem or chronic cough that lasts or occurs with smoking, asthma, chronic bronchitis or emphysema <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers</p> <p>When using this product</p> <ul style="list-style-type: none"> do not use more than directed marked drowsiness may occur avoid alcoholic drinks alcohol, sedatives, and tranquilizers may increase drowsiness be careful when driving a motor vehicle or operating machinery excitability may occur, especially in children <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p> <p>Directions</p> <ul style="list-style-type: none"> SHAKE WELL BEFORE EACH USE measure only with dosing cup provided keep dosing cup with product do not take more than 4 doses in any 24-hour period <table border="1"> <thead> <tr> <th>Age</th> <th>Dose</th> </tr> </thead> <tbody> <tr> <td>Adults and children 12 years and older</td> <td>20 mL every 6 hours</td> </tr> <tr> <td>Children 6 to under 12 years</td> <td>10 mL every 6 hours</td> </tr> <tr> <td>Children under 6 years</td> <td>do not use</td> </tr> </tbody> </table> <p>Other information store between 20-25°C (68-77°F)</p>	Age	Dose	Adults and children 12 years and older	20 mL every 6 hours	Children 6 to under 12 years	10 mL every 6 hours	Children under 6 years	do not use	<p>• Kids' Long-Acting Nighttime Cough</p> <p>Drug Facts (continued)</p> <p>Inactive ingredients agave syrup (organic), blueberry flavor (organic), flavors (natural), purified water</p> <p>Questions? 1-855-436-3921</p> <p>SHAKE WELL BEFORE EACH USE</p> <p>DO NOT use if perforated band around the bottle is disturbed or missing.</p> <p>U.S. Patent No. 11,931,413 (Kids' Daytime Cough) Distributed by: Genexa Inc. Atlanta, GA 30324 genexa.com</p> <p>PARENTS: NON-GMO Project VERIFIED</p> <p>Genexa CLEAN MEDICINE</p> <p>People Over Everything We think you should feel good about what makes your family feel better. That's why we make our products without artificial dyes, flavors, preservatives or common allergens. They're real medicines, made clean.</p> <p>Questions? Text us: 310-502-8844</p>	<p>COMBO PACK</p> <p>Genexa®</p> <p>CLEAN MEDICINE</p> <p>Kids Ages 4-11 DAYTIME Cough & Chest Congestion</p> <p>Kids Ages 6+ NIGHTTIME Long-Acting Cough Relief</p> <p>Dextromethorphan HBr Cough Suppressant Guaifenesin Expectorant Cough, Mucus Chest Congestion</p> <p>Chlorpheniramine Maleate Antihistamine Dextromethorphan HBr Cough Suppressant Sneezing & Runny Nose</p> <p>Up to 8 Hour Cough Relief</p> <p>0% Artificial Additives Dyes • Artificial Sweeteners Common Allergens</p> <p>Made with Real Agave + Blueberry Flavoring</p> <p>TWO - 4 FL OZ (118 mL) BOTTLES TOTAL - 8 FL OZ (236 mL)</p>	<p>Keep outer package for complete product information</p> <p>• Kids' Cough & Chest Congestion - Daytime</p> <p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredients</th> <th>Purposes</th> </tr> </thead> <tbody> <tr> <td>Dextromethorphan HBr, USP 5 mg</td> <td>Cough suppressant</td> </tr> <tr> <td>Guaifenesin, USP 100 mg</td> <td>Expectorant</td> </tr> </tbody> </table> <p>Uses</p> <ul style="list-style-type: none"> temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive <p>Warnings</p> <p>Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.</p> <p>Ask a doctor before use if the child has</p> <ul style="list-style-type: none"> cough that occurs with too much phlegm (mucus) persistent or chronic cough such as occurs with asthma <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p> <p>Directions</p> <ul style="list-style-type: none"> SHAKE WELL BEFORE EACH USE do not give more than 6 doses in any 24-hour period use only with enclosed dose cup. Do not use with any other dosing device. mL, a milliliter 	Active ingredients	Purposes	Dextromethorphan HBr, USP 5 mg	Cough suppressant	Guaifenesin, USP 100 mg	Expectorant
Age	Dose																							
children 6 to under 12 years	5 mL - 10 mL every 4 hours																							
children 4 to under 6 years	2.5 mL - 5 mL every 4 hours																							
Age	Dose																							
Adults and children 12 years and older	20 mL every 6 hours																							
Children 6 to under 12 years	10 mL every 6 hours																							
Children under 6 years	do not use																							
Active ingredients	Purposes																							
Dextromethorphan HBr, USP 5 mg	Cough suppressant																							
Guaifenesin, USP 100 mg	Expectorant																							

R-20251226

NDC 69676-0110-9

KIDS DAYTIME COUGH AND NIGHTTIME COUGH COMBO PACK

dextromethorphan hbr, guaifenesin, chlorpheniramine maleate kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69676-0110
---------------------	----------------	---------------------------	----------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69676-0110-9	2 in 1 BOX	03/20/2026	
1		1 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	1 BOTTLE, PLASTIC	118 mL

Part 1 of 2

NIGHTTIME COUGH-KIDS

chlorpheniramine maleate, dextromethorphan hbr solution

Product Information

Item Code (Source)	NDC:69676-0088
---------------------------	----------------

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII: 7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 10 mL
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII: 3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
AGAVE TEQUILANA STEM (UNII: J026JA743Y)	
BLUEBERRY (UNII: 253RUG1X1A)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	brown (Light)	Score	
Shape		Size	
Flavor	BLUEBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/06/2025	

Part 2 of 2

KIDS COUGH AND CHEST CONGESTION

dextromethorphan hbr, guaifenesin suspension

Product Information

Item Code (Source)	NDC:69676-0037
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BLUEBERRY (UNII: 253RUG1X1A)	
AGAVE TEQUILANA JUICE (UNII: GVG8G0207O)	

Product Characteristics

Color	brown (Light)	Score	
Shape		Size	
Flavor	BLUEBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/08/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/20/2026	

Labeler - Genexa Inc. (079751024)

Revised: 2/2026

Genexa Inc.