

**TOM FORD SHADE AND ILLUMINATE SOFT RADIANCE FOUNDATION BROAD SPECTRUM SPF 50- ensulizole, octinoxate, octisalate, and zinc oxide liquid**  
**TOM FORD BEAUTY DIST**

-----  
**TOM FORD SHADE AND ILLUMINATE SOFT RADIANCE FOUNDATION BROAD SPECTRUM SPF 50**

***Drug Facts***

<b><i>Active Ingredients</i></b>	<b><i>Purpose</i></b>
Ensulizole 2.7%	Sunscreen
Octinoxate 6.7%	Sunscreen
Octisalate 4.5%	Sunscreen
Zinc Oxide 3.8%	Sunscreen

**Use**

Helps prevent sunburn

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants hats and sunglasses
- children under 6 months of age: ask a doctor

**Inactive Ingredients**

water/aqua/eau • dimethicone • phenyl trimethicone • butylene glycol • glycerin • polymethylsilsesquioxane • lauryl peg-9 polydimethylsiloxylethyl dimethicone • hdi/ppg/polycaprolactone crosspolymer • trimethylsiloxysilicate/dimethiconol crosspolymer • tromethamine • polysilicone-11 • hexyl laurate • cetyl peg/ppg-10/1 dimethicone • neopentyl glycol diheptanoate • hydroxyethyl urea • tremella fuciformis sporocarp extract • hylocereus undatus fruit extract • euterpe oleracea fruit oil • carapa guaianensis seed oil • lavandula angustifolia (lavender) oil • sapindus mukorossi fruit extract • morinda citrifolia fruit extract • polyglyceryl-4 isostearate • copaifera officinalis (balsam copaiba) resin • triolein • caprylic/capric triglyceride • betaine • caffeine • acetyl hexapeptide-8 • tocopheryl acetate • trehalose • hydrogenated cocoglycerides • caesalpinia spinosa gum • trimethylsiloxysilicate • polyhydroxystearic acid • lecithin • glyceryl stearate • triethoxycaprylylsilane • laureth-7 • sodium chloride • disteardimonium hectorite • methicone • linoleic acid • phospholipids • stearyl alcohol • cetearyl alcohol • ammonium polyacryloyldimethyl taurate • sodium hyaluronate • tocopherol • triethyl citrate • palmitic acid • dimethicone/divinyldimethicone silsesquioxane crosspolymer • phytosteryl canola glycerides • stearic acid • oleic acid • polysorbate 80 • polysorbate 20 • behenyl alcohol • silica • linalool • disodium edta • bht • potassium sorbate • sodium dehydroacetate • phenoxyethanol • [+/- mica • titanium dioxide (ci 77891) • iron oxides (ci 77491) • iron oxides (ci 77492) • iron oxides (ci 77499)] <iln47071>

## **Other Information**

protect the product in this container from excessive heat and direct sun

## **PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton**

TOM FORD

SHADE AND ILLUMINATE  
SOFT RADIANCE FOUNDATION  
BROAD SPECTRUM SPF 50

1 FL. OZ./OZ. LIQ./30 ml e

SHADE AND ILLUMINATE  
SOFT RADIANCE FOUNDATION  
BROAD SPECTRUM SPF 50

### Drug Facts

Active Ingredients	Purpose
Ensilizole 2.7%	Sunscreen
Octinoxate 6.7%	Sunscreen
Octisalate 4.5%	Sunscreen
Zinc Oxide 3.8%	Sunscreen

### Use

Helps prevent sunburn

### Warnings

#### For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

For sunscreen use:

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants hats and sunglasses
  - children under 6 months of age: ask a doctor

TOM FORD BEAUTY, DIST.  
NEW YORK, NY 10022  
WLB LTD, GUS23DD, UK  
WLBRS NV, OR/EL BE-2260  
MADE IN CANADA T73C



### Drug Facts [continued]

#### Inactive Ingredients

water/aqua/eau • dimethicone • phenyl trimethicone • butylene glycol • glycerin • polymethylsilsesquioxane • lauryl ppg-9 polydimethylsiloxyethyl dimethicone • hdi/ppg/polycaprolactone crosspolymer • trimethylsiloxysilicate/dimethiconol crosspolymer • tromethamine • polysilicone-11 • hexyl laurate • cetyl ppg-10/1 dimethicone • neopentyl glycol diheptanoate • hydroxyethyl urea • tremella fuciformis sporocarp extract • hylocereus undatus fruit extract • euterpe oleracea fruit oil • carapa guaianensis seed oil • lavandula angustifolia (lavender) oil • sapindus mukorossi fruit extract • morinda citrifolia fruit extract • polyglyceryl-4 isostearate • copalifera officinalis (balsam copaliba) resin • triolein • caprylic/capric triglyceride • betaine • caffeine • acetyl hexapeptide-8 • tocopheryl acetate • trehalose • hydrogenated coco-glycerides • caesalpinia spinosa gum • trimethylsiloxysilicate • polyhydroxystearic acid • lecithin • glyceryl stearate • triethoxycaprylsilane • laureth-7 • sodium chloride • disteardimonium hectorite • methicone • linoleic acid • phospholipids • stearyl alcohol • cetearyl alcohol • ammonium polyacryloyldimethyl taurate • sodium hyaluronate • tocopherol • triethyl citrate • palmitic acid • dimethicone/divinyl dimethicone silsesquioxane crosspolymer • phytosteryl canola glycerides • stearic acid • oleic acid • polysorbate 80 • polysorbate 20 • behenyl alcohol • silica • linalool • disodium edta • bht • potassium sorbate • sodium dehydroacetate • phenoxyethanol • [+/-] mica • titanium dioxide (ci 77891) • iron oxides (ci 77491) • iron oxides (ci 77492) • iron oxides (ci 77499) <iln4707>

#### Other Information

protect the product in this container from excessive heat and direct sun

SHADE LABEL FPO


TF

TOM FORD

SHADE AND ILLUMINATE  
SOFT RADIANCE FOUNDATION  
BROAD SPECTRUM SPF 50  
1 FL. OZ./OZ. LIQ./30 ml e

T73C-01-1111

UPC / FPO



# TOM FORD SHADE AND ILLUMINATE SOFT RADIANCE FOUNDATION BROAD SPECTRUM SPF 50

ensulizole, octinoxate, octisalate, and zinc oxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76398-010
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ENSULIZOLE</b> (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	27 mg in 1 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	67 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	38 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>HYDROXYETHYL UREA</b> (UNII: MBQ7DDQ7AR)	
<b>TREMELLA FUCIFORMIS FRUITING BODY</b> (UNII: GG8N28393G)	
<b>SELENICEREUS UNDATUS FRUIT</b> (UNII: WUG58TD53X)	
<b>ACAI OIL</b> (UNII: Z0W6766A2W)	
<b>CARAPA GUIANENSIS SEED OIL</b> (UNII: Y82418EH2I)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>SAPINDUS MUKOROSI FRUIT</b> (UNII: 66H9NW427Y)	
<b>NONI FRUIT</b> (UNII: 7829X3G2X5)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>COPAIFERA OFFICINALIS RESIN</b> (UNII: 1VH544O5AT)	
<b>GLYCERYL TRIOLEATE</b> (UNII: O05EC62663)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	

<b>BETAINE</b> (UNII: 3SCV180C9W)
<b>CAFFEINE</b> (UNII: 3G6A5W338E)
<b>ACETYL HEXAPEPTIDE-8</b> (UNII: L4EL31FWL)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>HYDROGENATED COCO-GLYCERIDES</b> (UNII: XDD37N2GPR)
<b>CAESALPINIA SPINOSA RESIN</b> (UNII: WL3883U2PO)
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>LAURETH-7</b> (UNII: Z95S6G8201)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>AMMONIUM POLYACRYLOYLDIMETHYL TAURATE (55000 MPA.S)</b> (UNII: F01RIY4371)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>OLEIC ACID</b> (UNII: 2UMI9U37CP)
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76398-010-01	1 in 1 CARTON	10/10/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/10/2019	

**Labeler** - TOM FORD BEAUTY DIST (005914387)

**Registrant** - Estee Lauder Companies Inc. (790802086)

## Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd.		204132062	manufacture(76398-010) , label(76398-010) , pack(76398-010)

## Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd		202952982	manufacture(76398-010)

Revised: 10/2023

TOM FORD BEAUTY DIST