

**SWEAT RESISTANT SUNSCREEN BODY ORIGINAL- titanium dioxide, zinc oxide lotion**

**SWEAT RESISTANT SUNSCREEN BODY COCONUT VANILLA- titanium dioxide, zinc oxide lotion**

**SWEAT RESISTANT SUNSCREEN BODY COSTAL SANDALWOOD- titanium dioxide, zinc oxide lotion**

**Clutch, Inc.**

-----  
**Sweat Resistant Sunscreen Body Lotion**

***Drug Facts***

***Active Ingredients***

---

***Active Ingredients***

Titanium Dioxide (4.5%)

Zinc Oxide (4%)

***Purpose***

Sunscreen

Sunscreen

---

***Uses***

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse eyes with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure
- Reapply: after 80 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses

Children under 6 months of age: ask a doctor.

**Other Information**

- Protect the product in this container from excessive heat and direct sun.

Water, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Styrene/Acrylates Copolymer, Glycerin, Sorbitan Olivatate, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Aluminum Starch Octenylsuccinate, Sodium Chloride, Silica, Aloe Barbadensis Leaf Extract, Cucumis Sativus (Cucumber) Fruit Extract, Punica Granatum Fruit Juice, Oryza Sativa (Rice) Bran Water, Rosmarinus Officinalis (Rosemary) Leaf Extract, Vitis Vinifera (Grape) Seed Extract, Camellia Sinensis Leaf Extract, Ethylhexylglycerin, Fragrance, Propanediol, Disodium EDTA, Phenoxyethanol, Alumina, Hydrogen Dimethicone

**Questions?** Call 888-621-0135 | [mycarpe.com](http://mycarpe.com)

Distributed By: Clutch, Inc. (DBA Carpe) Durham, NC 27701 | Designed & Filled in USA

**Principal Display Panel - Carpe Sweat Resistant Sunscreen Body Lotion  
Original - 100 ML Tube**

Carpe

Broad Spectrum SPF 50 Protection

Dermatologist Tested

Sweat Resistant

Sunscreen

Body Lotion

Water & Sweat Resistant (80 min)

NET 3.4 fl oz (100 ml)



**SMARTER SWEATCARE**

**Drug Facts**

Active Ingredient	Purpose
Titanium Dioxide (4.5%)	Sunscreen
Zinc Oxide (4%)	Sunscreen

**Uses** • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse eyes with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

**Directions** Apply liberally 15 minutes before sun exposure • Reapply: after 80 minutes of swimming or sweating • Immediately after towel drying • At least every 2 hours

• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: ask a doctor

**Other information** • protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Water, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Styrene/Acrylates Copolymer, Glycerin, Sorbitan Oleate, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Aluminum Starch Octenylsuccinate, Sodium Chloride, Silica, Aloe Barbadosensis Leaf Extract, Cucumis Sativus (Cucumber) Fruit Extract, Mentha Piperita (Peppermint) Leaf Extract, Punica Granatum Fruit Juice, Cryza Sativa (Rice) Bran Water, Rosmarinus Officinalis (Rosemary) Leaf Extract, Vitis Vinifera (Grape) Seed Extract, Camellia Sinensis Leaf Extract, Ethylhexylglycerin, Fragrance, Propylendiol, Disodium EDTA, Phenoxethanol, Alumina, Hydrogen Dimethicone



**Questions?** Call 888-621-6135 | [mycarpe.com](http://mycarpe.com)  
Distributed By: Clutch, Inc. (DBA Carpe) Durham, NC 27701 | Designed & Filled in USA

**carpe**



SWEAT RESISTANT  
**SUNSCREEN**  
BODY LOTION

WATER & SWEAT RESISTANT (80 MIN.)

NET 3.4 FL OZ (100 ML)

**Principal Display Panel - Carpe Sweat Resistant Sunscreen Body Lotion Coastal Sandalwood - 100 ML Tube**

Carpe

Broad Spectrum SPF 50 Protection

Dermatologist Tested

Sweat Resistant

Sunscreen

Body Lotion

Water & Sweat Resistant (80 min)

Coastal Sandalwood

NET 3.4 fl oz (100 mL)



**SMARTER SWEATCARE**

**Drug Facts**

Active Ingredient	Purpose
Titanium Dioxide (4.5%)	Sunscreen
Zinc Oxide (4%)	Sunscreen

**Uses** • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse eyes with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

**Directions** Apply liberally 15 minutes before sun exposure • Reapply after 80 minutes of swimming or sweating • Immediately after towel drying • At least every 2 hours

■ **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m.-2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age: ask a doctor

**Other Information** • protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Water, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Styrene/Acrylates Copolymer, Glycerin, Sorbitan Olivat, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Aluminum Starch Octylsuccinate, Sodium Chloride, Silica, Aloe Barbadosensis Leaf Extract, Cucumis Sativus (Cucumber) Fruit Extract, Mentha Piperita (Peppermint) Leaf Extract, Punica Granatum Fruit Juice, Oryza Sativa (Rice) Bran Water, Rosmarinus Officinalis (Rosemary) Leaf Extract, Vitis Vinifera (Grape) Seed Extract, Camellia Sinensis Leaf Extract, Ethylhexylglycerin, Fragrance Propandiol, Disodium EDTA, Phenoxethanol, Alumina, Hydrogen Dimethicone



**Questions?** Call 888-621-0135 | [mycarpe.com](http://mycarpe.com)  
Distributed By: Clutch, Inc. (DBA Carpe) Durham, NC 27701 | Designed & Filled in USA

**carpe**



SWEAT RESISTANT  
**SUNSCREEN**  
BODY LOTION

WATER & SWEAT RESISTANT (80 MIN.)  
COASTAL SANDALWOOD

NET 3.4 FL OZ (100 ML)

**Principal Display Panel - Carpe Sweat Resistant Sunscreen Body Lotion  
Coconut Vanilla - 100 ML Tube**

Carpe

Broad Spectrum SPF 50 Protection

Dermatologist Tested

Sweat Resistant

Sunscreen

Body Lotion

Water & Sweat Resistant (80 min)

Coconut Vanilla

NET 3.4 fl oz (100 mL)

**SMARTER SWEATCARE**

**Drug Facts**

Active Ingredient	Purpose
Titanium Dioxide (4.5%)	Sunscreen
Zinc Oxide (4%)	Sunscreen

**Uses** • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only  
Do not use on damaged or broken skin  
When using this product keep out of eyes. Rinse eyes with water to remove.  
Stop use and ask a doctor if rash occurs  
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

**Directions** Apply liberally 15 minutes before sun exposure • Reapply: after 80 minutes of swimming or sweating • Immediately after towel drying • At least every 2 hours  
▪ **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ▪ limit time in the sun, especially from 10 a.m.-2 p.m. ▪ wear long-sleeved shirts, pants, hats, and sunglasses ▪ children under 6 months of age: ask a doctor

**Other Information** • protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Water, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Styrene/Acrylates Copolymer, Glycerin, Sorbitan Olivate, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Aluminum Starch Octenylsuccinate, Sodium Chloride, Silica, Aloe Barbadensis Leaf Extract, Curcuma Sativa (Cucumber) Fruit Extract, Mentha Piperita (Peppermint) Leaf Extract, Punica Granatum Fruit Juice, Oryza Sativa (Rice) Bran Water, Rosmarinus Officinalis (Rosemary) Leaf Extract, Vitis Vinifera (Grape) Seed Extract, Camellia Sinensis Leaf Extract, Ethylhexylglycerin, Fragrance, Propanediol, Disodium EDTA, Phenoxethanol, Alumina, Hydrogen Dimethicone

**Questions?** Call 888-621-0135 | [mycarpe.com](http://mycarpe.com)  
Distributed By: Clutch, Inc. (DBA Carpe) Durham, NC 27701 | Designed & Filled in USA

**mycarpe**

BROAD SPECTRUM SPF 50 PROTECTION

DERMATOLOGIST TESTED

SWEAT RESISTANT  
**SUNSCREEN**  
BODY LOTION

WATER & SWEAT RESISTANT (80 MIN.)  
COCONUT VANILLA

NET 3.4 FL OZ (100 ML)

## SWEAT RESISTANT SUNSCREEN BODY ORIGINAL

titanium dioxide, zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:74307-900
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4 g in 100 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	4.5 g in 100 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ORYZA SATIVA (RICE) BRAN</b> (UNII: R60QEP13IC)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>VITIS VINIFERA (GRAPE) SEED</b> (UNII: C34U15ICXA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>MENTHA PIPERITA (PEPPERMINT) LEAF</b> (UNII: A389O33LX6)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL</b> (UNII: 8LGU7VM393)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)	
<b>ALOE BARBADENSIS LEAF JUICE</b> (UNII: RUE8E6T4NB)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (MW 500000)</b> (UNII: 5Z4DPO246A)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>PUNICA GRANATUM FRUIT JUICE</b> (UNII: 99S671U9KB)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CUCUMIS SATIVUS (CUCUMBER) FRUIT</b> (UNII: YY7C30VXJT)	
<b>CAMELLIA SINENSIS LEAF</b> (UNII: W2ZU1RY8B0)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:74307-900-00	100 mL in 1 TUBE; Type 0: Not a Combination Product	03/26/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/26/2026	

## SWEAT RESISTANT SUNSCREEN BODY COCONUT VANILLA

titanium dioxide, zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:74307-902
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	4.5 g in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
CAMELLIA SINENSIS LEAF (UNII: W2ZU1RY8B0)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
ORYZA SATIVA (RICE) BRAN (UNII: R60QEP13IC)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
VITIS VINIFERA (GRAPE) SEED (UNII: C34U15ICXA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
MENTHA PIPERITA (PEPPERMINT) LEAF (UNII: A389O33LX6)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL (UNII: 8LGU7VM393)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
PUNICA GRANATUM FRUIT JUICE (UNII: 99S671U9KB)	
PROPANEDIOL (UNII: 5965N8W85T)	
ALUMINA (UNII: LMI26O6933)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
CUCUMIS SATIVUS (CUCUMBER) FRUIT (UNII: YY7C30VXJT)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74307-902-00	100 mL in 1 TUBE; Type 0: Not a Combination Product	03/26/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/26/2026	

## SWEAT RESISTANT SUNSCREEN BODY COSTAL SANDALWOOD

titanium dioxide, zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:74307-901
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	4.5 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CAMELLIA SINENSIS LEAF</b> (UNII: W2ZU1RY8B0)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ORYZA SATIVA (RICE) BRAN</b> (UNII: R60QEP13IC)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>VITIS VINIFERA (GRAPE) SEED</b> (UNII: C34U15ICXA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>MENTHA PIPERITA (PEPPERMINT) LEAF</b> (UNII: A389O33LX6)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL</b> (UNII: 8LGU7VM393)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)	
<b>ALOE BARBADENSIS LEAF JUICE</b> (UNII: RUE8E6T4NB)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (MW 500000)</b> (UNII: 5Z4DPO246A)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	

<b>PUNICA GRANATUM FRUIT JUICE</b> (UNII: 99S671U9KB)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CUCUMIS SATIVUS (CUCUMBER) FRUIT</b> (UNII: YY7C30VXJT)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74307-901-00	100 mL in 1 TUBE; Type 0: Not a Combination Product	03/26/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/26/2026	

**Labeler** - Clutch, Inc. (080214892)

Revised: 2/2026

Clutch, Inc.