

WELLY FIRST AID KIT REFILL- hydrocortisone, bacitracin zinc, neomycin sulfate, polymyxin b sulfate, lidocaine
Dongguan Shenglian Tins Products Co., Ltd.

Welly First Aid Kit Refill

Drug Facts

Active Ingredient

Hydrocortisone 1%

Purpose

Anti-itch

Uses

For temporary relief of itching associated with minor skin irritations, inflammation, or rashes. Other uses of product should only be under the advice and supervision of a doctor.

Warnings

For external use only.

Do not use

- in the eyes ● for treatment of diaper rash, consult a doctor.

Stop use, ask a doctor

- if condition worsens, or if symptoms persist for more than 7 days or clears up and occurs again within a few days ● with use of any other hydrocortisone product

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. ● Children under 2 years of age: Do not use and ask a doctor.

Other Information

- Store at 20° to 25°C (68° to 77°F).

- Do not use open or torn packets.

Inactive Ingredients

Ceteareth-20, Cetearyl Alcohol, Ethylhexylglycerin, Glycerin, Glyceryl Stearate, Mineral Oil, Petrolatum, Phenoxyethanol, Water

Questions or comments?

Call 1-833-BE-WELLY (1-833-239-3559)

Drug Facts

Active Ingredient

Lidocaine HCl 2.0%

Purpose

Topical Pain Relief

Uses

For temporary pain relief associated with minor burns

Warnings

For external use only.

Do not use

- in large quantities particularly, over raw or blistered areas
- in the eyes. If this happens flush thoroughly with water

Stop use, ask a doctor if

- condition worsens, or if symptoms persist for more than 7 days or clears up and occurs again within a few days

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- **Adults and children 2 years of age and older:** Apply to affected area not more than 3 to 4 times daily.
- **Children under 2 years of age:** Do not use, consult a doctor.

Other Information

- Store at 20° to 25°C to (68° to 77°F).
- Do not use open or torn packets.

Inactive Ingredients

Aloe Barbadensis leaf Juice , Aminomethyl Propanol, Carbomer, Ethylhexylglycerin, Maltodextrin, Menthol, Phenoxyethanol, Polyethylene Glycol, Purified Water, Tocopheryl Acetate.

Questions or comments?

call 1-833-BE-WELLY (1-833-239-3559)

Drug Facts

Active Ingredients (each gram contains)

Bacitracin Zinc 400 units
Neomycin Sulfate 3.5 mg
Polymyxin B Sulfate 5,000 units

Purposes

First aid antibiotic

Uses

First aid to help prevent infection in minor: ● Cuts ● Scratches ● Burns

Warnings

For external use only.

Do not use

● In the eyes ● Over large areas of the body ● If you are allergic to any of the ingredients

Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if

● Condition persists or gets worse. ● You need to use longer than 1 week. ● A rash or other allergic reaction develops.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Clean affected area and dry thoroughly.
- Apply small amount of product (amount equal to the surface area of the tip of a finger) on the area not more than 1-3 times daily
- May be covered by sterile bandage.
- Children under 2 years of age: Do not use, consult a doctor.

Other information

- Store at 20° to 25°C (68° to 77°F).
- Do not use open or torn packets.


Inactive ingredients

Mineral Oil, White Petrolatum

Questions or comments?

Call 1-833-BE-WELLY (1-833-239-3559)

Package Labeling:



Package Labeling:84956-011-01

► TEAR HERE

welly®

1% Hydrocortisone
Cream

Net Wt. 0.03 oz (0.9 g)

Drug Facts

Active Ingredient Purpose

Hydrocortisone 1%.....Anti-itch

Uses For temporary relief of itching associated with minor skin irritations, inflammation, or rashes. Other uses of product should only be under the advice and supervision of a doctor.

Warnings

For external use only.

Do not use • in the eyes • for treatment of diaper rash, consult a doctor.

Stop use, ask a doctor • if condition worsens, or if symptoms persist for more than 7 days or clears up and occurs again within a few days • with use of any other hydrocortisone product

Keep out of the reach of children.
If swallowed, get medical help or contact ►

Drug Facts (continued)

a Poison Control Center immediately.

Directions • Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. • Children under 2 years of age: Do not use and ask a doctor.

Other Information

- Store at 20° to 25°C (68° to 77°F).
- Do not use open or torn packets.

Inactive Ingredients

Ceteareth-20, Cetearyl Alcohol, Ethylhexylglycerin, Glycerin, Glyceryl Stearate, Mineral Oil, Petrolatum, Phenoxyethanol, Water

Questions or comments?

Call 1-833-BE-WELLY (1-833-239-3559)

Distributed by Welly Health PBC, Minneapolis, MN 55402
Product of China PKT Hydrocortisone.03

Package Labeling:84956-017-01

X
CUT HERE

welly*

Burn Gel

Net Wt. 0.03 oz (0.9 g)

Drug Facts

Active Ingredient Purpose
Lidocaine HCl 2.0%.....Topical Pain Relief

Uses For temporary pain relief associated with minor burns

Warnings

For external use only.

Do not use • in large quantities, particularly over raw or blistered areas • in the eyes. If this happens flush thoroughly with water

Stop use, ask a doctor if • condition worsens, or if symptoms persist for more than 7 days or clears up and occurs again within a few days

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions • Adults and children ►

Drug Facts (continued)

2 years of age and older: Apply to affected area not more than 3 to 4 times daily.

• **Children under 2 years of age:** Do not use, consult a doctor.

Other Information

• Store at 20° to 25°C (68° to 77°F).
• Do not use open or torn packets.

Inactive Ingredients

Aloe Barbadensis Leaf Juice, Aminomethyl Propanol, Carbomer, Ethylhexylglycerin, Maltodextrin, Menthol, Phenoxyethanol, Polyethylene Glycol, Purified Water, Tocopheryl Acetate.

Questions or comments?

Call 1-833-BE-WELLY (1-833-239-3559)

Distributed by Welly Health PBC, Minneapolis, MN 55402
Product of China PKT_BurnGel.01

Package Labeling:84956-007-01



Triple Antibiotic First Aid Ointment

Net Wt. 0.02 oz (0.5 g)

Drug Facts

Active Ingredients Purposes (each gram contains)

Bacitracin Zinc 400 units.....First aid antibiotic
Neomycin Sulfate 3.5 mg.....First aid antibiotic
Polymyxin B Sulfate 5,000 units.....First aid antibiotic

Uses First aid to help prevent infection in minor: • Cuts • Scrapes • Burns

Warnings

For external use only.

Do not use • In the eyes • Over large areas of the body • If you are allergic to any of the ingredients

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if • Condition persists or gets worse. • You need to use longer than 1 week. • A rash or other allergic reaction develops. ►

Drug Facts (continued)

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions • Clean affected area and dry thoroughly. • Apply small amount of product (amount equal to the surface area of the tip of a finger) on the area not more than 1-3 times daily
• May be covered by sterile bandage. • Children under 2 years of age: Do not use, consult a doctor.

Other information

- Store at 20° to 25°C (68° to 77°F).
- Do not use open or torn packets.

Inactive ingredients

Mineral Oil, White Petrolatum

Questions or comments?

Call 1-833-BE-WELLY (1-833-239-3559)

Distributed by Welly Health PBC,
Minneapolis, MN 55402
Product of China
PKT_TripleAntibiotic.04

WELLY FIRST AID KIT REFILL

hydrocortisone, bacitracin zinc, neomycin sulfate, polymyxin b sulfate, lidocaine kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84956-016
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84956-016-01	1 in 1 KIT	01/05/2026	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 PACKET	0.9 g
Part 2	1 PACKET	0.9 g
Part 3	1 PACKET	0.5 g

Part 1 of 3

HYDROCORTISONE

hydrocortisone cream

Product Information

Item Code (Source)	NDC:84956-011(NDC:43473-049)	
Route of Administration	TOPICAL	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CETEARETH-20 (UNII: YRC528SWUY)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C00X)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
PHENOXYETHANOL (UNII: HIE49ZZ3T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84956-011-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/05/2026	

Part 2 of 3

WELLY BURN

lidocaine hydrochloride gel

Product Information

Item Code (Source)	NDC:84956-017(NDC:43473-062)	
Route of Administration	TOPICAL	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	
AMINOMETHYL PROPANOL (UNII: LU49E6626Q)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MENTHOL (UNII: L7T10EIP3A)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84956-017-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/05/2026	

Part 3 of 3

WELLY TRIPLE ANTIBIOTIC FIRST AID

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

Item Code (Source)	NDC:84956-007(NDC:69571-888)
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84956-007-01	0.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	01/05/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/05/2026	

Labeler - Dongguan Shenglian Tins Products Co., Ltd. (527921279)

Registrant - Dongguan Shenglian Tins Products Co., Ltd. (527921279)

