

ECOLAB BLOOD CLOTTING- bezethonium chloride, lidocaine aerosol, spray

ECOLAB Food Safety Specialties, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Ecolab Blood Clotting Spray

Drug Facts

Active ingredients

Benzethonium Chloride 0.2% w/w

Lidocaine 4% w/w

Purposes

Topican Antiseptic

Topical Anesthetic

Uses

- for help in control of superficial bleeding
- for temporary relief of pain and help to protect against infection in minor cuts, scrapes and minor burns

Warnings

For external use only.

Flammable

- keep away from fire or flame
- contents under pressure
- do not puncture or incinerate container
- do not expose to temperatures above 120°F

Do not use

- in or near eyes or other mucous membranes
- in case of serious burns
- in case of deep puncture wounds
- for prolonged periods of time
- on a large portion of the body
- on raw surfaces
- on blistered areas

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- condition clears up and recurs within a few days
- redness, swelling or irritation occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean affected area
- shake can well before using
- hold 6-8 inches from surface
- spray until area is covered and superficial bleeding is stopped
- scab-like cover will gradually disappear or may be removed with soap and water
- for adult institutional use only
- not intended for use on children

Other information

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

Inactive ingredients

isobutane, isopropyl myristate, karaya, n-butane, propane, silica, sorbitan monooloate, talc, tragacanth

Questions or comments?

1=800-634-7680

Ecolab Blood Clotting Spray Label

ECOLAB®

Blood Clotting Spray

- Aids in control of superficial bleeding
- Temporarily relieves pain of minor cuts, burns and scrapes
- Helps prevent infection
- Contains no fluorocarbons

Reorder #

44

Aerosol

WARNING: FLAMMABLE

Contents Under Pressure, Read Back Panel Carefully

Net Weight 3 oz (85g)

Drug Facts (continued)**Directions**

- clean the affected area
- shake can well before using
- hold 6-8 inches from surface
- spray until area is covered and superficial bleeding is stopped
- scab-like cover will gradually disappear or may be removed with soap and water
- for adult institutional use only
- not intended for use on children

Other information

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

Inactive ingredients

isobutane, isopropyl myristate, karaya, n-butane, propane, silica, sorbitan monoolate, talc, tragacanth.

Questions or comments? 1-800-634-7680

Item #50225-01-37

Distributed by Ecolab
1801 Riverbend West Dr.
Fort Worth, TX 76118
To reorder, call 800 321 3687



© 2017 Ecolab USA Inc. All rights reserved. 770325/5400/0217

**Blood Clotting Spray**

- Aids in control of superficial bleeding
- Temporarily relieves pain of minor cuts, burns and scrapes
- Helps prevent infection
- Contains no fluorocarbons

REORDER #

44**Aerosol****WARNING: FLAMMABLE**

CONTENTS UNDER PRESSURE, READ BACK PANEL CAREFULLY

NET WEIGHT 3 OZ (85g)

Drug Facts**Active ingredients**

Benzethonium Chloride 0.2% w/w..... Topical antiseptic
Lidocaine 4% w/w..... Topical anesthetic

Purposes**Uses**

- for help in control of superficial bleeding
- for temporary relief of pain and to help protect against infection in minor cuts, scrapes and minor burns

Warnings

For external use only

Flammable

- keep away from fire or flame
- contents under pressure
- do not puncture or incinerate container
- do not expose to temperatures above 120° F

Do not use

- in or near eyes or other mucous membranes
- in case of serious burns
- in case of deep or puncture wounds
- for a prolonged period of time
- on a large portion of the body
- on raw surfaces
- on blistered areas

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- condition clears up and recurs within a few days
- redness, swelling, or irritation occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

ECOLAB BLOOD CLOTTING

bezethonium chloride, lidocaine aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71338-137
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	3400 mg in 85 g
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	170 mg in 85 g

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTANE (UNII: 6LV4FOR43R)	
TALC (UNII: 7SEV7J4R1U)	
ISOBUTANE (UNII: BXR49TP611)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
KARAYA GUM (UNII: 73W9IQY50Q)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	
TRAGACANTH (UNII: 2944357O2O)	

PROPANE (UNII: T75W9911L6)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71338-137-17	85 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/28/2017	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part348	03/28/2017	

Labeler - ECOLAB Food Safety Specialties, Inc. (618996086)

Registrant - Medique Products (086911794)

Revised: 9/2019

ECOLAB Food Safety Specialties, Inc.