

# **STOOL SOFTENER LAXATIVE- docusate sodium and sennosides tablet Best Choice (Valu Merchandisers Company)**

-----  
**Drug Facts**

## **Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

## **Purpose**

Stool softener

Stimulant laxative

## **Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

## **Warnings**

### **Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless told to do so by a doctor

### **Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

### **Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## **Directions**

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

### Other information

- **each tablet contains:** calcium 30 mg
- **each tablet contains:** sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C(59-86°F)

### Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

### Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

### Principal Display Panel

\*Compare to the active ingredient in Colace® 2-IN1

Stool Softener &

Stimulant Laxative

DOCUSATE SODIUM 50 mg

STOOL SOFTENER

SENNOSIDES 8.6 mg

STIMULANT LAXATIVE

Gentle, dependable

relief in 6-12 hours

TABLETS

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT**

**INFORMATION.**

\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

PROUDLY DISTRIBUTED BY:

ASSOCIATED WHOLESALE GROCERS, INC.

KANSAS CITY, KANSAS 66106

**Product Label**

**Best Choice®**

\*Compare to the active ingredients in **Colace® 2-IN-1**

**Stool Softener & Stimulant Laxative**

**DOCUSATE SODIUM 50 MG STOOL SOFTENER**

**SENNOSIDES 8.6 MG STIMULANT LAXATIVE**

**Actual Size**

**100 TABLETS**

**Gentle, dependable relief in 6-12 hours**

**Best Choice, 100% Guaranteed**

www.bestchoicebrand.com

BEST CHOICE 58991 0923 PLD

0 70038 58991 4

PLD-J676A  
FC008377

Lot No.:  
Exp. Date:

**Drug Facts**

Active ingredients (in each tablet)	Purpose
Docusate sodium 50 mg.....	Stool softener
Sennosides 8.6 mg.....	Stimulant laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Stop use and ask a doctor** if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

**Drug Facts (continued)**

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

**Other information**

- each tablet contains: calcium 30 mg
- each tablet contains: sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

<b>TAMPER EVIDENT:</b> DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.	<b>KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.</b>
---	---

PROUDLY DISTRIBUTED BY:  
ASSOCIATED WHOLESALE GROCERS, INC.  
KANSAS CITY, KANSAS 66106



Scan here for more product information.  
Call 1-844-292-1112 for more product information.

**BEST CHOICE Stool Softener Stimulant Laxative**

# STOOL SOFTENER LAXATIVE

docusate sodium and sennosides tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63941-855
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	

## Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	PSD21
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-855-10	1 in 1 BOX	08/01/2020	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	505G(a)(3)	08/01/2020	

**Labeler** - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 9/2024

Best Choice (Valu Merchandisers Company)