FLORIDA GLOW SPF 30- zinc oxide lotion Southeast Holdings Corp.

Active Ingredients

Zinc Oxide 14.6%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (**see Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask a doctorif rash occurs.

Do not useon damaged or broken skin.

When using this product Keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure

- Reapply:
- After 80 minutes of swimming or sweating
- Immediately after towel drying
- at least every 2 hours.
- Children under 6 months: Ask a doctor.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum of 15 or nigher and other sun protection measures, including:

- limit time in the sun, espec1ally from 10 a.m.- 2 p.m.
- wear long sleeve shirts, pants, hats & sunglasses

Inactive Ingredients

Triethoxycaprylylsilane, Water, Coco-Caprylate/Caprate, Isoamyl laurate, Glycerine, Polyglyceryl -6 Stearate, Jojoba Oil, Propanadiol, Shea Butter, Xanthum

Gum, Phenoxyethanol, Green Tea Leaf Extract, Cetyl Alcohol, Silica, Polyhydroxystearic Acid, Pongomia Pinnata Seed Extract, Sphingomonas Ferment Extract, Aloe Barbadensis Leaf Extract, Lecithin, Sclerotium Gum, Pullulan, Ethylhexylglycerin

Other Information

- Protect this product from heat and direct sun.
- May stain or damage some fabrics or surfaces.

Questions or Comments? Call 1 (800) 931-9254

Product label



FLORIDA GLOW SPF 30

zinc oxide lotion

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:83862-005 Route of Administration TOPICAL

| Active Ingredient/Active Moiety | | |
|---|--------------------------|------------------|
| Ingredient Name | Basis of Strength | Strength |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION | 14.6 g in 100 mL |
| | | |

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| WATER (UNII: 059QF0KO0R) | |
| COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H) | |
| ISOAMYL LAURATE (UNII: M1SLX00M3M) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| POLYGLYCERYL-6 STEARATE (UNII: ETY9Q81E2T) | |
| JOJOBA OIL (UNII: 724GKU717M) | |
| PROPANEDIOL (UNII: 5965N8W85T) | |
| SHEA BUTTER (UNII: K49155WL9Y) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) | |
| CETYL ALCOHOL (UNII: 936JST6JCN) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) | |
| PONGAMIA PINNATA SEED (UNII: C2BRV53B1V) | |
| SPHINGOFUNGIN C (UNII: S0392RT2G8) | |
| ALOE VERA LEAF JUICE (UNII: RUE8E6T4NB) | |
| SOYBEAN LECITHIN (UNII: 1DI56QDM62) | |
| BETASIZOFIRAN (UNII: 2X51AD1X3T) | |
| PULLULAN (UNII: 8ZQ0AYU1TT) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |

| Packaging | | | | |
|-----------|----------------------|---|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:83862-005- 01 | 100 mL in 1 TUBE; Type 0: Not a Combination Product | 01/19/2021 | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M020 | 01/19/2021 | |
| | | | |

Labeler - Southeast Holdings Corp. (122400191)

| Establishment | | | |
|-------------------------|---------|-----------|---|
| Name | Address | ID/FEI | Business Operations |
| Southeast Holdings Corp | | 080504027 | manufacture(83862-005) , label(83862-005) , pack(83862-005) |