CHILDRENS COUGH AND COLD- chlorpheniramine maleate, dextrometrorphan hbr liquid FAMILY DOLLAR SERVICES INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Family Dollar Children's Cough & Cold

DRUG FACTS

Active ingredients (in each 10 mL)

Chlorpheniramine maleate, USP 2 mg

Dextromethorphan HBr, USP 15 mg

Purposes

Antihistamine

Cough suppressant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat

WARNINGS

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- trouble urinating due to an enlarged prostate gland
- ∎ glaucoma
- a cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- do not use more than directed
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions

- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- do not take more than 4 doses in any 24-hour period

age	dose
Children under 6 years	do not use
children 6 to under 12 years	10 mL every 6 hours
adults and children 12 years and older	20 mL every 6 hours

Other information

- each 10 mL contains: **sodium 7 mg**
- store at room temperature. Do not refrigerate.

Inactive ingredients

Anhydrous citric acid, FD&C red no. 40, Glycerin, lactic acid, natural and artificial flavors, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose

QUESTIONS OR COMMENTS?

1-866-467-2748

Prinipal Display of Packaging

Compare to the active ingredients in Children's Robitussin® Cough & Cold Long-Acting*

NDC 55319-754-04

CHILDREN'S

COUGH & COLD

Chlorpheniramine Maleate USP 2 mg (Antihistamine)

Dextromethorphan HBr, USP 15 mg (Cough Suppressant)

Long-Acting

Relieves:

- Cough up to 8 hours
- Runny nose
- No Added alcohol For Ages 6 & Over


Fruit Punch Flavor

Naturally and Artificially Flavored

4 FL OZ (118 mL)

IMPORTANT: Keep this carton for future reference on full labeling

Distributed by:



CHILDRENS COUGH AND COLD chlorpheniramine maleate, dextrometrorphan hbr liquid Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:55319-754 Route of Administration ORAL Item Code (Source) NDC:55319-754 Active Ingredient/Active Woiety Item Code (Source) NDC:55319-754

	Ing	redient Name		Basis of Stre	ength	Strengt
chlorpheniramine maleate (UUNII:3U6IO1965U)		(UNII: V1Q0O9OJ9Z) (chlorpheniramine -		chlorpheniramine	chlorpheniramine maleate	
dextromethorphan hydrobron - UNII:7355X3ROTS)		omide (UNII: 9D2RTI9KYH) (dextromethorpha		an dextromethorphan hydrobromide		
Inactive Ingr	edients					
		Ingredient Nam	e		S	trength
ANHYDROUS CIT	RIC ACID (U	NII: XF417D3PSL)				
D&C RED NO. 4	0 (UNII: WZ B	9127XOA)				
GLYCERIN (UNII: F						
		FORM (UNII: 33X04XA5AT)				
PROPYLENE GLY		DC9Q167V3)				
WATER (UNII: 059						
SODIUM BENZOA						
		TIED FORM (UNII: 1Q73Q2JU	JLR)			
SORBITOL (UNII: ! SUCRALOSE (UNII						
Product Chai	racteristi	cs				
Color	racteristi	CS RED	Score			
Color Shape	racteristi	RED	Size			
Product Cha ı Color Shape Flavor	racteristi		Size	nt Code		
Color Shape	racteristi	RED	Size	ıt Code		
Color Shape Flavor Contains	racteristi	RED	Size	it Code		
Color Shape Flavor Contains Packaging	racteristi	RED	Size Imprir	nt Code Iarketing Start Date		eting End Date
Color Shape Flavor Contains Packaging # Item Code		RED FRUIT PUNCH Package Description	Size Imprir	larketing Start		
Color Shape Flavor Contains Packaging # Item Code 1 NDC:55319-754 04	⁻ 1 in 1 CAR ⁻	RED FRUIT PUNCH Package Description	Size Imprin	larketing Start Date		
Color Shape Flavor Contains Packaging # Item Code 1 NDC:55319-754 04	- 1 in 1 CAR 118 mL in Product	RED FRUIT PUNCH Package Description TON 1 BOTTLE; Type 0: Not a Co	Size Imprin	larketing Start Date		
Color Shape Flavor Contains Packaging # Item Code 1 NDC:55319-754 04	- 1 in 1 CAR 118 mL in Product	RED FRUIT PUNCH Package Description TON 1 BOTTLE; Type 0: Not a Co	Size Imprin	larketing Start Date		
Color Shape Flavor Contains Packaging # Item Code 1 NDC:55319-754	- 1 in 1 CAR 118 mL in Product Inform	RED FRUIT PUNCH Package Description TON 1 BOTTLE; Type 0: Not a Co	Size Imprin	larketing Start Date	Mark	eting End Date Date

Labeler - FAMILY DOLLAR SERVICES INC (024472631)

Revised: 9/2023