

ADVANCED DERMACLEAR SERUM- salicylic acid cream

Allure Labs

Drug Facts

Active Ingredient: Salicylic Acid 2.0 %

Purpose: Acne Treatment

Uses: For the treatment of acne.

Warnings: For external use only

Do not use If irritation occurs

When using this product:

Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time

If irritation occurs


Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions: • Clean the skin thoroughly before applying this product. • Apply a thin layer to cleansed, toned skin every evening. • Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. • If bothersome dryness or peeling occurs, reduce application once a day or every other day. • Sensitivity Test for New Users: Apply product sparingly to one or two small affected areas during first 3 days. If no discomfort occurs, follow the directions stated above.

Other Information: • Protect the product in this container from excessive heat and direct sun

Inactive Ingredients: Water (Aqua), SD Alcohol 40-B, Caprylic/Capric Triglyceride, Glycolic Acid, Glycerin, Azelaic Acid, Hexyl Laurate, Glyceryl Stearate, Cetearyl Olivatate, Cetearyl Alcohol, Butylene Glycol, Sorbitol, Squalane, Lactic Acid, Sorbitan Olivatate, PPG-12/SMDI Copolymer, Niacinamide, Cetyl Alcohol, Sodium Hyaluronate, Dicetyl Phosphate, Ceteth-10 Phosphate, stearic Acid, PEG-100 Stearate, Sea Water, Suberic Acid, Sebacic Acid, Undecanedioic Acid, Tocopheryl Acetate, Lauryl Methacrylate/Glycol Dimethacrylate Crosspolymer, Isopentyldiol, Laminaria Digitata Extract, Chlorella Vulgaris Extract, Saccharide Isomerat, Trifolium Pratense (Clover) flower Extract, Backhousia Citriodora Leaf Extract, Butyrospermum Parkii Nut Extract, Mangifera Indica (Mango) Seed Butter, Retinyl Linoleate, Dimethicone, Ethyl Linoleate, Hexylresorcinol, Yeast, Polysaccharides, Propylene Glycol, Hedera Helix Leaf Extract, Cucumis Sativus Fruit Extract, Sambucus Nigra Flower Extract, Arnica Montana Flower Extract, Parietaria Officinalis Extract Phenoxyethanol, Caprylyl Glycol, Ethylhexylglycerin, Hexylene Glycol, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Imperata Cylindrica Root Extract, Carbomer, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Malva Sylvestris (Mallow) Flower/Leaf/Stem Extract, Mentha Piperita. (Peppermint) Leaf Extract, Primula Veris Flower Extract, Alchemilla Vulgaris Flower/Leaf/Stem Extract, Veronica Officinalis Flower/Leaf/Stem Extract, Melissa Officinalis Leaf Extract, Achillea Millefolium Flower/Leaf/Stem Extract, Hydrolyzed Vegetable Protein, Salix Alba (Willow) Bark

Extract, Arctostaphylos Uva Ursi Leaf Extract, Mitracarpus Scaber Extract, PEG-60 Almond Glycerides, Nordihydroguaiaretic Acid, Oleanolic Acid, Glycine, Hydrolyzed Wheat Protein, Hydrolyzed Wheat Starch, Maltodextrin, Syringa Vulgaris (Lilac) Leaf Cell Culture Extract, xanthan Gum, Magnesium Aluminum Silicate, Ammonium Hydroxide, Tocopherol, Disodium EDTA, Sodium Hydroxide, Alcohol, Potassium Sorbet, Sodium Metabisulfite, Limonene



Drug Facts

Active Ingredient: Salicylic Acid 2.0%
Purpose: Acne Treatment

Uses:

- For the treatment of acne.

Warnings:

- For external use only.
- **When using this product:** Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Clean the skin thoroughly before applying this product.
- Apply a thin layer to cleansed, toned skin every evening.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application once a day or every other day.
- **Sensitivity Test for New Users:** Apply product sparingly to one or two small affected areas during first 3 days. If no discomfort occurs, follow the directions stated above.

Other Information:

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients:

Water (Aqua), SD Alcoh(40-8), Caprylyl/Capric Triglyceride, Glycolic Acid, Oleic Acid, Azelaic Acid, Hexyl Laurate, Glyceryl Stearate, Octylalyl Citrate, Octylalyl Alcohol, Butylene Glycol, Sorbitol, Squalene, Lactic Acid, Sorbitan Citrate, PPG-2/SMD Copolymer, Nicotinamide, Cetyl Alcohol, Sodium Hyaluronate, Dimethyl Phosphite, Calcium Phosphate, Stearic Acid, PEG-100 Stearate, Stearic Acid, Stearic Acid, Undecylendecanoic Acid, Tocopheryl Acetate, Lauryl Methacrylate Glycol Dimethacrylate Copolymer, Copolymer, Laminaria Digitata Extract, Citrus Aurantium Extract, Saccharum Nematum, Tribulus Terrestris Flower Extract, Baccharis Citrifolia Leaf Extract, Oxytropis purpurascens Root Extract, Mangifera Indica (Mango) Seed Butter, Retinyl Linoleate, Dimethylsiloxane, Ethyl Linoleate, Hydroxypropyl, Yeast Polysaccharides, Propylene Glycol, Madecassoside, Cucumis Sativus Fruit Extract, Sambucus Nigra Flower Extract, Anemone Montana Flower Extract, Parthenocissin Extract, Phytolacca Extract, Caprylyl Glycol, Ethylhexylglycerin, Hexylene Glycol, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Imperata Cylindrica Root Extract, Carbomer, Acrylates/C10-30 Alkyl Acrylate Copolymer, Methyl Siloxane, Methyl Methacrylate, Flower/Leaf/Stem Extract, Mentha Piperita (Peppermint) Leaf Extract, Prunella Vera Flower Extract, Alchemilla Vulgaris Flower/Leaf/Stem Extract, Veronica Officinalis Flower/Leaf/Stem Extract, Melissa Officinalis Leaf Extract, Achillea Millefolium Flower/Leaf/Stem Extract, Hydrolyzed Vegetable Protein, Salix Alba (Willow) Bark Extract, Arctostaphylos Uva Ursi Leaf Extract, Moringa Oleifera Seed Extract, PEG-40, Almond Oil, Nonylphenolglycidyl Ether, Oleic Acid, Glycine, Hydrolyzed Wheat Protein, Hydrolyzed Wheat Starch, Methylcellulose, Synephrine (L-Ascorbyl) Palmitate, Xanthan Gum, Magnesium Aluminum Silicate, Ammonium Hydroxide, Tocopherol, Disodium EDTA, Sodium Hydroxide, Alcohol, Potassium Sorbate, Sodium Metasilicate, Limonene

DIRECTIONS:

Apply a thin layer to cleansed, toned skin every evening.



WARNING:

May cause photosensitivity. Always use SPF. For external use only.

Manufactured for DermaQuest®, LLC, Hayward, CA 94544. Made in USA. DermaQuestClinical.com

DermaQuest® Zwaardk& 9, 1271 GK Huizen, NL. regulatory@dermalabs.com

Dermapure LTD | Unit 2, Trade City, Avro Way, Brooklands, Weybridge, Surrey, KT13 0YF. regulatory@dermapure.uk

Distributed in Australia and New Zealand by:

Advanced Skin Technology

www.advancedskin.com.au

DermaQuest® Regulatory Canada info@dermaquest.ca



V2

DERMAQUEST

Advanced DermaClear Serum

DERMACLEAR REPAIR

1 FL OZ / 29.6 mL

This ultra light blemish reducing serum swiftly clears away active breakouts by exfoliation, unclogging blocked pores and reducing environmental stress. This advanced oil controlling technology minimizes breakouts and appearance of pores. With daily use, this serum transforms congested, breakout prone skin into beautifully clear, calm and radiant skin.

DERMACLEAR

This collection was formulated as a powerful solution for blemish-prone skin. Containing expert blends of AHAs, BHAs, antioxidants, and skin balancing and brightening ingredients, blemishes are reduced, skin oil is balanced, and breakouts are minimized. AHAs and BHAs work together to purify and exfoliate skin while skin brighteners keep skin smooth, calm, and radiant. PIH is reduced, pores appear refined, and skin is smooth and radiant.

ADVANCED DERMACLEAR SERUM

salicylic acid cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62742-4280
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
VERONICA OFFICINALIS FLOWERING TOP (UNII: 9IH82J936J)	
HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL)	
YEAST (UNII: 3NY3SM6B8U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LACTIC ACID (UNII: 33X04XA5AT)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
TRIFOLIUM PRATENSE (CLOVER) FLOWER (UNII: 4JS0838828)	
BUTYROSPERMUM PARKII (SHEA) OIL (UNII: O88E196QRF)	
PEG-60 ALMOND GLYCERIDES (UNII: 4Y0E651N0F)	
GLYCOLIC ACID (UNII: 0WT12SX38S)	
WATER (UNII: 059QF0KOOR)	
SUBERIC ACID (UNII: 6U7Y4M9C1H)	
SEBACIC ACID (UNII: 97AN39ICTC)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PARIETARIA OFFICINALIS LEAF (UNII: W2I83529KR)	
MALVA SYLVESTRIS FLOWERING TOP (UNII: X1U1U0N90J)	
AZELAIC ACID (UNII: F2VW3D43YT)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
OLEANOLIC ACID (UNII: 6SMK8R7TGJ)	
SAMBUCUS NIGRA FLOWER (UNII: 07V4DX094T)	
LAMINARIA DIGITATA (UNII: 15E7C67EE8)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
CHONDRUS CRISPUS CARRAGEENAN (30% SULFATE) (UNII: UG384JHM3E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ALCOHOL (UNII: 3K9958V90M)	
MENTHA PIPERITA (PEPPERMINT) LEAF (UNII: A389O33LX6)	
PRIMULA VERIS FLOWER (UNII: W5BET37294)	
MELISSA OFFICINALIS LEAF (UNII: 50D2ZE9219)	
SYRINGA VULGARIS FLOWER (UNII: 9V5O040S3W)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	

GLYCERIN (UNII: PDC6A3C0OX)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
NIACINAMIDE (UNII: 25X51I8RD4)	
DICETYL PHOSPHATE (UNII: 2V6E5WN99N)	
CARBOMER (UNII: 0A5MM307FC)	
ARCTOSTAPHYLOS UVA-URSI LEAF (UNII: 3M5V3D1X36)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
MANGIFERA INDICA (MANGO) SEED BUTTER (UNII: 4OXD9M35X2)	
ETHYL LINOLEATE (UNII: MJ2YTT4J8M)	
ALCHEMILLA VULGARIS FLOWERING TOP (UNII: 6CVU7EX4MF)	
CETETH-10 PHOSPHATE (UNII: 4E05O5N49G)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
RETINYL LINOLEATE (UNII: 61911N8D6W)	
IMPERATA CYLINDRICA ROOT (UNII: VYT2JA85NH)	
HEXYLRESORCINOL (UNII: R9QTB5E82N)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL (UNII: VIF565UC2G)	
SALIX ALBA BARK (UNII: 205MXS71H7)	
NORDIHYDROGUAIARETIC ACID (UNII: 7B08G1BYQU)	
STARCH, WHEAT (UNII: 79QS2MG2LP)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCINE (UNII: TE7660XO1C)	
GLYCERYL STEARATE (UNII: 230OU9XXE4)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
SORBITOL (UNII: 506T60A25R)	
SQUALANE (UNII: GW89575KF9)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
UNDECANEDIOIC ACID (UNII: 7059GFK8NV)	
CUCUMBER (UNII: YY7C30VXJT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ACHILLEA MILLEFOLIUM FLOWER (UNII: YQR8R0SQEA)	
MITRACARPUS HIRTUS WHOLE (UNII: 57P5O8083D)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
AMMONIA (UNII: 5138Q19F1X)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
LAURYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EX0F4CZ66H)	
PEG-100 STEARATE (UNII: YD01N1999R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
BACKHOUSIA CITRIODORA LEAF (UNII: FKN73KG747)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62742-4280-2	1 in 1 CARTON	03/02/2026	
1	NDC:62742-4280-1	29.6 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	03/02/2026	

Labeler - Allure Labs (926831603)

Registrant - Allure Labs (926831603)

Establishment

Name	Address	ID/FEI	Business Operations
Allure Labs		926831603	manufacture(62742-4280)

Revised: 3/2026

Allure Labs