

MUCINEX INSTASOOTHE SORE THROAT PLUS PAIN RELIEF-
hexylresorcinol lozenge
RB Health (US) LLC

MUCINEX® INSTASOOTHE™
SORE THROAT PLUS PAIN RELIEF

Drug Facts

Active ingredient (in each lozenge)

Hexylresorcinol 2.0 mg

Purpose

Oral pain reliever

Uses

temporarily relieves occasional minor irritation and pain associated with

- sore throat
- sore mouth
- canker sores

Warnings

Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly.

Do not use

- in children under 6 years of age

When using this product do not exceed recommended dosage

Stop use and ask a doctor or dentist if

- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- dose as follows or as directed by a doctor or dentist

adults and children 12 years of age and older	take 2 lozenges (one immediately after the other) and allow each lozenge to dissolve slowly in the mouth; may be repeated every 2 hours as needed
children 6 to under 12 years of age	take 1 lozenge and allow product to dissolve slowly in the mouth; may be repeated every 2 hours as needed
children under 6 years of age	do not use

Other information

- store at 20-25°C (68-77°F)
- protect contents from humidity

Inactive ingredients

corn syrup, FD&C blue no. 1, FD&C red no. 40, flavor, propylene glycol, purified water, sucrose

Questions?

1-866-MUCINEX (1-866-682-4639)

**Dist. By: RB Health (US)
Parsippany, NJ 07054-0224**

Made in India

PRINCIPAL DISPLAY PANEL - 20 Drop Pouch Bag

NDC 72854-262-20

Mucinex®

INSTASOOTHE™

SORE THROAT
+ PAIN RELIEF

Hexylresorcinol 2.0 mg | Oral Pain Reliever

3 IN 1 FORMULA

- ✓ Relieves Sore Throat Irritation
- ✓ Maximum Strength Pain Relief*
- ✓ Fast Acting

*based on amount of
hexylresorcinol per adult dose

See back
panel for
actual size

ELDERBERRY &
WILD CHERRY FLAVOR

20 CT MEDICATED DROPS

NDC 72854-262-20



SORE THROAT + PAIN RELIEF

Hexylresorcinol 2.0 mg | Oral Pain Reliever

3 IN 1 FORMULA

- ✓ Relieves Sore Throat Irritation
- ✓ Maximum Strength Pain Relief*
- ✓ Fast Acting



*based on amount of
hexylresorcinol per adult dose



See back
panel for
actual size

ELDERBERRY &
WILD CHERRY FLAVOR

20 MEDICATED DROPS

Choose from our range of Mucinex® INSTASOOTHE™ products to treat your symptoms.

POWERFUL RELIEF FOR SORE THROAT, COUGH OR BOTH

3-IN-1 FORMULAS

SOOTHING COMFORT | PAIN RELIEF | COUGH RELIEF

Drug Facts		Drug Facts (continued)	
Active ingredient (in each lozenge) Hexylresorcinol 2.0 mg		Purpose Oral pain reliever	
Uses temporarily relieves occasional minor irritation and pain associated with <ul style="list-style-type: none"> ■ sore throat ■ sore mouth ■ canker sores 		Directions ■ dose as follows or as directed by a doctor or dentist	
Warnings Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly.		adults and children 12 years of age and older	take 2 lozenges (one immediately after the other) and allow each lozenge to dissolve slowly in the mouth; may be repeated every 2 hours as needed
Do not use <ul style="list-style-type: none"> ■ in children under 6 years of age 		children 6 to under 12 years of age	take 1 lozenge and allow product to dissolve slowly in the mouth; may be repeated every 2 hours as needed
When using this product do not exceed recommended dosage		children under 6 years of age	do not use
Stop use and ask a doctor or dentist if <ul style="list-style-type: none"> ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, or redness persists or worsens ■ swelling, rash, or fever develops 		Other information <ul style="list-style-type: none"> ■ store at 20-25°C (68-77°F) ■ protect contents from humidity ■ keep lozenge in outer pack until use. Reseal outer pack after use. 	
If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.		Inactive ingredients corn syrup, FD&C blue no. 1, FD&C red no. 40, flavor, propylene glycol, purified water, sucrose	
		Questions? 1-866-MUCINEX (1-866-682-4639)	



Dist. by: RB Health (US)
 Parsippany, NJ
 07054-0224
 Made in India
 ©2023 RB Health
 Patents:
www.reckitt.com/patents
www.mucinex.com
 093023

ACTUAL SIZE



Keep outer pack for full information

MUCINEX INSTASOOTHE SORE THROAT PLUS PAIN RELIEF

hexylresorcinol lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72854-262
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
HEXYLRESORCINOL (UNII: R9QTB5E82N) (HEXYLRESORCINOL - UNII:R9QTB5E82N)	HEXYLRESORCINOL	2 mg

Inactive Ingredients	
Ingredient Name	Strength
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics			
Color	red	Score	no score
Shape	ROUND	Size	18mm
Flavor	CHERRY	Imprint Code	S
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72854-262-20	20 in 1 BAG	07/01/2022	
1		1 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:72854-262-40	40 in 1 BAG	07/01/2022	
2		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	07/01/2022	

Labeler - RB Health (US) LLC (081049410)