

NICOTINE PATCHES- nicotine patches patch
Zhejiang FTA Shengzuozhi Biotechnology Co., LTD

Purpose

Stop smoking aid

Uses

helps reduce withdrawal symptoms including nicotine craving associated with quitting smoking

Warnings

Do not smoke or use other nicotine products while using this product.

Directions

Apply one patch to clean, dry skin once daily.

acrylate adhesive, polyester backing film

Keep out of reach of children

Keep out of reach of children and pets.

Principal Display Panel

BIOVIKOTING®

BIOVIKOTING®

Nicotine Patches
STOP SMOKING AID

Manufactured by Zhejiang FTA Shengzuozhi Biotechnology Co., Ltd
Add: Danxi North Road, Beiyuan Street, Jinhua, Zhejiang 322000

21
mg/24h

14
Patches

24H
DELIVERED OVER
24 HOURS

MFG Date:
EXP Date:

MADE IN CHINA

NICOTINE PATCH

Nicotine Transdermal Patch

Drug Facts

Active Ingredients (in each patch)
Nicotine, 21mg delivered over 24 hours
-----Stop Smoking aid

Use:

reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking.

You can also use nicotine patch on those occasions when you can't or don't want to smoke e.g. longhaul flights, social situations, or when at work.

Warning

Ask a doctor before you use Nicotine products if you have:

- Heart disease, recent heart attack or irregular heartbeat. Nicotine can increase your heart rate.
- High blood pressure not controlled with medication. Nicotine can increase blood pressure.
- Stomach ulcer or diabetes.
- A history of seizures.
- Pregnant women, lactating women.
- An allergy to adhesive tape or have skin problems because you are more likely to get rashes.

Stop use and ask a doctor if

- Irregular heartbeat or palpitations occur.
- You get symptoms of nicotine overdose such as nausea, vomiting, dizziness, weakness and rapid heartbeat.
- You have symptoms of an allergic reactions (such as difficulty breathing or rash).

Start with Step 1 21mg nicotine patches if you smoke more than 10 cigarettes a day, use the following schedule below:

Step 1		Step 2		Step 3	
Week 1-2	Week 3	Week 4	Week 5	Week 6	Week 7
21mg		14mg		7mg	

2 Patches | 1-1/2 Patches | 1 Patch | 1-1/2 Patch | 1 Patch | 1 Patch

▲ 7 Week Program

Start with Step 2 14mg nicotine patches if you smoke less 10 cigarettes a day, then step 3 for 1-2 weeks.

Directions

- apply one new patch every 24 hours on skin that is dry, clean and hairless.
- remove backing from patch and immediately press onto skin. Hold for 10 seconds.
- wash hands after applying or removing patch. Save pouch to use for patch disposal.
- the used patch should be removed and a new one applied to a different skin site at the same time each day.

Other information

Store at 15-25°C (59-77°F)

Keep nicotine patch out of the sight and reach of children and pets.

Inactive ingredients

Pressure Sensitive Adhesive, Camphor.

NICOTINE PATCHES

nicotine patches patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85333-003
Route of Administration	TRANSDERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)	NICOTINE	21 mg in 21 mg

Product Characteristics

Color	green	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85333-003-02	14 in 1 BOX	03/03/2026	
1		21 mg in 1 PATCH; Type 3: Prefilled Biologic Delivery Device/System (syringe, patch, etc.)		

BIOVIKOTING®

BIOVIKOTING®
Nicotine Patches
STOP SMOKING AID

21 mg/24h

14 Patches

DELIVERED OVER 24 HOURS

Manufactured by Zhejiang FTA Shengzuozhi Biotechnology Co., Ltd
Add: Danxi North Road, Beiyuan Street, Jinhua, Zhejiang, 322000

MADE IN CHINA

NICOTINE PATCH

Nicotine Transdermal Patch

Drug Facts						
Active Ingredients (in each patch) Nicotine, 21mg delivered over 24 hours -----Stop Smoking aid						
Use: reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking.						
You can also use nicotine patch on those occasions when you can't or don't want to smoke e.g. longhaul flights, social situations, or when at work.						
Warning						
Ask a doctor before you use Nicotine products if you have: - Heart disease, recent heart attack or irregular heartbeat. Nicotine can increase your heart rate. - High blood pressure not controlled with medication. Nicotine can increase blood pressure. - Stomach ulcer or diabetes. - A history of seizures. - Pregnant women, lactating women. - An allergy to adhesive tape or have skin problems because you are more likely to get rashes.						
Stop use and ask a doctor if - Irregular heartbeat or palpitations occur. - You get symptoms of nicotine overdose such as nausea, vomiting, dizziness, weakness and rapid heartbeat. - You have symptoms of an allergic reactions (such as difficulty breathing or rash).						
Start with Step 121mg nicotine patches if you smoke more than 10 cigarettes a day, use the following schedule below:						
Step 1		Step 2		Step 3		
Week 1-2	Week 3	Week 4	Week 5	Week 6	Week 7	
21mg		14mg		7mg		
2 Patches	1-1/2 Patches	1 Patch	1-1/2 Patch	1 Patch	1 Patch	
▲ 7 Week Program						
Start with Step 214mg nicotine patches if you smoke less 10 cigarettes a day, then step 3 for 1-2 weeks.						
Directions						
<ul style="list-style-type: none"> apply one new patch every 24 hours on skin that is dry, clean and hairless. remove backing from patch and immediately press onto skin. Hold for 10 seconds. wash hands after applying or removing patch. Save pouch to use for patch disposal. the used patch should be removed and a new one applied to a different skin site at the same time each day. 						
Other information						
<ul style="list-style-type: none"> Store at 15-25°C (59-77°F) Keep nicotine patch out of the sight and reach of children and pets. 						
Inactive ingredients						
Pressure Sensitive Adhesive, Camphor.						

MFG Date:
EXP Date:

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	03/03/2026	

Labeler - Zhejiang FTA Shengzuozhi Biotechnology Co., LTD (617858911)

Registrant - Zhejiang FTA Shengzuozhi Biotechnology Co., LTD (617858911)

Establishment

Name	Address	ID/FEI	Business Operations
Zhejiang FTA Shengzuozhi Biotechnology Co., LTD		617858911	manufacture(85333-003)