COLD HOT PATCH- menthol patch Zhejiang Bangli Medical Products CO.,LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

cold& hot patch

Active Ingredient

Menthol 5.00%.

Purpose

Topical analgesic

Use

temporarily relieves minor aches and pains of muscles and joints due to arthritis .simple backache .strains . sprains .bursitis .tendonitis . Bruises . Cramps

Warnning

For external use only.

When using this product.use only as directed . avoid contact with eyes and mucous membranes. do not apply to wounds or damaged skin.do not bandage tightly or use a heating pad

Stop use and ask doctor if

- .excessive redness or irritation is present
- .condition worsens
- .pain persist for more than 7 days
- .symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use, keep out of reach of childeren. If swallowed, get medical help or contact a poison control center right away.

keep out of reach of childeren. If swallowed, get medical help or contact a poison control center right away.

Directions

- .adults and children 12 years and over: apply patch to affected area as needed but not more than 4 times daily
- .children under 12 years: ask a doctor
- . for easy application: grasp both ends of pad firmly, pull at both ends. Stretch pad until the backing separates.

Remove protective film while applying pad directly to site of pain.

Inactive Ingredients

Acrylic Acid, Aluminum Hydroxide, Carmellose Sodium, 2 Ethylhexyl Acrylate, Glycerin, Isopropyl Myristate, Methyl Acrylate, Nonoxynol 30,

Polyacrylate, Polyacrylic Acid, Polysorbate 80, Sorbitan Sesquioleate, Starch, Talc, Tartaric

Drug Facts

Active ingredient

Purpose

Menthol 5%Topical analgesic

USES for the temporary relief of minor aches and pains associated with:

■ simple backache ■ muscle strains ■ muscle sprains ■ cramps ■ bursitis ■ arthritis ■ bruises

Warnings

For external use only

When using this product ■ use only as directed ■ do not apply to wounds, damaged, or sensitive skin ■ do not bandage tightly or use with a heating pad ■ avoid contact with eyes and mucous membranes

Stop use and ask doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days
- redness is present
- skin irritation develops

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

adults and children 12 years of age and older

- partially peel back protective film and apply exposed patch to site of pain for up to 8 hours
- carefully remove remaining film while pressing patch to skin for secure adhesion
- repeat as necessary, but not more than 3 to 4 times daily

children under 12 years of age consult a doctor

Other information store at 68° to 77°F (20° to 25°C)

Inactive ingredients acrylic acid, aluminum hydroxide, carmellose sodium, 2-ethylhexyl acrylate, glycerin, isopropyl myristate, methyl acrylate, nonoxynol-30, polyacrylate, polyacrylic acid, polysorbate 80, sorbitan sesquioleate, starch, talc, tartaric acid, titanium dioxide, water(245-114).

Release liner polypropylene, Non-woven material polyester non-woven fabric

COLD HOT PATCH

menthol patch

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57900-002		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Menthol (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	Menthol	5 g in 100 g

Ingredient Name	Strength
Acrylic Acid (UNII: J94PBK7X8S)	
Aluminum Hydroxide (UNII: 5QB0T2IUN0)	
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)	
2-ETHYLHEXYL ACRYLATE (UNII: HR49R9S6XG)	
Glycerin (UNII: PDC6A3C0OX)	
Isopropyl Myristate (UNII: 0 RE8 K4LNJS)	
Methyl Acrylate (UNII: WC487PR91H)	
NONOXYNOL-30 (UNII: JJX07DG188)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	
Polysorbate 80 (UNII: 6OZP39ZG8H)	
Sorbitan Sesquioleate (UNII: 0W8RRI5W5A)	
STARCH, POTATO (UNII: 81089 SAH3T)	
Talc (UNII: 7SEV7J4R1U)	
Tartaric Acid (UNII: W4888I119H)	
Titanium Dioxide (UNII: 15FIX9V2JP)	
Water (UNII: 059QF0KO0R)	

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:57900-002-01	4 in 1 CARTON			
1		12 in 1 PACKAGE			
1		1 in 1 BOX			
1		2 in 1 BAG			
1		0.408 g in 1 PATCH			
2	NDC:57900-002-02	3 in 1 CARTON			
2		12 in 1 PACKAGE			
2		6 in 1 BOX			
2		1 in 1 BAG			
2		0.408 g in 1 PATCH			
3	NDC:57900-002-03	4 in 1 CARTON			
3		12 in 1 PACKAGE			
3		1 in 1 BOX			
3		3 in 1 BAG			
3		0.408 g in 1 PATCH			
4	NDC:57900-002-04	50 in 1 CARTON			
4		1 in 1 BOX			
4		5 in 1 BAG			
4		0.408 g in 1 PATCH			
5	NDC:57900-002-05	48 in 1 CARTON			
5		3 in 1 BOX			
5		1 in 1 BAG			

5		0.408 g in 1 PATCH	
6	NDC:57900-002-06	8 in 1 CARTON	
6		6 in 1 PACKAGE	
6		1 in 1 BOX	
6		5 in 1 BAG	
6		0.408 g in 1 PATCH	
7	NDC:57900-002-07	4 in 1 CARTON	
7		6 in 1 PACKAGE	
7		1 in 1 BOX	
7		5 in 1 BAG	
7		0.408 g in 1 PATCH	
8	NDC:57900-002-08	4 in 1 CARTON	
8		50 in 1 PACKAGE	
8		1 in 1 BOX	
8		5 in 1 BAG	
8		0.85 g in 1 PATCH	
9	NDC:57900-002-09	30 in 1 CARTON	
9		1 in 1 BOX	
9		5 in 1 BAG	
9		0.595 g in 1 PATCH	
10	NDC:57900-002-10	8 in 1 CARTON	
10		6 in 1 PACKAGE	
10		1 in 1 BOX	
10		5 in 1 BAG	
10		0.595 g in 1 PATCH	
l —	NDC:57900-002-11	4 in 1 CARTON	
11		6 in 1 PACKAGE	
11		1 in 1 BOX	
11		5 in 1 BAG	
11		0.595 g in 1 PATCH	
_	NDC:57900-002-12	8 in 1 CARTON	
12		6 in 1 PACKAGE	
12		1 in 1 BOX	
12		3 in 1 BAG	
12		1.487 g in 1 PATCH	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part348	03/18/2014			

Labeler - Zhejiang Bangli Medical Products CO.,LTD (421295875)

Establishment			
Name	Address	ID/FEI	Business Operations
Zhejiang Bangli Medical Products CO.,LTD		421295875	manufacture(57900-002)