

**DAYTIME NIGHTTIME SINUS RELIEF MAXIMUM STRENGTH- acetaminophen,
dextromethorphan hbr, doxylamine succinate, phenylephrine hcl, guaifenesin
CVS Pharmacy**

Drug Facts

Active ingredients in Daytime (in each softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Guaifenesin 200 mg

Phenylephrine HCl 5 mg

Active ingredients in Nighttime (in each softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Doxylamine succinate 6.25 mg

Phenylephrine HCl 5 mg

Purpose for Daytime

Pain reliever

Cough suppressant

Expectorant

Nasal decongestant

Purpose for Nighttime

Pain reliever

Cough suppressant

Antihistamine

Nasal decongestant

Uses

DAYTIME

- temporarily relieves
 - nasal congestion
 - headache

- cough due to inhaled irritants
- sinus congestion and pressure
- minor aches and pains
- promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

NIGHTTIME

- temporarily relieves
 - nasal congestion
 - cough due to inhaled irritants
 - headache
 - sinus congestion and pressure
 - minor aches and pains
 - runny nose and sneezing
- promotes nasal and/or sinus drainage

Warnings

DAYTIME and NIGHTTIME

Liver warning: These products contain acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Do not use

DAYTIME and NIGHTTIME

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

DAYTIME

- liver disease

- high blood pressure
- diabetes
- heart disease
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

NIGHTTIME

- liver disease
- high blood pressure
- diabetes
- heart disease
- thyroid disease
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

DAYTIME

taking the blood thinning drug warfarin

NIGHTTIME

taking the blood thinning drug warfarin

taking sedatives or tranquilizers

When using this product,

DAYTIME

do not use more than directed

NIGHTTIME

- **do not use more than directed**
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

DAYTIME and NIGHTTIME

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days

- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

DAYTIME and NIGHTTIME

ask a health professional before use.

Keep out of reach of children.

DAYTIME and NIGHTTIME

Overdose warning: Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

DAYTIME

- do not take more than directed (see Overdose warning)
- do not take more than 12 softgels (Daytime and NightTime) in any 24-hour period
- adults and children 12 years of age and older: take 2 softgels every 4 hours
- children under 12 years of age: do not use
- when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

NIGHTTIME

- do not take more than directed (see Overdose warning)
- do not take more than 12 softgels (Daytime and Nighttime) in any 24-hour period
- adults and children 12 years of age and older: take 2 softgels every 4 hours
- children under 12 years of age: do not use
- when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

Other information

DAYTIME and NIGHTTIME

- swallow whole; do not crush, chew, or dissolve
- store between 15-30°C (59-86F)
- avoid excessive heat

Inactive ingredients

DAYTIME

FD&C red #40, FD&C yellow #6, gelatin, glycerin, mannitol*, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

*may contain this ingredient

NIGHTTIME

D&C yellow #10, FD&C blue #1, gelatin, glycerin, mannitol*, polyethylene glycol, povidone, propylene glycol, purified water, shellac*, sodium hydroxide*, sorbitan, sorbitol, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in Maximum Strength Mucinex® Sinus-Max® Day and Maximum Strength Mucinex® Sinus-Max® Night†

DAYTIME

MAXIMUM STRENGTH

Daytime

Sinus Relief

ACETAMINOPHEN - 325 mg Pain reliever

DEXTROMETHORPHAN - 10 mg Cough Suppressant

GUAIFENESIN - 200 mg Expectorant

PHENYLEPHRINE HCl - 5 mg Nasal Decongestant

- Relieves sinus pressure, headache & congestion
- Controls cough
- thins & loosens mucus

SOFTGELS

NIGHTTIME

MAXIMUM STRENGTH

Nighttime

Sinus Relief

ACETAMINOPHEN - 325 mg Pain reliever

DEXTROMETHORPHAN HBr - 10 mg Cough Suppressant

DOXYLAMINE SUCCINATE - 6.25 mg Antihistamine

PHENYLEPHRINE HCl - 5 mg Nasal Decongestant

- Relieves nasal congestion, sinus pressure & pain
- Controls cough

- Controls runny nose and sneezing

For ages

12 Years & Older

Alcohol Free

SOFTGELS**

(*Liqui-Filled Capsules)

*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Maximum Strength Mucinex® Sinus-Max® Day and Maximum Strength Mucinex® Sinus-Max® Night.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by: CVS Pharmacy, Inc,
One CVS Drive, Woonsocket, RI 02896
CVS.com® 1800-SHOP CVS

Product Label

Nighttime Sinus Relief (continued)

Drug Facts (continued)

When using this product

- do not use more than directed
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- runny nose, dizziness, or sleepiness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see Overdose warning)
- do not take more than 12 softgels (Daytime and Nighttime) in any 24-hour period
- adults and children 12 years of age and older: take 2 softgels every 4 hours
- children under 12 years of age: do not use
- when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

Other information

- swallow whole; do not crush, chew, or dissolve
- store between 15-30°C (59-86°F)
- avoid excessive heat

Inactive ingredients: D&C yellow #10, FD&C blue #1, gelatin, glycerin, mannitol, polyethylene glycol, polydioxane, propylene glycol, purified water, sorbitol, sodium hydroxide, sorbitol, sorbitol, titanium dioxide

*contains one or more of these ingredients

Daytime Sinus Relief

Drug Facts

Active ingredients (in each softgel)	Purposes
Acetaminophen 325 mg	Pain reliever
Dextromethorphan HBr 10 mg	Cough suppressant
Guaifenesin 200 mg	Expectorant
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

- temporarily relieves
 - nasal congestion
 - headache
 - cough due to irritated throat
 - sinus congestion and pressure
 - minor aches and pains
- promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- hives
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or enteral conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- high blood pressure
- heart disease
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Daytime Sinus Relief (continued)

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product, do not use more than directed.

Stop use and ask a doctor if

- runny nose, dizziness, or sleepiness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see Overdose warning)
- do not take more than 12 softgels (Daytime and Nighttime) in any 24-hour period
- adults and children 12 years of age and older: take 2 softgels every 4 hours
- children under 12 years of age: do not use
- when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

Other information

- swallow whole; do not crush, chew, or dissolve
- store between 15-30°C (59-86°F)
- avoid excessive heat

Inactive ingredients: FD&C red #40, FD&C yellow #6, gelatin, glycerin, mannitol, polyethylene glycol, polydioxane, propylene glycol, purified water, sorbitol, sorbitol, titanium dioxide

*may contain this ingredient.

Questions or comments?
Call 1-877-783-3636 Monday-Friday 9AM-5PM EST

This product is not manufactured or distributed by Reckitt Benckiser, distributor of Maximum Strength Mucinex® Sinus-Max® Day and Maximum Strength Mucinex® Sinus-Max® Night.

DAY & NIGHT TWIN PACK

CVS Health.

Compare to the active ingredients in Maximum Strength Mucinex® Sinus-Max® Day and Maximum Strength Mucinex® Sinus-Max® Night†

NDC 69842-822-24

MAXIMUM STRENGTH Daytime Sinus Relief

ACETAMINOPHEN - 325 mg
Pain reliever

DEXTROMETHORPHAN HBr - 10 mg
Cough suppressant

GUAIFENESIN - 200 mg
Expectorant

PHENYLEPHRINE HCl - 5 mg
Nasal decongestant

- Relieves sinus pressure, headache & congestion
- Controls cough
- Thins & loosens mucus

For ages 12 Years & Older
Alcohol Free

MAXIMUM STRENGTH Nighttime Sinus Relief

ACETAMINOPHEN - 325 mg
Pain reliever

DEXTROMETHORPHAN HBr - 10 mg
Cough suppressant

DOXYLAMINE SUCCINATE - 6.25 mg
Antihistamine

PHENYLEPHRINE HCl - 5 mg
Nasal decongestant

- Relieves nasal congestion, sinus pressure & pain
- Controls cough
- Controls runny nose and sneezing

For ages 12 Years & Older
Alcohol Free

16 SOFTGELS**

24 TOTAL (Liqui-filled capsules)**

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02896
© 2019 CVS/pharmacy
CVS.com® 1-800-SHOP CVS V-16425

CVS Quality
Every Day Guarantee

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

#177099

0 50428 54661 1

PARENTS: RLD-8425C F005490
www.DuplicateCarton.com

Lot No:
Exp. Date:

CVS HEALTH Maximum Strength Daytime Nighttime Sinus Relief

DAYTIME NIGHTTIME SINUS RELIEF MAXIMUM STRENGTH

acetaminophen, dextromethorphan hbr, doxylamine succinate, phenylephrine hcl, guaifenesin kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-822
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-822-24	1 in 1 KIT; Type 0: Not a Combination Product	01/31/2019	12/31/2024

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	8 BLISTER PACK	8
Part 2	16 BLISTER PACK	16

Part 1 of 2

NIGHTTIME SINUS RELIEF MAXIMUM STRENGTH

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hci capsule

Product Information

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

GELATIN (UNII: 2G86QN327L)
GLYCERIN (UNII: PDC6A3C0OX)
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)
POVIDONE (UNII: FZ989GH94E)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
WATER (UNII: 059QF0KO0R)
SORBITAN (UNII: 6O92ICV9RU)
SORBITOL (UNII: 506T60A25R)
SHELLAC (UNII: 46N107B71O)
SODIUM HYDROXIDE (UNII: 55X04QC32I)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
MANNITOL (UNII: 3OWL53L36A)

Product Characteristics

Color	green	Score	no score
Shape	CAPSULE	Size	20mm
Flavor		Imprint Code	116;42A
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		8 in 1 CARTON		
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/31/2019	12/31/2024

Part 2 of 2

DAYTIME SINUS RELIEF MAXIMUM STRENGTH

acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hci capsule

Product Information

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MANNITOL (UNII: 3OWL53L36A)	

Product Characteristics

Color	orange	Score	no score
Shape	CAPSULE	Size	20mm
Flavor		Imprint Code	341;12A
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		16 in 1 CARTON		
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/31/2019	12/31/2024

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/31/2019	12/31/2024

Labeler - CVS Pharmacy (062312574)

Revised: 10/2023

CVS Pharmacy