

HURRICAINA TOPICAL ANESTHETIC GEL- benzocaine gel
Beutlich Pharmaceuticals, LLC

PC Unit Dose Gel

Drug Facts

Active ingredient

Benzocaine 20%

Purpose

Oral Anesthetic

Uses

for the temporary relief of occasional minor irritation and pain associated with:

- canker sores
- sore mouth and throat
- minor injury of the mouth and gums
- minor dental procedures
- minor irritation of the mouth and gums caused by dentures or orthodontic appliances

Warnings

Methemoglobinemia warning:

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy alert: Do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, or irritation, pain, or redness persists or worsens, see your dentist or doctor promptly.

Do Not Use

Do not use

- if product film is punctured or damaged
- for teething
- in children under 2 years of age

When using this product

When using this product: avoid contact with eyes

Keep out of reach of children

Keep out of reach of children. If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center immediately.

Directions

Directions:

- do not exceed recommended dosage

adults and children 2 years of age and older: apply to the affected area. Allow to remain in place at least 1 minute and then spit out. Use up to 4 times daily or as directed by a dentist or doctor.

children under 12 years of age: should be supervised in the use of the product

children under 2 years of age: do not use

Storage and Handling

- store at 20°-25°C (68°-77°F)

Inactive ingredients

flavor, polyethylene glycol, sodium saccharin

Questions or comments?

1-800-238-8542

M-F: 8:00 a.m. to 4:30 p.m. ET

Principal Display Panel

NDC 0283-0886-45

0.5 g

Manufactured for:
Beutlich® Pharmaceuticals, LLC
Bunnell, FL 32110

UDPCG 833 1220


HURRICAINÉ®
Unit Dose Topical Anesthetic Gel
20% Benzocaine Oral Anesthetic
PIÑA COLADA



Do not use if product film is punctured or damaged.

HurriCaine Unit Dose Gel Pina Colada 0.5g with Swab: 0283-0886-45

60ct HurriCaine Unit Dose Gel Pina Colada 0.5g with Swab: 0283-0886-59



HURRICAINÉ®
Unit Dose Topical Anesthetic Gel
20% Benzocaine Oral Anesthetic
PIÑA COLADA

60 Unit Dose Topical Anesthetic Gel
0.017 fl. oz. (0.5 g) each

Manufactured for:
Beutlich® Pharmaceuticals, LLC
Bunnell, FL 32110

HurriCaine® is a registered trademark of Beutlich Pharmaceuticals, LLC.

UDPCG 833 1220

Beutlich
PHARMACEUTICALS, LLC
Since 1924

7775 S. US Hwy 1, Suite H,
Bunnell, FL 32110.
www.beutlich.com

7-23797-886559-5

LOT: No LV
EXP: Coating in this Area

Please retain Drug Facts for future reference.

<p>Drug Facts</p> <p>Active Ingredient Benzocaine 20%,.....Oral Anesthetic</p> <p>Purpose</p> <p>Uses for the temporary relief of occasional minor irritation and pain, associated with</p> <ul style="list-style-type: none"> ■ canker sores ■ sore mouth and throat ■ minor injury of the mouth and gums ■ minor dental procedures ■ minor irritation of the mouth and gums caused by dentures or orthodontic appliances <p>Warnings</p> <p>Metabolizable warnings: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before.</p> <p>Stop use and seek immediate medical attention if you or a child in your care develops:</p> <ul style="list-style-type: none"> ■ pale, gray, or blue colored skin (cyanosis) ■ headache ■ rapid heart rate ■ shortness of breath ■ dizziness or lightheadedness ■ fatigue or lack of energy <p>Allergy alert: Do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics.</p> <p>Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore throat symptoms do not improve in 7 days, or if irritation, pain, or redness persist or worsens, see your dentist or doctor promptly.</p>	<p>Drug Facts (continued)</p> <p>Warnings (continued)</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if product film is punctured or damaged ■ for teething ■ in children under 2 years of age <p>When using this product avoid contact with eyes.</p> <p>Keep out of reach of children. If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center immediately.</p> <p>Directions do not exceed recommended dosage</p> <p>Adults and teens apply to the affected area. Allow to dry. Rub gently. Do not use more than 4 times daily or as directed by a dentist or doctor.</p> <p>Children under 12 years of age should be supervised in the use of the product.</p> <p>Children under 2 years of age do not use</p> <p>Other Information store at 20-25 °C (68-77 °F)</p> <p>Inactive ingredients Inver, polyethylene glycol, sodium saccharin</p> <p>Questions or comments? 1-800-238-8842 M-F: 8:00 a.m. - 4:30 p.m., ET</p>
---	--

HURRICAINÉ TOPICAL ANESTHETIC GEL

benzocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0283-0886
Route of Administration	ORAL, DENTAL, PERIODONTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	200 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Product Characteristics

Color	yellow (yellow to pale orange)	Score	
Shape		Size	
Flavor	COCONUT (Pina Colada Flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0283-0886-59	60 in 1 BOX	01/31/2021	
1	NDC:0283-0886-45	0.5 g in 1 CUP, UNIT-DOSE; Type 1: Convenience Kit of Co-Package		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	08/15/1986	

Labeler - Beutlich Pharmaceuticals, LLC (005209325)**Registrant** - Beutlich Pharmaceuticals, LLC (005209325)**Establishment**

Name	Address	ID/FEI	Business Operations
Beutlich Pharmaceuticals, LLC		005209325	label(0283-0886) , pack(0283-0886)

Establishment

Name	Address	ID/FEI	Business Operations
Centrix Inc		053707303	label(0283-0886)

Establishment

Name	Address	ID/FEI	Business Operations
Dental Technologies, Inc.		148312838	manufacture(0283-0886)

Revised: 11/2025

Beutlich Pharmaceuticals, LLC