EASYFAST- acetaminophen capsule Easyfast Supplements LLC

Easyfast_{TM} Acetaminophen

Drug Facts

Active ingredient (in each capsule)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to: the common cold headache toothache muscular aches backache premenstrual and menstrual cramps arthritis
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: • more than 8 capsules in 24 hours which is the maximum daily amount • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • for more than 10 days for pain unless directed by a doctor • for more than 3 days for fever unless directed by a doctor • if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if • pain or fever persists or gets worse • new symptoms occur • redness or swelling is present • symptoms do not improve

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a

Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- Adults and children12 years and older: take 1 capsule every 3-4 hours, or 2 capsules every 6 hours, while symptoms persist do not exceed 8 capsules in 24 hours or as directed by a doctor.
- Children under 12 years: ask a doctor

Other information

• store between 20-25° C (68-77° F) • do not use if foil pouch is open or broken

Inactive ingredients

Micro Crystalline Cellulose (MCC)

Questions or comments?

+1-516-399-0613

You may also report serious side effects to this phone number. Monday-Friday, 9:00 am-4:30 pm


2 delayed-release capsules

Manufactured for: Easyfast Supplements Brooklyn, NY 11229

Made in the USA

Please email us: easyfastassist@gmail.com

Packaging



Drug Facts

Active ingredient (in each capsule)

Purpose Pain reliever

Uses • temporarily relieves minor aches and pains due to: • the common cold • headache • toothache muscular aches
 backache
 premenstrual and menstrual cramps • arthritis temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen Severe liver damage may occur if you take: • more than 8 capsules in 24 hours which is the maximum daily amount • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • for more than 10 days for pain unless directed by a doctor • for more than 3 days for fever unless directed by a doctor • if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if • pain or fever persists or gets worse • new symptoms occur • redness or swelling is present • symptoms do not improve

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions • Adults and children 12 years and older: • take 1 capsule every 3-4 hours, or 2 capsules every 6 hours, while symptoms persist • do not exceed 8 capsules in 24 hours • or as directed by a doctor. Children under 12 years: ask a doctor

Other information • store between 20-25° C (68-77° F) • do not use if foil pouch is open or broken

Inactive inaredients Micro Crystalline Cellulose (MCC)

Questions or comments? +1-516-399-0613 You may also report serious side effects to this phone number. Monday-Friday, 9:00 am-4:30 pm

Manufactured for: Easyfast Supplements Brooklyn, NY 11229 Made in the USA



EASYFAST

acetaminophen capsule

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:83174-613

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) **ACETAMINOPHEN** 500 mg

Inactive Ingredients

Ingredient Name Strength

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)

Product Characteristics

Color	white	Score	no score	
Shape	OVAL	Size	21mm	
Flavor		Imprint Code		
Contains				

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		2 in 1 PACKET; Type 0: Not a Combination Product	04/01/2023	
M	arketing I	nformation		
M	arketing I Marketing Category	nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	Marketing	Application Number or Monograph Citation	_	

Labeler - Easyfast Supplements LLC (101607110)

Revised: 10/2024 Easyfast Supplements LLC