

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
NATURAL IVORY 300C- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
COOL BRONZE 440C- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
SOFT TAN 400C- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
WALNUT 550C- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
NATURAL BEIGE 370W- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
SAND 250N- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
WARM SAND 270W- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
BUFF 310W- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
NUDE 230W- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
TRUE BEIGE 200N- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
NEUTRAL IVORY 140N- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
SOFT BEIGE 350C- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - TAN  
340W- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
COOL PORCELAIN 130C- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
COOL NUDE 220C- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
GOLDEN TAN 410W- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
IVORY BEIGE 170N- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
CLASSIC NUDE 260N- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
DEEP OLIVE 530W- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
FRESH BEIGE 380W- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
WARM IVORY 150W- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
WARM SHELL 120W- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
SOFT SAND 240C- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
GOLDEN 510N- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
COOL CHESTNUT 520C- titanium dioxide liquid

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
PORCELAIN 110N- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
BUFF BEIGE 330N- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
CLASSIC IVORY 160C- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
SHELL BEIGE 320C- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
SHELL 100C- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
CREAMY BEIGE 360N- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
BRONZE 430N- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
WARM BRONZE 420W- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
RICH GOLDEN 540N- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
CLASSIC BEIGE 210W- titanium dioxide liquid  
Kenvue Brands LLC

-----

## Neutrogena Healthy Skin Liquid Makeup Broad Spectrum SPF 20

### *Drug Facts*

#### **Active ingredient**

Titanium Dioxide (3.6%)

#### **Purpose**

Sunscreen

#### **Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### **Warnings**

##### **For external use only**

- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.

- **Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

### For Sunscreen Use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

### • Sun Protection Measures:

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

## Other Information

- protect this product from excessive heat and direct sun
- may stain some fabrics

## Inactive ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

## Questions or comments?

Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free **800-480-4812** or **215-273-8755** (collect)

Distributed by:

**Kenvue Brands LLC**

Summit, NJ 07901

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Cool Bronze 440C

**Neutrogena**

**healthy skin®**

liquid makeup

with


titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30 mL)



**Drug Facts** (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Cool Bronze 440C

- Blend of antioxidants
- Keeps skin's young and healthy look

PEEL HERE ▶

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30062082  
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Golden 510N**

**Neutrogena**

**healthy skin®**

liquid makeup

with


titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30 mL)



**Drug Facts (continued)**  
**ask a doctor if rash occurs. Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

**Golden 510N**

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • **Stop use and** ▶

Dist. by: 30062088  
 Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

**PEEL HERE** ▶

0 86800 16162 2

**Drug Facts (continued)**


**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Cool Chestnut 520C**

**Neutrogena**  
**healthy skin®**  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Drug Facts (continued)**  
 ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics

HINGE AREA

Cool Chestnut 520C

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and

Dist. by: Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

30062086

PEEL HERE ▶

9

0 86800 16163

HINGE AREA

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides


**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Deep Olive 530W**

**Neutrogena**  
**healthy skin®**  
 liquid makeup

with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Drug Facts** (continued)  
**ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Deep Olive **530W** PEEL HERE ▶

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

0 86800 16164 6

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Rich Golden 540N**

**Neutrogena**  
**healthy skin®**

liquid makeup

with


titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30 mL)



**Drug Facts** (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics

HINGE AREA

**Rich Golden 540N**

- Blend of antioxidants
- Keeps skin's young and healthy look



PEEL HERE

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and

Dist. by: 30062153  
Kenvue Brands LLC, Summit, NJ 07901 © Kenvue Brands 2025



**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Walnut 550C**

**Neutrogena**

**healthy skin®**

liquid makeup

with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30 mL)



**HINGE AREA**

**Drug Facts (continued)**  
 ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Walnut 550C**

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025 30062149

PEEL HERE ▶

86800 16166 0

**HINGE AREA**

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Porcelain 110N**

**Neutrogena**  
**healthy skin®**

liquid makeup

with


titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30 mL)



**Drug Facts (continued)**  
ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Porcelain 110N PEEL HERE ▶

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

86800 16167 7

Dist. by: Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025 30062110

HINGE AREA

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexylactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Warm Bronze 420W**

**Neutrogena**  
**healthy skin®**  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Drug Facts** (continued)  
ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Warm Bronze 420W PEEL HERE ▶

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30062147  
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

0 86800 16159 2

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDV/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Bronze 430N

**Neutrogena**  
**healthy skin®**  
liquid makeup  
with  
titanium dioxide sunscreen  
broad spectrum  
SPF 20  
antioxidant blend  
1 FL. OZ. (30 mL)



**Drug Facts (continued)**  
ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

**Bronze 430N**

- Blend of antioxidants
- Keeps skin's young and healthy look

PEEL HERE ▶

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by:  
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

30062142

HINGE AREA

**Drug Facts (continued)**


**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Disostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Buff Beige 330N**

**Neutrogena**  
**healthy skin®**  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Drug Facts** (continued)

ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Buff Beige 330N

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by:  
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

30062130

PEEL HERE ▶

7 0 70501 16151

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Tan 340W

Neutrogena  
healthy skin®  
liquid makeup  
with  
titanium dioxide sunscreen  
broad spectrum  
SPF 20  
antioxidant blend  
1 FL. OZ. (30 mL)



**Drug Facts** (continued)

ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Tan 340W

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%).....	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by:  
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

30062132

PEEL HERE ▶

0 70501 16152 4

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Soft Beige 350C

Neutrogena

healthy skin®

liquid makeup

with


titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30 mL)



**Drug Facts** (continued)  
 ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Soft Beige **350C** PEEL HERE ▶

- Blend of antioxidants
- Keeps skin's young and healthy look



**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: Kenvue Brands LLC, Summit, NJ 07901 © Kenvue Brands 2025 30062134



HINGE AREA

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Creamy Beige 360N**

**Neutrogena**  
**healthy skin®**  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Drug Facts (continued)**  
ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Creamy Beige 360N

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30062136  
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

PEEL HERE ▶

86800161554

HINGE AREA

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Disostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Fresh Beige 380W

Neutrogena  
healthy skin®

liquid makeup

with


titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30 mL)



**Drug Facts** (continued)

ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Fresh Beige **380W**

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: Kenvue Brands LLC, Summit, NJ 07901 © Kenvue Brands 2025

30062080

PEEL HERE ▶

HINGE AREA

**Drug Facts** (continued)


**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Soft Tan 400C**

**Neutrogena**  
**healthy skin®**  
liquid makeup  
with  
titanium dioxide sunscreen  
broad spectrum  
SPF 20  
antioxidant blend  
1 FL. OZ. (30 mL)



**Drug Facts** (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

**Soft Tan 400C**

- Blend of antioxidants
- Keeps skin's young and healthy look

PEEL HERE ▶

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30062140  
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

HINGE AREA

**Drug Facts** (continued)


**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexylactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Golden Tan 410W**

**Neutrogena**  
**healthy skin®**  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Drug Facts** (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Golden Tan 410W

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by:  
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

30062084

PEEL HERE ▶

0 86800 16158 5

HINGE AREA

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDV/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Cool Porcelain 130C**

**Neutrogena**  
**healthy skin®**  
liquid makeup  
with  
titanium dioxide sunscreen  
broad spectrum  
SPF 20  
antioxidant blend  
1 FL. OZ. (30 mL)



**Drug Facts** (continued)  
ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Cool Porcelain 130C

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

30062117

PEEL HERE ▶

0 86800 16135 6

HINGE AREA

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Neutral Ivory 140N**

**Neutrogena**  
**healthy skin®**  
liquid makeup  
with  
titanium dioxide sunscreen  
broad spectrum  
SPF 20  
antioxidant blend  
1 FL. OZ. (30 mL)



**Drug Facts** (continued)

ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Neutral Ivory 140N PEEL HERE ▶

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by:  
Kenvue Brands LLC, Summit, NJ 07901 © Kenvue Brands 2025

86800 16136 3

0 30062119

HINGE AREA

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexylactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Warm Ivory 150W**

**Neutrogena**  
**healthy skin®**  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Drug Facts (continued)**  
**ask a doctor if rash occurs. Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics

HINGE AREA

**Warm Ivory 150W**

- Blend of antioxidants
- Keeps skin's young and healthy look

**PEEL HERE** ▶

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30062121  
 Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Classic Ivory 160C**

**Neutrogena**  
**healthy skin®**  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend

1 FL. OZ. (30 mL)



**Drug Facts** (continued)  
ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Classic Ivory 160C

- Blend of antioxidants
- Keeps skin's young and healthy look



**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: Kenvue Brands LLC, Summit, NJ 07901 © Kenvue Brands 2025

30062123

PEEL HERE ▶



8  
67001  
86800  
0

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Ivory Beige 170N

**Neutrogena**  
**healthy skin®**  
liquid makeup  
with  
titanium dioxide sunscreen  
broad spectrum  
SPF 20  
antioxidant blend

1 FL. OZ. (30 mL)



**Drug Facts (continued)**  
ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Ivory Beige 170N

- Blend of antioxidants
- Keeps skin's young and healthy look



**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: Kenvue Brands LLC, Summit, NJ 07901 © Kenvue Brands 2025 30062125

PEEL HERE ▶



86800 16139 4

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexylactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Classic Beige 210W

**Neutrogena**  
**healthy skin®**

liquid makeup

with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30 mL)



**Drug Facts (continued)**  
ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Classic Beige 210W

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30062127  
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

PEEL HERE ▶

0 86800 16140 0

HINGE AREA

**Drug Facts (continued)**


**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - True Beige 200N

**Neutrogena**  
**healthy skin®**  
liquid makeup  
with  
titanium dioxide sunscreen  
broad spectrum  
SPF 20  
antioxidant blend  
1 FL. OZ. (30 mL)



**Drug Facts** (continued)  
ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

True Beige 200N PEEL HERE ▶

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025 30062078

HINGE AREA

**Drug Facts** (continued)


**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Cool Nude 220C**

**Neutrogena**  
**healthy skin®**  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Drug Facts** (continued)  
ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

**Cool Nude 220C** PEEL HERE ▶

- Blend of antioxidants
- Keeps skin's young and healthy look

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30062155  
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Disostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Nude 230W**

**Neutrogena**  
**healthy skin®**  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



HINGE AREA

**Drug Facts** (continued)  
**ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Nude 230W**

- Blend of antioxidants
- Keeps skin's young and healthy look

PEEL HERE ▶

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

9  
8680067004  
0

Dist. by: 30062091  
 Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

HINGE AREA


**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Soft Sand 240C**

**Neutrogena**  
**healthy skin®**  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Drug Facts** (continued)  
ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Soft Sand 240C

- Blend of antioxidants
- Keeps skin's young and healthy look

PEEL HERE ▶

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30062094  
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

**Drug Facts** (continued)


**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Disostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Sand 250N**

**Neutrogena**  
**healthy skin®**  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Drug Facts** (continued)

ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

**Sand 250N**

- Blend of antioxidants
- Keeps skin's young and healthy look

PEEL HERE ▶

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: Kenvue Brands LLC, Summit, NJ 07901 © Kenvue Brands 2025 30062097

**Drug Facts** (continued)


**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG-PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Classic Nude 260N**

**Neutrogena**  
**healthy skin®**  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Drug Facts** (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Classic Nude **260N** PEEL HERE ▶

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%).....	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30062105  
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

86800 16146 2

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Warm Sand 270W**

**Neutrogena**  
**healthy skin®**

liquid makeup

with


titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30 mL)



HINGE AREA

**Drug Facts (continued)**  
ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Warm Sand 270W** PEEL HERE ▶

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: Kenvue Brands LLC, Summit, NJ 07901 © Kenvue Brands 2025

86800 16147 9

HINGE AREA


**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Natural Ivory 300C**

**Neutrogena**  
**healthy skin®**  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Drug Facts** (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Natural Ivory 300C

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30062103  
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

PEEL HERE ▶

5  
86800 67002  
0

HINGE AREA

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Shell Beige 320C

**Neutrogena**

**healthy skin®**

liquid makeup

with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30 mL)



**Drug Facts** (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Shell Beige 320C

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30062128  
Kenvue Brands LLC, Summit, NJ 07901 © Kenvue Brands 2025

PEEL HERE ▶

HINGE AREA

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexylactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Warm Shell 120W

**Neutrogena**  
**healthy skin®**  
liquid makeup  
with  
titanium dioxide sunscreen  
broad spectrum  
SPF 20  
antioxidant blend  
1 FL. OZ. (30 mL)



**Drug Facts** (continued)  
ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Warm Shell 120W

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by:  
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025 30062112

PEEL HERE ▶

9  
16134  
86800  
0

HINGE AREA

**Drug Facts** (continued)


**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Shell 100C**

**Neutrogena**  
**healthy skin®**  
liquid makeup  
with  
titanium dioxide sunscreen  
broad spectrum  
SPF 20  
antioxidant blend  
1 FL. OZ. (30 mL)



**Drug Facts** (continued)

ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Shell 100C

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

30062108

PEEL HERE ▶

0 86800 16133 2

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Buff 310W

**Neutrogena**

**healthy skin®**

liquid makeup

with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30 mL)



**Drug Facts** (continued)  
ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

**Buff 310W**

- Blend of antioxidants
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30062076  
Kenvue Brands LLC, Summit, NJ 07901 © Kenvue Brands 2025

PEEL HERE ▶

0 86800 67003 2

HINGE AREA

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Natural Beige 370W**

**Neutrogena**  
**healthy skin®**  
liquid makeup  
with  
titanium dioxide sunscreen  
broad spectrum  
SPF 20  
antioxidant blend  
1 FL. OZ. (30 mL)



HINGE AREA

**Drug Facts** (continued)  
**ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Natural Beige **370W**

- Blend of antioxidants
- Keeps skin's young and healthy look

PEEL HERE ▶

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30062138  
 Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2025

HINGE AREA

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - NATURAL IVORY 300C

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0995
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0995-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - COOL BRONZE 440C

titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0966
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
BORON NITRIDE (UNII: 2U4T60A6YD)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0KO0R)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
ALUMINA (UNII: LMI26O6933)	
PANTHENOL (UNII: WW9CM0O67Z)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
SILICA (UNII: ETJ7Z6XBU4)	
SORBIC ACID (UNII: X045WJ989B)	

<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0966-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - SOFT TAN 400C

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0980
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	

<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)
<b>FEROUS OXIDE</b> (UNII: G7036X8B5H)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0980-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

# NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - WALNUT 550C

titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0971
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	

<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0971-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - NATURAL BEIGE 370W

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-1000
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>WATER</b> (UNII: 059QF0K00R)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-1000-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - SAND 250N

titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0992
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	

MAGNESIUM SULFATE (UNII: DE08037SAB)

PHENOXYETHANOL (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0992-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - WARM SAND 270W

titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0994
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0KO0R)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
ALUMINA (UNII: LMI26O6933)	
PANTHENOL (UNII: WW9CM0O67Z)	

<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0994-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - BUFF 310W

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0999
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0999-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - NUDE 230W

titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0990
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
NIACINAMIDE (UNII: 25X51I8RD4)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDDD24E)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	

<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045VJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0990-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - TRUE BEIGE 200N

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0988
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0988-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - NEUTRAL IVORY 140N

titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0983
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
NIACINAMIDE (UNII: 25X51I8RD4)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

<b>WATER</b> (UNII: 059QF0K00R)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PANTHENOL</b> (UNII: WV9CM0067Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0983-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - SOFT BEIGE 350C

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0977
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	

<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>WATER</b> (UNII: 059QF0K00R)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PANTHENOL</b> (UNII: WW9CM0067Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0977-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

# NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - TAN 340W

titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0976
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	

<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0976-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - COOL PORCELAIN 130C

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0982
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	

<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDDD24E)
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PANTHENOL</b> (UNII: WW9CM0067Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0982-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - COOL NUDE 220C

titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0989
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	

MAGNESIUM SULFATE (UNII: DE08037SAB)

PHENOXYETHANOL (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0989-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - GOLDEN TAN 410W

titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0981
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
NIACINAMIDE (UNII: 25X51I8RD4)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TOCOPHEROL (UNII: R0ZB2556P8)	

<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDDD24E)
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PANTHENOL</b> (UNII: WW9CM0067Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0981-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - IVORY BEIGE 170N

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0986
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0986-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

# NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - CLASSIC NUDE 260N

titanium dioxide liquid

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0993
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0KO0R)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
ALUMINA (UNII: LMI26O6933)	
PANTHENOL (UNII: WW9CM0O67Z)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
SILICA (UNII: ETJ7Z6XBU4)	
SORBIC ACID (UNII: X045WJ989B)	

<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0993-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - DEEP OLIVE 530W

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0969
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0969-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - FRESH BEIGE 380W

titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0979
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
NIACINAMIDE (UNII: 25X51I8RD4)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	

<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>WATER</b> (UNII: 059QF0K00R)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PANTHENOL</b> (UNII: WW9CM0067Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0979-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - WARM IVORY 150W

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0984
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	

<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PANTHENOL</b> (UNII: WV9CM0O67Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045VJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0984-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

# NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - WARM SHELL 120W

titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0997
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	

<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDDD24E)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0997-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - SOFT SAND 240C

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0991
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	

<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0991-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - GOLDEN 510N

titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0967
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WV9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	

ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)

DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)

MAGNESIUM CARBONATE (UNII: 0E53J927NA)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0967-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - COOL CHESTNUT 520C

titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0968
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
BORON NITRIDE (UNII: 2U4T60A6YD)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
MAGNESIUM SULFATE (UNII: DE08037SAB)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
NIACINAMIDE (UNII: 25X5118RD4)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	

<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>WATER</b> (UNII: 059QF0K00R)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PANTHENOL</b> (UNII: WW9CM0067Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0968-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - PORCELAIN 110N

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0972
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FEROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0972-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

# NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - BUFF BEIGE 330N

titanium dioxide liquid

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0975
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0KO0R)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
ALUMINA (UNII: LMI26O6933)	
PANTHENOL (UNII: WW9CM0O67Z)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
SILICA (UNII: ETJ7Z6XBU4)	
SORBIC ACID (UNII: X045WJ989B)	

<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0975-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - CLASSIC IVORY 160C

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0985
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0985-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - SHELL BEIGE 320C

titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0996
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	

<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0996-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - SHELL 100C

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0998
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	

<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0998-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

# NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - CREAMY BEIGE 360N

titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0978
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	

<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0978-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - BRONZE 430N

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0974
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	

<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0974-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

**NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - WARM BRONZE 420W**

titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0973
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	

<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0973-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - RICH GOLDEN 540N

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0970
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	

<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>WATER</b> (UNII: 059QF0K00R)
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)
<b>ALUMINA</b> (UNII: LMI26O6933)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0970-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - CLASSIC BEIGE 210W

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0987
---------------------	----------------	---------------------------	----------------

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE</b> (UNII: 255PIF62MS)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>ALUMINA</b> (UNII: LMI26O6933)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0987-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2026	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 3/2026

Kenvue Brands LLC