


**DASWAGEN WART REMOVER CREAM- daswagen wart remover cream cream
Guangzhou ChuanMa International Trading Co.,Ltd.**

dasWagen WART REMOVER CREAM

INSTRUCTIONS FOR USE SECTION



Drug Facts
Active Ingredient.....**purpose**
Salicylic acid 17%..... Wart remover
Use
For the removal of common warts, which have a rough, cauliflower-like appearance.
Warnings
For external use only- Avoid contact with eyes.
If the product gets into eyes, rinse with water for 15 minutes.
Avoid inhaling vapors.
Do not use:
On irritated or infected skin, or reddened areas.
If you are diabetic or have poor blood circulation.
On birthmarks, warts with hair growth, or moles.
When Using
If pregnant or breastfeeding, consult a healthcare professional before use.

Keep out of reach of children.
If swallowed, seek immediate medical help or contact a Poison Control Center.
Stop use and ask a doctor if
discomfort persists.
Directions
1. Wash the affected area. (Soaking in warm water for 5 minutes may help.)
2. Dry thoroughly.
3. Apply a small amount to cover each wart. Let it dry.
4. Repeat twice daily as needed, for up to 12 weeks.
Inactive Ingredients
Water, Polyethylene Glycol, Glycerin, Borneol, Methylparaben, Chlorhexidine

STATEMENT OF IDENTITY SECTION



MANUFACTURER BY:JIANGXI HEMEI
PHARMACEUTICAL CO.,LTD.
4th Floor, Building 1956, Phase III,
Zhangjiahan Medical Incubation Park,
Zhangshu, Yichun , Jiangxi 331208,
China (CHN)



6 974603 693881

Drug Facts

Active Ingredient.....**purpose**
Salicylic acid 17%..... Wart remover

Use

For the removal of common warts, which have a rough, cauliflower-like appearance.

Warnings

For external use only- Avoid contact with eyes.

If the product gets into eyes, rinse with water for 15 minutes.

Avoid inhaling vapors.

Do not use:

On irritated or infected skin, or reddened areas.

If you are diabetic or have poor blood circulation.

On birthmarks, warts with hair growth, or moles.

When Using

If pregnant or breastfeeding, consult a healthcare professional before use.

Keep out of reach of children.

If swallowed, seek immediate medical help or contact a Poison Control Center.

Stop use and ask a doctor if
discomfort persists.

Directions

1. Wash the affected area. (Soaking in warm water for 5 minutes may help.)

2. Dry thoroughly.

3. Apply a small amount to cover each wart. Let it dry.

4. Repeat twice daily as needed, for up to 12 weeks.

Inactive Ingredients

Water, Polyethylene Glycol, Glycerin, Borneol, Methylparaben, Chlorhexidine

Drug Facts

Active Ingredient.....**purpose**
Salicylic acid 17%..... Wart remover

Use

For the removal of common warts, which have a rough, cauliflower-like appearance.

Warnings

For external use only- Avoid contact with eyes.

If the product gets into eyes, rinse with water for 15 minutes.

Avoid inhaling vapors.

Do not use:

On irritated or infected skin, or reddened areas.

If you are diabetic or have poor blood circulation.

On birthmarks, warts with hair growth, or moles.

When Using

If pregnant or breastfeeding, consult a healthcare professional before use.

Keep out of reach of children.

If swallowed, seek immediate medical help or contact a Poison Control Center.

Stop use and ask a doctor if
discomfort persists.

Directions

1. Wash the affected area. (Soaking in warm water for 5 minutes may help.)

2. Dry thoroughly.

3. Apply a small amount to cover each wart. Let it dry.

4. Repeat twice daily as needed, for up to 12 weeks.

Inactive Ingredients

Water, Polyethylene Glycol, Glycerin, Borneol, Methylparaben, Chlorhexidine

Drug Facts

Active Ingredient.....**purpose**
Salicylic acid 17%..... Wart remover

Use

For the removal of common warts, which have a rough, cauliflower-like appearance.

Warnings

For external use only- Avoid contact with eyes.

If the product gets into eyes, rinse with water for 15 minutes.

Avoid inhaling vapors.

Do not use:

On irritated or infected skin, or reddened areas.

If you are diabetic or have poor blood circulation.

On birthmarks, warts with hair growth, or moles.

When Using

If pregnant or breastfeeding, consult a healthcare professional before use.

Keep out of reach of children.

If swallowed, seek immediate medical help or contact a Poison Control Center.

Stop use and ask a doctor if
discomfort persists.

Directions

1. Wash the affected area. (Soaking in warm water for 5 minutes may help.)

2. Dry thoroughly.

3. Apply a small amount to cover each wart. Let it dry.

4. Repeat twice daily as needed, for up to 12 weeks.

Inactive Ingredients

Water, Polyethylene Glycol, Glycerin, Borneol, Methylparaben, Chlorhexidine

Drug Facts

Active Ingredient.....**purpose**
Salicylic acid 17%..... Wart remover

Use

For the removal of common warts, which have a rough, cauliflower-like appearance.

Warnings

For external use only- Avoid contact with eyes.

If the product gets into eyes, rinse with water for 15 minutes.

Avoid inhaling vapors.

Do not use:

On irritated or infected skin, or reddened areas.

If you are diabetic or have poor blood circulation.

On birthmarks, warts with hair growth, or moles.

When Using

If pregnant or breastfeeding, consult a healthcare professional before use.

Keep out of reach of children.

If swallowed, seek immediate medical help or contact a Poison Control Center.

Stop use and ask a doctor if
discomfort persists.

Directions

1. Wash the affected area. (Soaking in warm water for 5 minutes may help.)

2. Dry thoroughly.

3. Apply a small amount to cover each wart. Let it dry.

4. Repeat twice daily as needed, for up to 12 weeks.

Inactive Ingredients

Water, Polyethylene Glycol, Glycerin, Borneol, Methylparaben, Chlorhexidine

Drug Facts

Active Ingredient.....**purpose**
Salicylic acid 17%..... Wart remover

Use

For the removal of common warts, which have a rough, cauliflower-like appearance.

Warnings

For external use only- Avoid contact with eyes.

If the product gets into eyes, rinse with water for 15 minutes.

Avoid inhaling vapors.

Do not use:

On irritated or infected skin, or reddened areas.

If you are diabetic or have poor blood circulation.

On birthmarks, warts with hair growth, or moles.

When Using

If pregnant or breastfeeding, consult a healthcare professional before use.

Keep out of reach of children.

If swallowed, seek immediate medical help or contact a Poison Control Center.

Stop use and ask a doctor if
discomfort persists.

Directions

1. Wash the affected area. (Soaking in warm water for 5 minutes may help.)

2. Dry thoroughly.

3. Apply a small amount to cover each wart. Let it dry.

4. Repeat twice daily as needed, for up to 12 weeks.

Inactive Ingredients

Water, Polyethylene Glycol, Glycerin, Borneol, Methylparaben, Chlorhexidine

Drug Facts

Active Ingredient.....**purpose**
Salicylic acid 17%..... Wart remover

Use

For the removal of common warts, which have a rough, cauliflower-like appearance.

Warnings

For external use only- Avoid contact with eyes.

If the product gets into eyes, rinse with water for 15 minutes.

Avoid inhaling vapors.

Do not use:

On irritated or infected skin, or reddened areas.

If you are diabetic or have poor blood circulation.

On birthmarks, warts with hair growth, or moles.

When Using

If pregnant or breastfeeding, consult a healthcare professional before use.

Keep out of reach of children.

If swallowed, seek immediate medical help or contact a Poison Control Center.

Stop use and ask a doctor if
discomfort persists.

Directions

1. Wash the affected area. (Soaking in warm water for 5 minutes may help.)

2. Dry thoroughly.

3. Apply a small amount to cover each wart. Let it dry.

4. Repeat twice daily as needed, for up to 12 weeks.

Inactive Ingredients

Water, Polyethylene Glycol, Glycerin, Borneol, Methylparaben, Chlorhexidine

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



DASWAGEN WART REMOVER CREAM

daswagen wart remover cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85593-061
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	17 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85593-061-88	20 g in 1 BOX; Type 0: Not a Combination Product	03/04/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	03/04/2026	

Labeler - Guangzhou ChuanMa International Trading Co.,Ltd. (510247477)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou ChuanMa International Trading Co.,Ltd.		510247477	manufacture(85593-061)

Revised: 3/2026

Guangzhou ChuanMa International Trading Co.,Ltd.