

ANTIFUNGAL POWDER- tolnaftate aerosol, spray
ARMY & AIR FORCE EXCHANGE SERVICE

Exchange Select Antifungal Tolnaftate Powder Spray

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris)
- can prevent recurrence of most athlete's foot
- relieves symptoms of athlete's foot, including itching, burning, cracking and chafing associated with jock itch

Warnings

For external use only.

Flammable:

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

When using this product

- avoid contact with the eyes or mouth
- use only as directed

Stop use and ask a doctor if

- no improvement within 4 weeks for athlete's foot, ringworm and 2 weeks for jock itch
- irritation occurs

Do not use

on children under 2 years of age unless directed by a doctor.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily

(morning and night) or as directed by a doctor

- supervise children in the use of this product
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- for athlete's foot, pay special attention to spaces between the toes; wear

well-fitting, ventilated shoes and change shoes and socks at least once dail

- use daily for 4 weeks for athlete's foot and ringworm; use daily for 2 weeks

for jock itch

- if condition persists, consult a doctor
- this product is not effective on the scalp or nails
- if nozzle clogs, clean with a pin

Other information

store between 20° and 30°C (68° and 86°F)

Inactive ingredient

BHT, isobutane, kaolin, PPG-12-buteth-16, SD alcohol 40-B, zea mays (corn) starch

Questions?

Call 1-866-964-0939

Principal Display Panel

exchange select

ATHLETE'S

FOOT

ANTIFUNGAL

tolnaftate 1%

- CURES & PREVENTS
MOST ATHLETE'S FOOT
- RELIEVES ITCHING &
BURNING
- TALC-FREE

POWDER SPRAY

NET WT 4.6 OZ (130 g)

Compare to the Active Ingredient in Tinactin**

exchange select™

ATHLETE'S FOOT

ANTIFUNGAL
tolnaftate 1%



- CURES & PREVENTS MOST ATHLETE'S FOOT
- RELIEVES ITCHING & BURNING
- TALC-FREE

POWDER SPRAY

NET WT 4.6 OZ (130 g)



* This product is not manufactured or distributed by the Bayer HealthCare LLC, owner of the registered trademark Tinactin®.

Drug Facts

Active ingredient	Purpose
Tolnaftate 1%	Antifungal

Uses

- cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris)
- can prevent recurrence of most athlete's foot
- relieves symptoms of athlete's foot, including itching, burning, cracking, and chafing associated with jock itch

Warnings

For external use only.

Flammable: Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

When using this product

- avoid contact with the eyes or mouth
- use only as directed

Stop use and ask a doctor if

- no improvement within 4 weeks for athlete's foot and ringworm; 2 weeks for jock itch
- irritation occurs

Do not use on children under 2 years of age unless directed by a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- for athlete's foot, pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks for athlete's foot and ringworm; use daily for 2 weeks for jock itch
- if condition persists, consult a doctor
- this product is not effective on the scalp or nails
- if nozzle clogs, clean with a pin

Other information
store between 20° and 30°C (68° and 86°F)

Inactive ingredients
BHT, isobutane, kaolin, PPG-12-buteth-16, SD alcohol 40-B, zea mays (corn) starch

Questions? Call 1-866-964-0939

SATISFACTION GUARANTEED OR YOUR MONEY BACK.

Manufactured For Your Military Exchanges By:
©2022 Premier Brands of America Inc.
White Plains, NY 10601
www.premier-brands.com

MADE IN USA WITH U.S. WITH IMPORTED PARTS



50-105ES

ANTIFUNGAL POWDER

tolnaftate aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-874
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BHT (UNII: 1P9D0Z171K)	
ISOBUTANE (UNII: BXR49TP611)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	
ALCOHOL (UNII: 3K9958V90M)	

KAOLIN (UNII: 24H4NWX5CO)

ZEA MAYS (CORN) STARCH (UNII: O8232NY3SJ)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-874-01	130 g in 1 CAN; Type 0: Not a Combination Product	01/03/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	01/03/2012	

Labeler - ARMY & AIR FORCE EXCHANGE SERVICE (001695568)

Revised: 3/2026

ARMY & AIR FORCE EXCHANGE SERVICE