

OVERLABS ACTION MOIST SUN- avobenzone, homosalate, octisalate, octocrylene lotion
Overlaps Corp.

Drug Facts

Active Ingredient Purpose

| | |
|------------------------|-----------|
| Avobenzone 2.90% | Sunscreen |
| Homosalate 9.00%..... | Sunscreen |
| Octisalate 4.50%..... | Sunscreen |
| Octocrylene 5.00%..... | Sunscreen |

OTC Purpose

Purpose-Sunscreen

Uses

Uses

Helps prevent sunburn

if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Do Not Use

Do Not Use

For external use only

Do not use-on damaged skin, on broken skin

Ask Doctor

Ask Doctor-Stop use and ask a doctor if rash occurs.

Stop Use

Stop use and ask a doctor if rash occurs.

When Using

When using this product, keep out of eyes. Rinse with water to remove

Keep out of reach of children

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

Directions

- Apply liberally 15 minutes before sun exposure. Reapply at least every two hours
- Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: 1) limit time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses
- Ask a doctor to use for children under 6 months

Other Information

Other Information ■ Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Inactive ingredients

Water, Propanediol, Butyloctyl Salicylate, Dibutyl Adipate, Phenethyl Benzoate, Glycerin, Alcohol Denat., Polymethylsilsesquioxane, Polyglyceryl-3 Distearate, 1,2-Hexanediol, Ectoin, Polyglyceryl-3 Methylglucose Distearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Caprylyl Glycol, Poly C10-30 Alkyl Acrylate, Tromethamine, Ethylhexylglycerin, Fragrance, Glyceryl Stearate Citrate, Sodium Polyacryloyldimethyl Taurate, Dimethicone, Xanthan Gum, Butylene Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Polyglyceryl-10 Myristate, Avena Sativa (Oat) Kernel Extract, Centella Asiatica Extract, Citrus Unshiu Fruit Extract, Houttuynia Cordata Extract, Oryza Sativa (Rice) Bran Extract, Punica Granatum Fruit Extract, Rosa Damascena Flower Extract, Schisandra Chinensis Fruit Extract, Tremella Fuciformis (Mushroom) Extract, Tocopherol, Arginine, Carbomer

Questions or comments?

Questions or comments? 1-800-545-8856

Warning

For external use only

Do not use ■ on damaged skin

■ on broken skin

Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Principal Display Panel

Overlaps

Ectoin

Moist Sun

Ecotin 0.5%/Rice

Sunscreen Broad Spectrum SPF50

1.69 fl.oz/50 mL

| <p>Drug Facts</p> <table border="1"><thead><tr><th>Active Ingredients</th><th>Purpose</th></tr></thead><tbody><tr><td>Avobenzone 2.9%</td><td>Sunscreen</td></tr><tr><td>Homosalate 9%</td><td>Sunscreen</td></tr><tr><td>Octisalate 4.5%</td><td>Sunscreen</td></tr><tr><td>Octocrylene 5%</td><td>Sunscreen</td></tr></tbody></table> <p>Uses ■ Helps prevent sunburn ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.</p> <p>Warnings ■ For external use only ■ Do not use • on damaged • broken skin. ■ Stop use and ask a doctor if rash occurs. ■ When using this product, keep out of eyes. Rinse with water to remove. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions ■ Apply liberally 15 minutes before sun exposure. Reapply at least every two hours ■ Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: 1) limit time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses ■ Ask a doctor to use for children under 6 months</p> <p>Other Information Protect the product in this container from excessive heat and direct sun.</p> <p>Inactive Ingredients Water, Propanediol, Butyloctyl Salicylate, Dibutyl Adipate, Phenethyl Benzoate, Glycerin, Alcohol Denat., Polymethylsilsesquioxane, Polyglyceryl-3 Distearate, 1,2-Hexanediol, Ecotin, Polyglyceryl-3 Methylglucose Distearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Caprylyl Glycol, Poly C10-30 Alkyl Acrylate, Tromethamine, Ethylhexylglycerin, Fragrance, Glyceryl Stearate Citrate, Sodium Polyacryloyldimethyl Taurate, Dimethicone, Xanthan Gum, Butylene Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Polyglyceryl-10 Myristate, Avena Sativa (Oat) Kernel Extract, Centella Asiatica Extract, Citrus Unshiu Fruit Extract, Houlttynia Cordata Extract, Oryza Sativa (Rice) Bran Extract, Punica Granatum Fruit Extract, Rosa Damascena Flower Extract, Schisandra Chinensis Fruit Extract, Tremella Fuciformis (Mushroom) Extract, Tocopherol, Arginine, Carbomer</p> <p>Questions or comment? 1(888) 545-8856</p> | Active Ingredients | Purpose | Avobenzone 2.9% | Sunscreen | Homosalate 9% | Sunscreen | Octisalate 4.5% | Sunscreen | Octocrylene 5% | Sunscreen | <p>MANUFACTURED BY CTK OTC LABORATORIES</p> <p>DISTRIBUTED BY Overlaps Corp. Address 130, Eoulmadang-ro, Mapo-gu, Seoul, Republic of Korea business@overlaps.co.kr</p> <p>www.overlaps.co.kr MADE IN USA</p>  | <p>OVERLAPS</p> <p>Ecotin Moist Sun</p> <p>ECTOIN 0.5% RICE</p> <p>Sunscreen Broad Spectrum SPF 50</p>  | <p>Overlaps Skincare Ecotin Moist Sun</p> <p>For Your Borderless Wellness, Carefree Daily Movement</p> |
|---|-------------------------|---------|-----------------------|-----------|---------------------|-----------|-----------------------|-----------|----------------------|-----------|--|---|--|
| Active Ingredients | Purpose | | | | | | | | | | | | |
| Avobenzone 2.9% | Sunscreen | | | | | | | | | | | | |
| Homosalate 9% | Sunscreen | | | | | | | | | | | | |
| Octisalate 4.5% | Sunscreen | | | | | | | | | | | | |
| Octocrylene 5% | Sunscreen | | | | | | | | | | | | |
|  | <p>1.69 fl.oz/50 mL</p> | | | | | | | | | | | | |

OVERLABS ACTION MOIST SUN

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:87601-001 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 2.25 g in 50 g |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 4.5 g in 50 g |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 2.5 g in 50 g |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 1.45 g in 50 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| GLYCERYL STEARATE CITRATE (UNII: WH8T92A065) | |
| POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV) | |
| OAT (UNII: Z6J799EAJK) | |
| TROMETHAMINE (UNII: 023C2WHX2V) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| TREMELLA FUCIFORMIS FRUITING BODY (UNII: GG8N28393G) | |
| CARBOMER (UNII: 0A5MM307FC) | |
| FRAGRANCE LEMON ORC2001060 (UNII: K1725A7G95) | |
| SCHISANDRA CHINENSIS FRUIT (UNII: ABS794681C) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO) | |
| POLYGLYCERYL-10 MYRISTATE (UNII: Y9WL8QN3ZB) | |
| ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V) | |
| POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE (UNII: W19EIO0DBE) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| PROPANEDIOL (UNII: 5965N8W85T) | |
| PHENETHYL BENZOATE (UNII: 0C143929GK) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| DIBUTYL ADIPATE (UNII: F4K100DXP3) | |
| SODIUM POLYACRYLOYLDIMETHYL TAURATE (UNII: NG5NG5733T) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CITRUS TANGERINA (TANGERINE) FRUIT (UNII: KH3E3096OO) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| ECTOIN (UNII: 7GXZ3858RY) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| ROSA DAMASCENA FLOWER (UNII: JWB78P295A) | |
| ARGININE (UNII: 94ZLA3W45F) | |
| CENTELLA ASIATICA TRITERPENOIDS (UNII: 4YS74Q4G4J) | |
| HOULTUYNIA CORDATA FLOWERING TOP (UNII: RH041UUZ22) | |
| POMEGRANATE (UNII: 56687D1Z4D) | |
| WATER (UNII: 059QF0KO0R) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| ORYZA SATIVA (RICE) BRAN (UNII: R60QEP13IC) | |

Product Characteristics

| | | | |
|-----------------|--|---------------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:87601-001-02 | 8 in 1 CARTON | 04/17/2026 | |
| 1 | | 20 in 1 BOX | | |
| 1 | NDC:87601-001-01 | 50 g in 1 TUBE; Type 0: Not a Combination Product | | |

Drug Facts

| Active Ingredients | Purpose |
|-----------------------|-----------|
| Avobenzone 2.9% | Sunscreen |
| Homosalate 9% | Sunscreen |
| Ocdisalate 4.5% | Sunscreen |
| Octocrylene 5% | Sunscreen |

Uses ■ Helps prevent sunburn ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings ■ For external use only ■ Do not use • on damaged • broken skin. ■ Stop use and ask a doctor if rash occurs. ■ When using this product, keep out of eyes. Rinse with water to remove. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally 15 minutes before sun exposure. Reapply at least every two hours ■ Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrumSPF of 15 or higher and other sun protection measures including: 1) limit time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses ■ Ask a doctor to use for children under 6 months

Other Information
Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Water, Propanediol, Butyloctyl Salicylate, Dibutyl Adipate, Phenethyl Benzoate, Glycerin, Alcohol Denat., Polymethylsilsesquioxane, Polyglyceryl-3 Distearate, 1,2-Hexanediol, Ectoin, Polyglyceryl-3 Methylglucose Distearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Caprylyl Glycol, Poly C10-30 Alkyl Acrylate, Tromethamine, Ethylhexylglycerin, Fragrance, Glyceryl Stearate Citrate, Sodium Polyacryloyldimethyl Taurate, Dimethicone, Xanthan Gum, Butylene Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Polyglyceryl-10 Myristate, Avena Sativa (Oat) Kernel Extract, Centella Asiatica Extract, Citrus Unshiu Fruit Extract, Houltynia Cordata Extract, Oryza Sativa (Rice) Bran Extract, Punica Granatum Fruit Extract, Rosa Damascena Flower Extract, Schisandra Chinensis Fruit Extract, Tremella Fuciformis (Mushroom) Extract, Tocopherol, Arginine, Carbomer

Questions or comment?
1(888) 545-8856

MANUFACTURED BY
CTK OTC LABORATORIES

DISTRIBUTED BY
Overlaps Corp.
Address 130, Eoulmadang-ro,
Mapo-gu, Seoul, Republic of Korea
business@overlaps.co.kr

www.overlaps.co.kr
MADE IN USA



OVERLAPS

Ectoin
Moist Sun
ECTOIN 0.5% | RICE

Sunscreen
Broad Spectrum SPF 50



1.69 fl.oz/50 mL



Overlaps Skincare
Ectoin Moist Sun

For Your Borderless Wellness,
Carefree Daily Movement

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 04/17/2026 | |

Labeler - Overlaps Corp. (963427702)

Registrant - Overlaps Corp. (963427702)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------------|---------|-----------|------------------------|
| CTK OTC Laboratories LLC | | 119509846 | manufacture(87601-001) |

