

DOLONEURO-TROPAS- acetaminophen, caffeine tablet, film coated
OPMX LLC

DOLONEURO-TROPAS

Drug Facts

Active Ingredient (in each tablet)

- Acetaminophen 500mg
- Caffeine 65 mg

Purpose

- Pain reliever
- Pain reliever aid

Uses

- temporarily relief minor aches and pains due to:
- headache
- muscular aches

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 6 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). Ask a doctor or pharmacist before using with other drugs if you are not sure.

Ask a doctor before use

if you have liver disease

Ask a doctor or pharmacist if

you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- any new symptoms appear
- symptoms do not get better or worsen
- painful area is red or swollen
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not exceed recommended dosage.**
- **adults and children 12 years and over:** take 2 tablets every 6 hours; do not take more than 6 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- store at controlled room temperature 20° -25°C (68° -77°F)
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, D&C red #27, FD&C blue #1, FD&C yellow #6, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch, polyvinyl pyrrolidone, stearic acid, talc, titanium dioxide

Questions or comments?

Call for free 619-600-5632 Monday through Friday 9AM -5PM EST

PLEASE REFER TO LEAFLET FOR INSTRUCTION IN SPANISH.

CONSULTE EL FOLLETO PARA LAS INSTRUCCIONES EN ESPAÑOL.

Exclusively distributed by:

OPMX

Chula Vista, CA 91910

Phone: 619-600-5632

Made for:

inov

FARMACEUTIQUE

NDC 69729-795-80

DOLONEURO-TROPAS

NUEVAFORMULA

NEW FORMULA

Treat Pain or Inframation caused by conditions such as:

Alivio temporal de dolores leves y malestares debidos a:

- Reumatismo
- Arthritis
- Inflamacion
- Dolor
- Rheumatism
- Arthritis
- Inflammation
- Pain

20 Sachets of 4 Caplets

Analgesico/Pain Reliever

Pain Reliever / Analgésico

20 Sachets of 4 Caplets

DOLONEURO-TROPAS

DOLONEURO-TROPAS

20 Sachets of 4 Caplets

Pain Reliever / Analgésico

NDC 69729-795-80

DOLONEURO-TROPAS

NEW FORMULA
NUEVA FÓRMULA

Treat Pain or
Inflammation caused
by conditions such as:

Alivio temporal de dolores leves
y malestares debidos a:

- Rheumatism
- Arthritis
- Inflammation
- Pain
- Reumatismo
- Artritis
- Inflamación
- Dolor

Exclusively distributed by:



Chula Vista, CA 91910
Phone: 619-600-5632



Item # INX060 Rev. 12.2025



Drug Facts

| Active ingredient (in each tablet) | Purpose |
|------------------------------------|-------------------|
| Acetaminophen 500 mg | Pain reliever |
| Caffeine 65 mg | Pain reliever aid |

Uses
Temporarily relief minor aches and pains due to:
• headache
• muscular aches

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
• more than 6 tablets in 24 hours, which is the maximum daily amount
• with other drugs containing acetaminophen
• 3 or more alcoholic drinks every day while using this product
Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). Ask a doctor or pharmacist before using with other drugs if you are not sure.

Ask a doctor before use if you have liver disease
Ask a doctor or pharmacist if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if:
• any new symptoms appear
• symptoms do not get better or worsen
• painful area is red or swollen
• pain gets worse or lasts for more than 10 days
• level gets worse or lasts for more than 3 days

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
• do not exceed recommended dosage.
• adults and children 12 years and over: take 2 tablets every 6 hours; do not take more than 6 tablets in 24 hours
• children under 12 years: ask a doctor

Other information
• store at controlled room temperature 20°-25°C (68°-77°F)
• TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Inactive ingredients
colloidal silicon dioxide, croscarmellose sodium, D&C red #27, FD&C blue #1, FD&C yellow #6, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch, polyvinylpyrrolidone, stearic acid, talc, titanium dioxide

Questions or comments?
Call for the 619-600-5632 Monday through Friday 9AM - 5PM EST. PLEASE REFER TO LEAFLET FOR INSTRUCTIONS IN SPANISH. CONSULTE EL FOLLETO PARA LAS INSTRUCCIONES EN ESPAÑOL.

NDC 69729-795-80

DOLONEURO-TROPAS

NEW FORMULA
NUEVA FÓRMULA

Treat Pain or
Inflammation caused
by conditions such as:

Alivio temporal de dolores leves
y malestares debidos a:

- Rheumatism
- Arthritis
- Inflammation
- Pain
- Reumatismo
- Artritis
- Inflamación
- Dolor



20 Sachets of 4 Caplets

Pain Reliever / Analgésico

Información del medicamento

| Ingredientes activos (en cada cápsula) | Propósito |
|--|---------------------|
| Acetaminofén 500 mg | Analgésico |
| Cafeína 65 mg | Auxiliar analgésico |

Usos
Alivio temporal de dolores leves y malestares debidos a:
• dolor de cabeza
• dolores musculares

Advertencias
Advertencia para el hígado: Este producto contiene acetaminofén. Pueden producirse daños hepáticos graves si toma:
• más de 6 tabletas en 24 horas, que es la cantidad máxima diaria.
• con otros medicamentos que contengan acetaminofén
• 3 o más bebidas alcohólicas cada día mientras utiliza este producto.
Advertencia sobre la cafeína: La dosis recomendada de este producto contiene tanta cafeína como una taza de café. Limite el uso de medicamentos, alimentos o bebidas que contengan cafeína mientras está tomando este producto porque demasiada cafeína puede causar nerviosismo, irritabilidad, insomnio y, ocasionalmente, taquicardia.

No utilizar con ningún otro medicamento que contenga acetaminofén (con o sin receta). Pregunte a su médico o farmacéuta antes de usar con otros medicamentos si no está seguro.

Pregunte a su médico antes de usarlo si padece una enfermedad hepática

Pregunte a su médico o farmacéuta si está tomando un anticoagulante "warfarina"

Deje de utilizarlo y consulte a su médico si:
• Aparecen nuevos síntomas: • los síntomas no mejoran o empeoran
• la zona dolorida está enrojecida o hinchada
• el dolor empeora o dura más de 10 días
• la fiebre empeora o dura más de 3 días

Si está embarazada o en periodo de lactancia, consulte a su médico antes de utilizarlo.
Mantener fuera del alcance de los niños.
En caso de sobredosis, busque ayuda médica o póngase en contacto con un Centro de Toxicología (1-800-222-1222) inmediatamente. La atención médica rápida es crítica tanto para adultos como para niños, incluso si no nota ningún signo o síntoma.

Indicaciones
• no exceda la dosis recomendada.
• adultos y niños mayores de 12 años: Tomar 2 tabletas cada 6 horas; no tomar más de 6 tabletas en 24 horas.
• niños menores de 12 años: consultar a su médico

Información adicional
• consérvesse a temperatura ambiente controlada 20°-25°C (68°-77°F)
• SELLO DE SEGURIDAD: NO UTILIZAR SI EL SELLO DE SEGURIDAD IMPRESO BAJO EL TAPON ESTÁ ROTO O AUSENTE

Ingredientes inactivos dióxido de silicio coloidal, croscarmelosa sódica, D&C rojo nº 27, FD&C azul nº 1, FD&C amarillo nº 6, estearato de magnesio, celulosa microcristalina, polietilenglicol, almidón pregelatinizado, polivinilpirrolidona, ácido estárico, talco, dióxido de titanio

¿Preguntas o comentarios?
Lláme gratis al 619-600-5632 de lunes a viernes 9AM - 5PM EST.

TAMPER EVIDENT:
Do not use if package is
opened or if blister unit is
loose, broken or shows
any sign of tampering

NO VARNISH

NO VARNISH

Pain Reliever / Analgesico
4 Caplets



DOLONEURO-TROPAS

DOLONEURO-TROPAS

Drug Facts

| Active ingredient (in each tablet) | Purpose |
|------------------------------------|-------------------|
| Acetaminophen 500 mg..... | Pain reliever |
| Caffeine 65 mg..... | Pain reliever aid |

Uses

- temporarily relief minor aches and pains due to:
 - headache
 - muscular aches

Directions

- do not exceed recommended dosage.
- adults and children 12 years and over: take 2 tablets every 6 hours:



DOLONEURO-TROPAS

acetaminophen, caffeine tablet, film coated

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69729-795 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------|
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 500 mg |
| CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E) | CAFFEINE | 65 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| D&C RED NO. 27 (UNII: 2LRS185U6K) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| POVIDONE K90 (UNII: RDH86HJV5Z) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| TALC (UNII: 7SEV7J4R1U) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| CROSCARMELOSE SODIUM (UNII: M28OL1HH48) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |

Product Characteristics

| | | | |
|-----------------|---------------|---------------------|----------|
| Color | red | Score | no score |
| Shape | OVAL (Oblong) | Size | 17mm |
| Flavor | | Imprint Code | 5431 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:69729-795-80 | 20 in 1 CARTON | 01/29/2026 | |
| 1 | | 4 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M013 | 01/29/2026 | |

Labeler - OPMX LLC (029918743)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------------------|---------|-----------|------------------------|
| HBC HEALTHCARE PRIVATE LIMITED | | 854255181 | manufacture(69729-795) |

Revised: 1/2026

OPMX LLC