

BYT BANGYTONG MILIA REMOVER- salicylic acid 1% milia remover liquid liquid
Shenzhen Jindali Technology Co., Ltd

BYT BANGYTONG MILIA REMOVER

Active Ingredient

Salicylic acid 1%

Purpose

Milia Remover

Use

For the removal of milia (skin bumps)Aids in exfoliating dead skin cells Helps smooth skin texture

Warnings

For external use only.

Do not use

condition worsens or does not improve within 4 weeks,Severe redness, burning, or swelling occurs.

If pregnant or breast-feeding, ask a health professional before use.

When Using

Avoid contact with eyes.lips.and mucous membranes. If contact occurs,rinse thoroughly with water. Do not apply to broken,irritated,or sunburned skin.Excessive drying or peeling may occur.If severe irritation develops,discontinue use.

Stop Use

condition worsens or does not improve within 4 weeks,Severe redness, burning, or swelling occurs.

If pregnant or breast-feeding, ask a health professional before use.

Ask Doctor

condition worsens or does not improve within 4 weeks,Severe redness, burning, or swelling occurs.

If pregnant or breast-feeding, ask a health professional before use.

Keep Out Of Reach Of Children

Keep out of reach of children.

Directions

1.Cleanse and dry the affected skin area thoroughly.2.Apply a thin layer of the product directly onto the milia (skin bumps) once or twice daily, as needed.3.Gently massage until fully absorbed.4.For best results, use consistently for 4 weeks.

Inactive ingredients

Glycerin, dextrin,xanthan gum,amylopectin, tocopheryl acetate.water.

BYT BANGYONG

BYT BANGYONG

MILIA REMOVER TREATMENT

Fat Granule Clearing Skin Essence

NET 1.0 fl oz (30ml)

Drug Facts
Active ingredient.....Purpose
Salicylic acid 1%.....Milia Remover

Uses
For the removal of milia (skinbumps) Aids in exfoliating dead skin cells Helps smooth skin texture

Warnings
For external use only

Directions
1.Cleanse and dry the affected skin area thoroughly.
2.Apply a thin laver ofthe product directly onto the milia (skin bumps) once or twice daily, as needed.
3.Gently massage until fully absorbed.
4.For best results,use consistently for 4 weeks.

When using this product
Avoid contact with eyes, lips, and mucous membranes. If contact occurs, rinse thoroughly with water.Do not apply to broken,irritated,or sunburned skin.
Excessive drying or peeling mayoccur.
If severe irritation develops,discontinue use.
Keep out of reach of children.

Stop use and ask a doctor if
Condition worsens or does not improve within 4 weeks.
Severe redness, burning, or swelling occurs.

If pregnant or breast-feeding, ask a health professional before use.

Inactive ingredients
Glycerin, dextrin, xanthan gum,amylopectin, tocopheryl acetate,water.

Distrouted by:Shenzhen Jindali Technology Co., Ltd
Address: 4B-088, Phase II, South China Int'l Leather
and Accessories Logistics Zone, No. 1, Huanan Ave,
Hehua Comm, Pinghu St, Longgang Dist Shenzhen,
Guangdong, 518111 China

BYT BANGYONG MILIA REMOVER

salicylic acid 1% milia remover liquid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87382-107
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	1 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
AMYLOPECTIN, CORN (UNII: TQI9LJM246)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
DEXTRIN, CORN (UNII: VAD2K35XAJ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87382-107-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/06/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	03/06/2026	

Labeler - Shenzhen Jindali Technology Co., Ltd (722786197)

Registrant - Shenzhen Jindali Technology Co., Ltd (722786197)