

**SERYNTH HEMORRHOID- lidocaine 4% phenylephrine hcl 0.25%
hemorrhoid cream**

Jiangxi Yudexi Pharmaceutical Co., LTD

85248-155

Active Ingredient

Lidocaine 4% Phenylephrine HCL 0.25%

Purpose

Analgesic (pain relief) Vasoconstrictor

Use

Temporarily shrink hemorrhoidal tissue, relieving pain, soreness, burning, itching, and discomfort associated with hemorrhoids.

Warnings

For external use only, including the skin around the anal canal

Do not use

Do not put this product into the rectum.

When Using

When using this product do not exceed recommended daily dosage unless directed by a doctor, when using finger cots or an applicator, apply externally on the skin of the anal canal only.

Stop Use

Ask a doctor before use if you have allergies to any of the components of this product, difficulty in urination due to enlargement of the prostate gland, diabetes, heart disease, high blood pressure, thyroid disease, or presently taking a prescription for high blood pressure or depression.

Ask Doctor

Stop use and ask a doctor if condition worsens or does not improve within seven days, bleeding occurs, an allergic reaction develops, the symptom being treated does not subside or if redness, irritation, swelling, pain or other

symptoms develop or increase.

Keep Out Of Reach Of Children

If swallowed, seek medical help or contact a Poison Control Center right away.

Directions

Children under 12 years of age consult your pediatrician. Adults: apply to affected area up to 3 times daily. Clean affected area with mild soap and warm water, rinse thoroughly, and then gently dry (patting or blotting) with tissue or soft cloth before use.

To use dispensing cap, attach it to tube, lubricate well then gently insert part way into anus and squeeze tube to deliver medication. Thoroughly cleanse dispensing cap after use with mild soap and warm water and rinse thoroughly.

Other information

If pregnant or breast-feeding, ask a health care professional before use.

Inactive ingredients

Borneol, Carbomer Homopolymer, Chlorhexidine Acetate □ Glycerin, Thymol, Aloe

PRINCIPAL DISPLAY PANEL

B01.624

SERYNTH

SERYNTH

HEMORRHOID CREAM

SAFE FORMULA

MAXIMUM STRENGTH

DISTRIBUTOR: JIANGXI YUDEXI PHARMACEUTICAL CO., LTD.
ADDRESS: NO.1998, JINGKAI WEST ROAD, CHENGBEI JINGKAI DISTRICT, ZHANGSHU CITY, YICHUN CITY, JIANGSU PROVINCE 331200, CHINA (CN)

HEM

Drug Facts	
• ACTIVE INGREDIENT	• PURPOSE
Lidocaine 4%.....	Analgesic (pain relief)
Phenylephrine HCL 0.25%.....	Vasoconstrictor
• INDICATIONS & USAGE	
Temporarily shrink hemorrhoidal tissue, relieving pain, soreness, burning, itching, and discomfort associated with hemorrhoids.	
• WARNINGS	
For external use only, including the skin around the anal canal. When using this product do not exceed recommended daily dosage unless directed by a doctor, when using finger cots or an applicator, apply externally or the skin of the anal canal only. Do not put this product into the rectum.	
Ask a doctor before use if you have allergies to any of the components of this product, difficulty in urination due to enlargement of the prostate	

STH
CT,
IGXI



- ✓ For the Temporary Relief of Pain, Burning, and Soreness
- ✓ Helps Relieve Swelling Associated with Hemorrhoids
- ✓ Temporarily Reduces the Swelling associated with Irritation in Hemorrhoids



NET WT: 20g (0.7 OZ)

HEMORRHOID CREAM

in irritation due to enlargement of the prostate gland, diabetes, heart disease, high blood pressure, thyroid disease, or presently taking a prescription for high blood pressure or depression. **Stop use and ask a doctor** if condition worsens or does not improve within seven days, bleeding occurs, an allergic reaction develops, the symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase.

• KEEP OUT OF REACH OF CHILDREN

If swallowed, seek medical help or contact a Poison Control Center right away.

• DOSAGE & ADMINISTRATION

Children under 12 years of age consult your pediatrician. Adults: apply to affected area up to 3 times daily. Clean affected area with mild soap and warm water, rinse thoroughly, and then gently dry (patting or blotting) with tissue or soft cloth before use. To use dispensing cap, attach it to tube, lubricate well then gently insert part way into anus and squeeze tube to deliver medication. Thoroughly cleanse dispensing cap after use with mild soap and warm water and rinse thoroughly.

• INACTIVE INGREDIENTS

Borneol, Carbomer Homopolymer, Chlorhexidine Acetate, Glycerin, Thymol, Aloe

• PREGNANCY OR BREASTFEEDING

If pregnant or breast-feeding, ask a healthcare professional before use.

SERYNTH HEMORRHOID

lidocaine 4% phenylephrine hcl 0.25% hemorrhoid cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85248-155
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	0.25 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALOE (UNII: V5VD430YW9)	
THYMOL (UNII: 3J50XA376E)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
BORNEOL (UNII: M89NIB437X)	
CHLORHEXIDINE ACETATE (UNII: 5908ZUF22Y)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-155-01	20 g in 1 TUBE; Type 0: Not a Combination Product	03/07/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/07/2026	

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 3/2026

Jiangxi Yudexi Pharmaceutical Co., LTD