

COCCIAID- amprolium solution
Aurora Pharmaceutical, Inc.

NDC 51072-090-00

CocciAid®

(amprolium)

9.6% Oral Solution

Coccidiostat

Water-soluble treatment for coccidiosis

Treats 800 gallons at 0.012% level

Approved by FDA under ANADA # 200-630

Net Contents:

1 Gallon (128 fl oz) (3.785 L)

Active Ingredient:

amprolium.....9.6%

INDICATIONS:

CocciAid® (amprolium) 9.6% Oral Solution is intended for the treatment of coccidiosis in growing chickens, turkeys, and laying hens. If no improvement is noted within 3 days, have the diagnosis confirmed and follow the instructions of your veterinarian or poultry pathologist. Losses may result from intercurrent disease or other conditions affecting drug intake which can contribute to the virulence of coccidiosis under field conditions.

USE DIRECTIONS:

Give amprolium at the 0.012% level (8 fl oz per 50 gallons) as soon as coccidiosis is diagnosed and continue for 3 to 5 days. (In severe outbreaks, give amprolium at the 0.024% level.) Continue with 0.006% amprolium medicated water for an additional 1 to 2 weeks. No other source of drinking water should be available to the birds during this time. Use as the sole source of amprolium.

WARNING:

Keep this and all drugs out of reach of children.
NOT FOR HUMAN USE.

PRECAUTIONS:

FOR ORAL USE IN ANIMALS ONLY.

MAY CAUSE EYE IRRITATION. For irritation, flush with plenty of water; get medical attention.

Restricted Drug (California) — Use Only as Directed

STORAGE:

Store between 5°-25°C (41°-77°F) with brief excursions to 40°C.

Benzoic acid 0.1% added as preservative.

For questions, please call 1-888-215-1256.

FOR ANIMAL USE ONLY
To Prepare 50 Gallons of Medicated Water

DOSAGE LEVEL MIXING DIRECTIONS

- 0.024% Add 1 pint (16 fluid ounces) of CocciAid® (amprolium) 9.6% Oral Solution to about 5 gallons of water in a 50-gallon medication barrel. Stir, then add water to the 50-gallon mark. *Stir thoroughly.*
- 0.012% Follow same directions as above but use 1/2 pint (8 fluid ounces) of CocciAid® 9.6% Oral Solution.
- 0.006% Follow same directions as above but use 4 fluid ounces of CocciAid® 9.6% Oral Solution.
-

For Automatic Water Proportioners

For automatic water proportioners that meter 1 fluid ounce of stock solution per gallon of drinking water.

DOSAGE LEVEL	COCCIAID® 9.6% ORAL SOLUTION PER GALLON OF STOCK SOLUTION
0.024%	41 fl oz
0.012%	20.5 fl oz
0.006%	10.25 fl oz

Note: Make drinking water fresh daily. Stock solutions for proportioners may be stored in a clean, closed labeled container for up to 3 days.

REORDER NO: 24001

Aurora Pharmaceutical, Inc.

NORTHFIELD, MN 55057

1-888-215-1256

www.aurorapharmaceutical.com

IN 50-1465 10/2020



Container Label

PRINCIPAL DISPLAY PANEL - 1 gallon bottle label

REORDER NO: 24001

NDC 51072-090-00

Aurora Pharmaceutical, Inc.
 NORTHFIELD, MN 55057
 1-888-215-1256
 www.aurorapharmaceutical.com
 IN 50-1465 10/2020

TAKE TIME



OBSERVE LABEL DIRECTIONS



(keep blank for)
 LOT NUMBER
 EXPIRATION DATE

CocciAid®

(amprolium) 9.6% Oral Solution Coccidiostat

Water-soluble treatment for coccidiosis
 Treats 800 gallons at 0.012% level

Approved by FDA under ANADA # 200-630

Net Contents:
 1 Gallon (128 fl oz) (3.785 L)

Active Ingredient:
 amprolium.....9.6%



INDICATIONS: CocciAid® (amprolium) 9.6% Oral Solution is intended for the treatment of coccidiosis in growing chickens, turkeys, and laying hens. If no improvement is noted within 3 days, have the diagnosis confirmed and follow the instructions of your veterinarian or poultry pathologist. Losses may result from intercurrent disease or other conditions affecting drug intake which can contribute to the virulence of coccidiosis under field conditions.

USE DIRECTIONS: Give amprolium at the 0.012% level (8 fl oz per 50 gallons) as soon as coccidiosis is diagnosed and continue for 3 to 5 days. (In severe outbreaks, give amprolium at the 0.024% level.) Continue with 0.006% amprolium medicated water for an additional 1 to 2 weeks. No other source of drinking water should be available to the birds during this time. Use as the sole source of amprolium.

WARNING: Keep this and all drugs out of reach of children.
 NOT FOR HUMAN USE.

PRECAUTIONS: FOR ORAL USE IN ANIMALS ONLY.

MAY CAUSE EYE IRRITATION. For irritation, flush with plenty of water; get medical attention.

Restricted Drug (California) — Use Only as Directed

STORAGE: Store between 5°–25° C (41°–77° F) with brief excursions to 40° C.

Benzoic acid 0.1% added as preservative.

For questions, please call 1-888-215-1256.

FOR ANIMAL USE ONLY

To Prepare 50 Gallons of Medicated Water

DOSAGE LEVEL	MIXING DIRECTIONS
0.024%	Add 1 pint (16 fluid ounces) of CocciAid® (amprolium) 9.6% Oral Solution to about 5 gallons of water in a 50-gallon medication barrel. Stir, then add water to the 50-gallon mark. <i>Stir thoroughly.</i>
0.012%	Follow same directions as above but use 1/2 pint (8 fluid ounces) of CocciAid® 9.6% Oral Solution.
0.006%	Follow same directions as above but use 4 fluid ounces of CocciAid® 9.6% Oral Solution.

For Automatic Water Proportioners

For automatic water proportioners that meter 1 fluid ounce of stock solution per gallon of drinking water.

DOSAGE LEVEL	COCCIAID® 9.6% ORAL SOLUTION PER GALLON OF STOCK SOLUTION
0.024%	41 fl oz
0.012%	20.5 fl oz
0.006%	10.25 fl oz

Note: Make drinking water fresh daily. Stock solutions for proportioners may be stored in a clean, closed labeled container for up to 3 days.

COCCIAID

amprolium solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:51072-090
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMPROLIUM (UNII: 95CO6N199Q) (AMPROLIUM ION - UNII:H2T307KMZR)	AMPROLIUM	96 in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51072-090-00	3785 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANADA	ANADA200630	08/23/2018	

Labeler - Aurora Pharmaceutical, Inc. (832848639)**Establishment**

Name	Address	ID/FEI	Business Operations
Aurora Pharmaceutical, Inc.		832848639	manufacture

Revised: 12/2021

Aurora Pharmaceutical, Inc.