MEDI-FIRST NON-ASPIRIN- acetaminophen tablet, coated Proficient Rx LP

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Acetaminophen 325 mg

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 325 mg

Purpose

Pain reliever/fever reducer

Uses

For the temporary relief of minor aches and pains associated with

- headache
- common cold
- muscular aches
- toothache
- minor arthritis pain
- menstrual cramps

For the reduction of fever.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 12 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- for more than 10 days for pain unless directed by a doctor
- for more than 3 days for fever unless directed by a doctor

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if

you are taking the blood thinning drug warfarin

Stop using and ask a doctor if

- symptoms do not improve
- new symptoms occur
- pain or fever persists or gets worse
- redness or swelling is present

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not use more than directed

Adults and children: (12 years and older)

Take 2 tablets every 4 to 6 hours as needed. Do not take more than 12 tablets in 24 hours.

Children under 12 years:

Do not give to children under 12 years of age.

Other information

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone*, pregelatinized starch*, sodium starch glycolate*, stearic acid, titanium dioxide*

^{*} may contain

Questions or comments?

1-800-634-7680

Medi-First Non-Aspirin 325 mg Label

4 Tablets

71205-306-04

Medi-First®

Non-Aspirin

Aches, Fever ● Acetaminophen 500mg

Dolores, Fiebre • Acetaminofeno 500mg

Aspirin-Free Pain Relief

Pull to Open

Tire Para Abrir

Compare active ingredients to:

Compare el ingrediente activo con:

Extra Strength Tylenol®

Registered Trademark of McNeil Consumer Products

Marca Registrada de McNeil Consumer Products

Tamper Evident Unit Dose Packets

Empaquetado con Sellado

Evidente en Dosis Unitarias

Relabeled by:

Proficient Rx LP

Thousand Oaks, CA 91320





71205-306-04

Lot #:00000 Exp. 00/00/00 SN# MASTER

Acetaminophen 325mg #04 Tablets

#04 Tablet Lot #:00000 71205-306-04

SN#MASTER Exp:00/00/00

Acetaminophen 325mg

#04 Tablets Lot #:00000 71205-306-04

SN#MASTER Exp:00/00/00

Acetaminophen 325mg

#04 Tablets Lot #:00000

Lot #:00000 71205-306-04 SN#MASTER Exp:00/00/00

Relabeled By Proficient Rx LP Thousand Oaks, CA 91320

Acetaminophen 325mg

#04 Tablets

Each tablet contains: Acetaminophen 325mg Pain reliever/ fever reducer

See package

Product ID: SA030604

Mfr. For: Medique Products Fort Myers, FL 33967 Store at room temperature 15°-30°C (59°-86°F)

Keep medication out of the reach of children

MEDI-FIRST NON-ASPIRIN

acetaminophen tablet, coated

Drad	luct	Info	rmati	ion
Prou	luct	11110	riilat	IOH

1 Toutet Into Interest				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71205-306(NDC:47682-803)	
Route of Administration	ORAL			

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Tilgredient Name	Strength	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
PO VIDO NE, UNSPECIFIED (UNII: FZ989 GH9 4E)		
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)		
STARCH, CORN (UNII: O8232NY3SJ)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)		

Ingradient Name

Product Characteristics

1 Totalet Characteristics				
Color	white (white)	Score	no score	
Shape	ROUND (ROUND)	Size	10 mm	
Flavor		Imprint Code	AZ;234	
Contains				

Pac	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 N	DC:71205-306-04	4 in 1 PACKET; Type 0: Not a Combination Product	08/01/2019		
Marketing Information					
M	arketing Categor	y Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC	monograph not fina	al part343	12/30/2008		

Labeler - Proficient Rx LP (079196022)

Establishment				
Name	Address	ID/FEI	Business Operations	
Proficient Rx LP		079196022	RELABEL(71205-306)	

Revised: 10/2019 Proficient Rx LP