

**AVEENO POSITIVELY MINERAL SENSITIVE SKIN SUNSCREEN BROAD SPECTRUM  
SPF 50- zinc oxide stick**

**Johnson & Johnson Consumer Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Aveeno® POSITIVELY MINERAL™ sensitive skin sunscreen stick BROAD  
SPECTRUM SPF 50**

**Drug Facts**

**Active ingredients**

Zinc Oxide (21.6%)

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- apply generously and evenly 15 minutes before sun exposure
- ensure complete coverage to the area above the lip, nose, and tops of ears
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics
- package contains small parts, which could cause a choking hazard

### **Inactive ingredients**

Octyldodecyl Neopentanoate, C12-15 Alkyl Benzoate, Polyethylene, Paraffin, Silica, Neopentyl Glycol Diethylhexanoate, Ozokerite, Isopropyl Myristate, Adipic Acid/Diglycol Crosspolymer, Triethoxycaprylylsilane, Neopentyl Glycol Diisostearate, Caprylyl Glycol, Avena Sativa (Oat) Kernel Oil, Tocopheryl Acetate

### **Questions?**

Call toll-free **866-428-3366** or **215-273-8755** (collect).  
[www.aveeno.com](http://www.aveeno.com)

Distributed by: **JOHNSON &  
JOHNSON CONSUMER INC.**  
Skillman, NJ 08558

### **PRINCIPAL DISPLAY PANEL - 42 g Canister Label**

Aveeno ®

**POSITIVELY**

**MINERAL™**

NEW

sensitive skin

**sunscreen stick**

BROAD SPECTRUM

SPF 50

50

sweat + water  
resistant (80min)

net wt 1.5 oz (42 g)

# Aveeno®

## POSITIVELY MINERAL™ **NEW**

sensitive skin

### sunscreen stick BROAD SPECTRUM SPF 50

# 50

sweat + water resistant  
(80 min)

net wt. 1.5 oz (42 g)

30045422



#### Drug Facts (continued)

- limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

#### Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics
- package contains small parts, which could cause a choking hazard

#### Inactive ingredients

Octyldodecyl Neopentanoate, C12-15 Alkyl Benzoate, Polyethylene, Paraffin, Silica, ▶

PEEL HERE TO READ DRUG FACTS ▶

Be ready for the sun, even on the go, with **AVEENO® POSITIVELY MINERAL™ Sensitive Skin Stick Sunscreen.**

- With pure oat essence and naturally sourced 100% zinc oxide active ingredient
- Powerful broad spectrum UVA/UVB protection

30045423



- Fragrance-free
- Paraben-free
- Phthalate-free

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.**  
Skillman, NJ 08558  
© J&JCI 2019 Made in Canada

#### Drug Facts

#### Active ingredients

Zinc Oxide (21.6%)

**Purpose** Sunscreen ▶



4  
8137-118844  
3

#### Drug Facts (continued)

#### Uses

- helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

- **For external use only** • **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes, Rinse with water to remove. • **Stop use and ask a doctor if rash occurs** • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away ▶

#### Drug Facts (continued)

#### Directions

- apply generously and evenly 15 minutes before sun exposure
- ensure complete coverage to the area above the lip, nose, and tops of ears • reapply: • after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ▶

#### Drug Facts (continued)

Neopentyl Glycol  
Diethylhexanoate, Ozokerite,  
Isopropyl Myristate, Adipic  
Acid/Diglycol Crosspolymer,  
Triethoxycaprylylsilane, Neopentyl  
Glycol Diisostearate, Caprylyl  
Glycol, Avena Sativa (Oat) Kernel  
Oil, Tocopheryl Acetate

#### Questions?

Call toll-free **866-428-3366**  
or **215-273-8755** (collect).  
[www.aveeno.com](http://www.aveeno.com)



# AVEENO POSITIVELY MINERAL SENSITIVE SKIN SUNSCREEN BROAD SPECTRUM SPF 50

zinc oxide stick

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0582
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	216 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PARAFFIN (UNII: I9O0E3H2ZE)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NEOPENTYL GLYCOL DIETHYLHEXANOATE (UNII: U68ZV6W62C)	
CERESIN (UNII: Q1LS2UJO3A)	
ISOPROPYL MYRISTATE (UNII: ORE8K4LNJS)	
ADIPIC ACID/DIGLYCOL CROSSPOLYMER (20000 MPA.S) (UNII: R9TPS68K19)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
NEOPENTYL GLYCOL DIISOSTEARATE (UNII: 4M6OQ34JWW)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
OAT KERNEL OIL (UNII: 3UVP41R77R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0582-1	42 g in 1 CANISTER; Type 0: Not a Combination Product	10/01/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/01/2019	

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023

Johnson & Johnson Consumer Inc.