

LYMPH-TONE III- adenosinum cyclophosphoricum, arnica, boldo, calc iod, calendula, cartilago suis, ceanothus, coenzyme a, echinacea, hamamelis, hepar sulph calc, hypothalamus, nadidum, naja, nat sulphuricum, phaseolus, phos, phytolacca, pinus syl, pituitarum posterium, pyrogenium, silicea, sulphur, thuja occ, thyroidinum, viscum liquid
Energetix Corporation

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Lymph-Tone III

Active ingredients

59.1 mL contains 2.17% of Adenosinum cyclophosphoricum 12X, 30X; Arnica 12X; Boldo 4X, 12X; Calc iod 12X; Calendula 30X; Cartilago suis 6X, 8X, 12X, 30X; Ceanothus 9X, 12X; Coenzyme A 12X, 30X; DNA 12X, 6C, 30C; Echinacea 4X; Hamamelis 12X; Hepar sulph calc 12X; Hypothalamus 12X, 6C; Nadidum 12X, 30X; Naja 15X; Nat sulphuricum 30X; Phaseolus 4X, 6X, 12X; Phos 15X, 30X; Phytolacca 4X; Pinus syl 9X; Pituitarum posterium 12X, 6C; Pyrogenium 12X, 30X; Silicea 12X; Sulphur 15X, 30X; Thuja occ 15X; Thyroidinum 9X, 12X, 6C; Viscum 12X.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Uses Temporary relief of muscle and joint discomfort, low vitality, disrupted sleep, disturbed digestion.

Warnings

- In case of overdose, get medical help or contact a Poison Control Center right away.
- **If pregnant or breast-feeding**, ask a healthcare professional before use.
- **Keep out of reach of children**

Directions

- Take 30 drops orally twice daily or as directed by a healthcare professional.
- Consult a physician for use in children under 12 years of age or if symptoms worsen or persist.

Other information

- Store at room temperature out of direct sunlight.
- Do not use if neck wrap is broken or missing.
- Shake well before use.

Inactive ingredients

Alcohol, Vegetable Glycerin, Purified Water.

Distributed by Energetix Corp.

Dahlonega, GA 30533

Questions? Comments?

800.990.7085

www.energetix.com

| | | |
|--|---|--|
| <p>Questions? Comments? 800.990.7085 www.energetix.com</p>  <p>energetix®</p> <h1>Lymph-Tone III®</h1> <h2>Homeopathic Remedy</h2> <p>Muscle and joint discomfort, low vitality, disrupted sleep, disturbed digestion</p> <p>2 fl oz (59.1 mL) / 15% Alcohol</p> | <p>Drug Facts</p> <p>Active ingredients 59.1 mL contains 2.17% of Adenosinum cyclophosphoricum 12X, 30X; Arnica 12X; Boldo 4X, 12X; Calc iod 12X; Calendula 30X; Cartilago suis 6X, 8X, 12X, 30X; Ceanothus 9X, 12X; Coenzyme A 12X, 30X; DNA 12X, 6C, 30C; Echinacea 4X; Hamamelis 12X; Hepar sulph calc 12X; Hypothalamus 12X, 6C; Nadidum 12X, 30X; Naja 15X; Nat sulphuricum 30X; Phaseolus 4X, 6X, 12X; Phos 15X, 30X; Phytolacca 4X; Pinus syl 9X; Pituitarum posterium 12X, 6C; Pyrogenium 12X, 30X; Silicea 12X; Sulphur 15X, 30X; Thuja occ 15X; Thyroidinum 9X, 12X, 6C; Viscum 12X.</p> <p>Purpose Temporary relief of muscle and joint discomfort, low vitality, disrupted sleep, disturbed digestion.</p> <p>Uses Temporary relief of muscle and joint discomfort, low vitality, disrupted sleep, disturbed digestion.</p> <p>Warnings ■ In case of overdose, get medical →</p> | <p>Drug Facts (continued)</p> <p>help or contact a Poison Control Center right away. ■ If pregnant or breast-feeding, ask a healthcare professional before use. ■ Keep out of reach of children.</p> <p>Directions ■ Take 30 drops orally twice daily or as directed by a healthcare professional. ■ Consult a physician for use in children under 12 years of age or if symptoms worsen or persist.</p> <p>Other information ■ Store at room temperature out of direct sunlight. ■ Do not use if neck wrap is broken or missing. ■ Shake well before use.</p> <p>Inactive ingredients Alcohol, Vegetable Glycerin, Purified Water.</p> <p>Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.</p> <p>Distributed by Energetix Corp. Dahlonega, GA 30533 #03-24 03081</p> |
|--|---|--|

energetix

□ **Lymph-Tone III**

□ **Homeopathic Remedy**

Muscle and Joint discomfort, low vitality,
disrupted sleep, disturbed digestion.

2 fl oz (59.1 mL) / 15% Alcohol

□ **Purpose** Temporary relief of muscle and joint discomfort, low vitality, disrupted sleep, disturbed digestion.

LYMPH-TONE III

adenosinum cyclophosphoricum, amica, boldo, calc iod, calendula, cartilago suis, ceanothus, coenzyme a, echinacea, hamamelis, hepar sulph calc, hypothalamus, nadidum, naja, nat sulphuricum, phaseolus, phos, phytolacca, pinus syl, pituitarum posterium, pyrogenium, silicea, sulphur, thuja occ, thyroidinum, viscum liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:64578-0172 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--|-------------------------|
| ADENOSINE CYCLIC PHOSPHATE (UNII: E0399OZS9N) (ADENOSINE CYCLIC PHOSPHATE - UNII:E0399OZS9N) | ADENOSINE CYCLIC PHOSPHATE | 12 [hp_X] in 59.1 mL |
| ARNICA MONTANA WHOLE (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW) | ARNICA MONTANA WHOLE | 12 [hp_X] in 59.1 mL |
| PEUMUS BOLDUS LEAF (UNII: Q4EWM09M3O) (PEUMUS BOLDUS LEAF - UNII:Q4EWM09M3O) | PEUMUS BOLDUS LEAF | 4 [hp_X] in 59.1 mL |
| CALCIUM IODIDE (UNII: 8EKI9QEE2H) (CALCIUM CATION - UNII:2M83C4R6ZB) | CALCIUM IODIDE | 12 [hp_X] in 59.1 mL |
| CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ) | CALENDULA OFFICINALIS FLOWERING TOP | 30 [hp_X] in 59.1 mL |
| SUS SCROFA CARTILAGE (UNII: 73ECW5WG2F) (SUS SCROFA CARTILAGE - UNII:73ECW5WG2F) | SUS SCROFA CARTILAGE | 6 [hp_X] in 59.1 mL |
| CEANOTHUS AMERICANUS LEAF (UNII: 25B1Y14T8N) (CEANOTHUS AMERICANUS LEAF - UNII:25B1Y14T8N) | CEANOTHUS AMERICANUS LEAF | 9 [hp_X] in 59.1 mL |
| COENZYME A (UNII: SAA04E81UX) (COENZYME A - UNII:SAA04E81UX) | COENZYME A | 12 [hp_X] in 59.1 mL |
| HERRING SPERM DNA (UNII: 51FI676N6F) (HERRING SPERM DNA - UNII:51FI676N6F) | HERRING SPERM DNA | 12 [hp_X] in 59.1 mL |
| ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8) | ECHINACEA ANGUSTIFOLIA | 4 [hp_X] in 59.1 mL |
| HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK (UNII: T7S323PKJS) (HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK - UNII:T7S323PKJS) | HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK | 12 [hp_X] in 59.1 mL |
| CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q) | CALCIUM SULFIDE | 12 [hp_X] in 59.1 mL |
| BOS TAURUS HYPOTHALAMUS (UNII: S6G2NLH4Y7) (BOS TAURUS HYPOTHALAMUS - UNII:S6G2NLH4Y7) | BOS TAURUS HYPOTHALAMUS | 12 [hp_X] in 59.1 mL |
| NADIDE (UNII: 0U46U6E8UK) (NADIDE - UNII:0U46U6E8UK) | NADIDE | 12 [hp_X] in 59.1 mL |
| NAJA NAJA VENOM (UNII: ZZ4AG7L7VM) (NAJA NAJA VENOM - UNII:ZZ4AG7L7VM) | NAJA NAJA VENOM | 15 [hp_X] in 59.1 mL |
| SODIUM SULFATE (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII:36KCS0R750) | SODIUM SULFATE | 30 [hp_X] in 59.1 mL |
| KIDNEY BEAN (UNII: M98C8416QO) (KIDNEY BEAN - UNII:M98C8416QO) | KIDNEY BEAN | 4 [hp_X] in 59.1 mL |
| PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W) | PHOSPHORUS | 15 [hp_X] in 59.1 mL |
| PHYTOLACCA AMERICANA ROOT (UNII: 11E6V18VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V18VEG) | PHYTOLACCA AMERICANA ROOT | 4 [hp_X] in 59.1 mL |
| PINUS SYLVESTRIS LEAFY TWIG (UNII: Q1RGP4UB73) (PINUS SYLVESTRIS LEAFY TWIG - UNII:Q1RGP4UB73) | PINUS SYLVESTRIS LEAFY TWIG | 9 [hp_X] in 59.1 mL |
| SUS SCROFA PITUITARY GLAND, POSTERIOR (UNII: E8S87O660T) (SUS SCROFA PITUITARY GLAND, POSTERIOR - UNII:E8S87O660T) | SUS SCROFA PITUITARY GLAND, POSTERIOR | 12 [hp_X] in 59.1 mL |
| RANCID BEEF (UNII: 29SUH5R3HU) (RANCID BEEF - UNII:29SUH5R3HU) | RANCID BEEF | 12 [hp_X] in 59.1 mL |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4) | SILICON DIOXIDE | 12 [hp_X] in 59.1 mL |
| SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70) | SULFUR | 15 [hp_X] in 59.1 mL |
| THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397) | THUJA OCCIDENTALIS LEAFY TWIG | 15 [hp_X] in 59.1 mL |

| | | |
|---|---------------------------|-------------------------|
| THYROID, UNSPECIFIED (UNII: 0B4FDL9I6P) (THYROID, UNSPECIFIED - UNII:0B4FDL9I6P) | THYROID, UNSPECIFIED | 9 [hp_X] in 59.1 mL |
| VISCUM ALBUM FRUITING TOP (UNII: BK9092J5MP) (VISCUM ALBUM FRUITING TOP - UNII:BK9092J5MP) | VISCUM ALBUM FRUITING TOP | 12 [hp_X] in 59.1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|------------------------------------|----------|
| ALCOHOL (UNII: 3K9958V90M) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:64578-0172-1 | 59.1 mL in 1 BOTTLE; Type 0: Not a Combination Product | 09/01/2017 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 09/01/2017 | |

Labeler - Energetix Corporation (969572502)

Revised: 11/2024

Energetix Corporation