

**HYDROSCREEN- homosalate, octisalate, octocrylene, avobenzone cream  
METHODIQ INC.**

-----  
**HydroScreen**

**Active Ingredients**

Homosalate 12%, Octisalate 4.8%, Octocrylene 4.5%, Avobenzone 2.8%

**Purpose**

Homosalate 12%, Octisalate 4.8%, Octocrylene 4.5%, Avobenzone 2.8%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only**

**Do not use on damaged or broken skin.**

**When using this product** Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply generously 15 minutes before sun exposure.
- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. TO decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limited time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirt, pants, hats, and sunglasses.

**Other Information**

Protect the product in this container from excessive heat and direct sun.

## **Inactive Ingredients**

Water, Dipropylene Glycol, Cyclopentasiloxane, Niacinamide, Butyloctyl Salicylate, Cyclohexasiloxane, Pentylene Glycol, Polymethylsilsesquioxane, Silica, Glyceryl Stearate, PEG-100 Stearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Arginine, Methylpropanediol, Butylene Glycol, Betaine, Panthenol, 1,2-Hexanediol, Xanthan Gum, Acacia Senegal Flower/Stem Extract, Hydroxypropyl Methylcellulose Stearoxy Ether, Ethylhexylglycerin, Caprylyl Glycol, Adenosine, Glycerin, Pyrus Communis (Pear) Fruit Extract, Rosa Damascena Flower Water, Mangifera Indica (Mang) Fruit Extract, Allantoin, Iris Florentina Root Extract, Ethyl Hexanediol, Cucumis Melo (Melon) Fruit Extract, Hydrolyzed Extensin, Hydrogenated Extensin, Hydrogenated Lecithin, Steareth-30, Hedera Helix (Ivy) Leaf/Stem Extract, Cetearyl Alcohol, Melia Azadirachta Leaf Extract, Stearic Acid, Narcissus Tazetta Extract, Tuber Magnatum Extract, Hydrolyzed Collagen, Ceramide NP, Cholesterol, Phytosphingosine, Ceramide NG, Ceramide NS, Ceramide AS, Ceramide AP, Collagen Extract, Ceramide EOP, Sodium Polyphosphate

10ml

0.3 Fl. Oz. e

HydroScreen

Broad Spectrum SPF 30 Sunscreen

Niacinamide, Hydrolyzed Collagen, Ceramides, Allantoin

Apply generously and evenly 15 minutes before sun exposure.

**HydroScreen**

Uses: Weightless, hydrating formula that protects against sunburn and early skin aging.

Dermatologist Developed & Approved: Oil-free. Safe for sensitive skin.

Directions: Apply generously and evenly 15 minutes before sun exposure. Re-apply at least every 2 hours. See Drug Facts for full directions.

**ME+HODIQ**

Made in Korea  
Dist. by: METHODIQ, Inc.  
110 Greene St, New York, NY 10012

10 ml / 0.3 Fl. Oz. e

**Drug Facts**

**Active Ingredients**

Homosalate 12%  
Octisalate 4.8%  
Octocrylene 4.5%  
Avobenzone 2.8%

**Purpose**  
Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only

Do not use on damaged or broken skin.

When using this product Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply generously 15 minutes before sun exposure.
- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ▶

BROAD SPECTRUM SPF 30 SUNSCREEN

**HydroScreen**

10 ml

0.3 FL. OZ. e

**Drug Facts (continued)**

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

**Other Information**

Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

Water, Dipropylene Glycol, Cyclopentasiloxane, Niacinamide, Butyloctyl Salicylate, Cyclohexasiloxane, Pentylene Glycol, Polymethylsilsesquioxane, Silica, Glyceryl Stearate, PEG-100 Stearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Arginine, Methylpropanediol, Butylene Glycol, Betaine, Panthenol, 1,2-Hexanediol, Xanthan Gum, Acacia Senegal Flower/Stem Extract, Hydroxypropyl Methylcellulose Stearoyl Ether, Ethylhexylglycerin, Caprylyl Glycol, Adenosine, Glycerin, Pyrus Communis (Pear) Fruit Extract, Rosa Damascena Flower Water, Mangifera Indica (Mango) Fruit Extract, Allantoin, Iris Florentina Root Extract, Ethyl Hexanediol, Cucumis Melo (Melon) Fruit Extract, Hydrolyzed Extensin, Hydrogenated Lecithin, Steareth-30, Hedera Helix (Ivy) Leaf/Stem Extract, Cetearyl Alcohol, Melia Azadirachta Leaf Extract, Stearic Acid, Narcissus Tazetta Extract, Tuber Magnatum Extract, Hydrolyzed Collagen, Ceramide NP, Cholesterol, Phytosphingosine, Ceramide NG, Ceramide NS, Ceramide AS, Ceramide AP, Collagen Extract, Ceramide EOP, Sodium Polyphosphate.

Niacinamide,  
Hydrolyzed Collagen,  
Ceramides, Allantoin

Apply generously and  
evenly 15 minutes  
before sun exposure.

HydroScreen



729011098617

# HYDROSCREEN

homosalate, octisalate, octocrylene, avobenzone cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87110-005
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	48 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	45 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	120 mg in 1 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	28 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>HYPROMELLOSE 2208 0.45% STEAROXY ETHER</b> (UNII: MG58AH4FJ8)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>HEDERA HELIX LEAF</b> (UNII: ZP9XFG71A7)	
<b>PHYTOSPHINGOSINE</b> (UNII: GIN46U9Q2Q)	
<b>BETAINE</b> (UNII: 3SCV180C9W)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>SODIUM POLYMETAPHOSPHATE</b> (UNII: P1BM4ZH95L)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>CERAMIDE AP</b> (UNII: F1X8L2B00J)	
<b>PYRUS COMMUNIS (PEAR) FRUIT</b> (UNII: 2ZN8DWC0YF)	
<b>MANGIFERA INDICA (MANGO) FRUIT</b> (UNII: I629I3NR86)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>CERAMIDE NG</b> (UNII: C04977SRJ5)	
<b>ETHYL HEXANEDIOL</b> (UNII: M9JGK7U88V)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>MUSKMELON</b> (UNII: ZV095H5633)	
<b>NARCISSUS TAZETTA BULB</b> (UNII: K17762966S)	
<b>CERAMIDE NS</b> (UNII: V7M2259XJM)	
<b>IRIS FLORENTINA ROOT</b> (UNII: M30XO5X4XD)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S)</b> (UNII: 8Z5ZAL5H3V)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	

<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>ACACIA SENEGAL FLOWER</b> (UNII: 72P931MTC2)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>ADENOSINE</b> (UNII: K72T3FS567)
<b>ROSA DAMASCENA FLOWER</b> (UNII: JWB78P295A)
<b>ALLANTOIN</b> (UNII: 344S277G0Z)
<b>MELIA AZADIRACHTA LEAF</b> (UNII: HKY915780T)
<b>TUBER MAGNATUM WHOLE</b> (UNII: NHC4N42D3T)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)
<b>GLYCERYL STEARATE</b> (UNII: 230OU9XXE4)
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)
<b>STEARETH-30</b> (UNII: 5776GCL1DG)
<b>CETEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>CERAMIDE NP</b> (UNII: 4370DF050B)
<b>ARGININE</b> (UNII: 94ZLA3W45F)

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87110-005-01	1 in 1 CARTON	04/01/2026	
1		10 mL in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2026	

**Labeler -** METHODIQ INC. (119377051)