

**MURAD - ANTI-AGING MOISTURIZER SPF 30- avobenzone, homosalate, octinoxate, octisalate cream**  
**Murad, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**MURAD - ANTI-AGING ACNE / ACNE CONTROL - ANTI-AGING MOISTURIZER BROAD SPECTRUM SPF 30**

**ACTIVE INGREDIENTS**

Avobenzone 3.0%

Homosalate 8.0%

Octinoxate 7.5%

Octisalate 5.0%

**PURPOSE**

SUNSCREEN

**USES**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

**WARNINGS**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

- if skin rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures.pending time in the sun increases your risk of skin cancer

and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.
- children under 6 months of age: ask a doctor

## **INACTIVE INGREDIENTS**

Water (Aqua), Cetyl Alcohol, Glycerin, Polyester-8, Urea, Yeast Amino Acids, Trehalose, Inositol, Taurine, Betaine, Phospholipids, Tocopheryl Acetate, Ascorbyl Palmitate, Ethylhexyl Palmitate, Silica Dimethyl Silylate, Butylene Glycol, Sodium Hyaluronate, Caprylic/Capric Triglyceride, Laminaria Ochroleuca Extract, Saccharomyces/Xylinum/Black Tea Ferment, Hydroxyethylcellulose, Cetearyl Oliviate, Sorbitan Oliviate, Dimethicone, Zinc Gluconate, Macrocystis Pyrifera Extract, Hydrolyzed Vegetable Protein, PVP, Hydrolyzed Ceratonia Siliqua Seed Extract, Argania Spinosa Kernel Oil, Serenoa Serrulata Fruit Extract, Sesamum Indicum (Sesame) Seed Oil, Beta-Sitosterol, Cimicifuga Racemosa Root Extract, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Laminaria Saccharina Extract, Diethylhexyl Syringylidenemalonate, Ascorbic Acid, Chitosan, Propyl Gallate, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Disodium EDTA, Aminomethyl Propanol, Silica, Phenoxyethanol, Caprylyl Glycol, Chlorphenesin, Citronello, Geraniol, Limonene, Linalool, Fragrance (Parfum)

## **OTHER INFORMATION**

- protect this product from excessive heat and direct sun

## **QUESTIONS OR COMMENTS?**

1.800.33.MURAD or Murad.com

Light, fast-absorbing SPF moisturizer hydrates and protects adult blemish-prone skin. Kombucha black tea ferment helps reduce the appearance of fine lines and wrinkles for a soft, youthful-looking complexion.

**TO USE:** Apply liberally to face, neck and chest.

Dermatologist developed.

**Drug Facts** (continued)

Yeast Amino Acids, Trehalose, Inositol, Taurine, Betaine, Phospholipids, Tocopheryl Acetate, Ascorbyl Palmitate, Ethylhexyl Palmitate, Silica Dimethyl Silylate, Butylene Glycol, Sodium Hyaluronate, Caprylic/Capric Triglyceride, Laminaria Ochroleuca Extract, Saccharomyces/Xylinum/Black Tea Ferment, Hydroxyethylcellulose, Cetearyl Oliviate, Sorbitan Oliviate, Dimethicone, Zinc Gluconate, Macrocystis Pyrifera Extract, Hydrolyzed Vegetable Protein, PVP, Hydrolyzed Ceratonia Siliqua Seed Extract, Argania Spinosa Kernel Oil, Serenoa Serrulata Fruit Extract, Sesamum Indicum (Sesame) Seed Oil, Beta-Sitosterol, Cimicifuga Racemosa Root Extract, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Laminaria Saccharina Extract, Diethylhexyl Syringylidenemalonate, Ascorbic Acid, Chitosan, Propyl Gallate, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Disodium EDTA, Aminomethyl Propanol, Silica, Phenoxethanol, Caprylyl Glycol, Chlorphenesin, Citronellol, Geraniol, Limonene, Linalool, Fragrance (Parfum)

**Other information** ■ protect this product from excessive heat and direct sun

**Questions or comments?**  
1.800.33.MURAD or Murad.com

STEP 3 Hydrate | Protect

Murad.

**Skin Wellness Through Cellular Hydration™**

We ignite your skin's most beautiful potential. Founded by dermatologist and pharmacist Dr. Howard Murad, we deliver skin wellness through our unique science of water, and continue to innovate high-performance technologies and formulas so our products, like your skin, just keep getting better.

ACNE CONTROL

**Anti-Aging Moisturizer Broad Spectrum SPF 30 | PA+++**

for blemish-prone skin



e 50 mL NET VOL 1.7 FLOZ

**Drug Facts**

**Active ingredients**

Avobenzone 3.0%  
Homosalate 8.0%  
Octinoxate 7.5%  
Octisalate 5.0%

**Purpose** ■ sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** ■ if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ■ children under 6 months of age: ask a doctor ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. - 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive ingredients**

Water (Aqua), Cetyl Alcohol, Glycerin, Polyester-8, Urea, ▶





Light, fast-absorbing SPF moisturizer hydrates and protects adult blemish-prone skin. Kombucha Black Tea Ferment helps reduce the appearance of fine lines and wrinkles for a soft, youthful-looking complexion.

**To Use:** Apply liberally to face, neck and chest.

Dermatologist developed.

3 Hydrate | Protect

Murad.

At Murad, we believe there is a powerful connection between the mind, body and skin, which we call Connected Beauty. It inspires you to take care of your skin not only with our efficacious products, but also with proper nutrition, physical activity and stress management.

A connected life is a beautiful life.

Anti-Aging Acne

Anti-Aging Moisturizer Broad Spectrum SPF 30 | PA+++

for blemish-prone skin

Hydrates and protects adult blemish-prone skin



e 50 mL NET VOL 1.7 FL OZ

**Drug Facts**

Active ingredients	Purpose
Avobenzone 3.0%	Sunscreen
Homosalate 8.0%	Sunscreen
Octinoxate 7.5%	Sunscreen
Octisalate 5.0%	Sunscreen

**Use** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** ■ if skin rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ apply liberally 15 minutes before sun exposure ■ reapply at least every 2 hours and after towel drying, swimming, or sweating to avoid lowering protection ■ **Sun Protection Measures** UV exposure from the sun increases the risk of skin cancer, premature skin aging and other skin damage. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including limiting time in the sun from 10 a.m.-2 p.m., and wearing protective clothing ■ children under 6 months. Ask a doctor

**Inactive ingredients** Water (Aqua), Cetyl Alcohol, Glycerin, Polyester-8, Urea, Yeast Amino Acids, Trehalose, Inositol, Taurine, Betaine, Phospholipids, Tocopheryl Acetate, Ascorbyl Palmitate, Ethylhexyl Palmitate, Silica Dimethyl Silylate, Butylene Glycol, Sodium Hyaluronate, Caprylyl/Capric Triglyceride, Laminaria Ochroleuca Extract, Saccharomyces/xylinum/Black Tea Ferment, Hydroxyethylcellulose, Cetylalcohol, Sorbitan Olivate, Dimethicone, Zinc Gluconate, Macrocyctis Pyrifera Extract, Hydrolyzed Wheat Protein, PVP, Hydrolyzed Ceratonia Siliqua Seed Extract, Argania Spinosa Kernel Oil, Senecio Serrulata Fruit Extract, Sesamum Indicum (Sesame) Seed Oil, Beta-Sitosterol, Cimicifuga Racemosa Root Extract, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Laminaria Saccharina Extract, Diethylhexyl Syringylideneisalonate, Ascorbic Acid, Chitosan, Propyl Gallate, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Disodium EDTA, Aminomethyl Propanol, Silica, Phenoxethanol, Caprylyl Glycol, Chlorphenesin, Citronellol, Geraniol, Limonene, Linalool, Fragrance (Parfum)

**Other information** ■ protect this product from excessive heat and direct sun

**Questions or comments?** 1.800.33.MURAD or Murad.com



**MURAD - ANTI-AGING MOISTURIZER SPF 30**

avobenzone, homosalate, octinoxate, octisalate cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70381-108
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	8 g in 100 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED)</b> (UNII: T9296U138P)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>YEAST, UNSPECIFIED</b> (UNII: 3NY3SM6B8U)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>INOSITOL</b> (UNII: 4L6452S749)	
<b>TAURINE</b> (UNII: 1EQV5MLY3D)	
<b>BETAINE</b> (UNII: 3SCV180C9W)	
<b>OMEGA-3 FATTY ACIDS</b> (UNII: 71M78END5S)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>LAMINARIA OCHROLEUCA</b> (UNII: 4R2124HE76)	
<b>SACCHAROMYCES LYSATE</b> (UNII: R85W246Z1C)	
<b>HYDROXYETHYL CELLULOSE (100 MPA.S AT 2%)</b> (UNII: R33S7TK2EP)	
<b>CETEARYL OLIVATE</b> (UNII: 58B69Q84JO)	
<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ZINC GLUCONATE</b> (UNII: U6WSN5SQ1Z)	
<b>MACROCYSTIS PYRIFERA</b> (UNII: K31S3OG5C4)	
<b>HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW)</b> (UNII: 1394NXB9L6)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>CAROB</b> (UNII: 5MG5Z946UO)	
<b>ARGAN OIL</b> (UNII: 4V59G5UW9X)	
<b>SAW PALMETTO</b> (UNII: J7WWMH9M8QS)	
<b>SESAME OIL</b> (UNII: QX10HYY4QV)	
<b>.BETA.-SITOSTEROL</b> (UNII: S347WMO6M4)	
<b>BLACK COHOSH</b> (UNII: K73E24S6X9)	
<b>TEA TREE OIL</b> (UNII: VIF565UC2G)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CHITOSAN LOW MOLECULAR WEIGHT (20-200 MPA.S)</b> (UNII: SBD1A2I75N)	
<b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)	

<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%)</b> (UNII: 86FQE96TZ4)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>AMINOMETHYLPROPANOL</b> (UNII: LU49E6626Q)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>.BETA.-CITRONELLOL, (R)-</b> (UNII: P01OUT964K)
<b>GERANIOL</b> (UNII: L837108USY)
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>LINALOOL, (+)-</b> (UNII: F4VNO44C09)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70381-108-50	1 in 1 BOX	01/29/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	01/29/2021	

**Labeler** - Murad, LLC (781254792)

### Establishment

Name	Address	ID/FEI	Business Operations
Cosway Company, Inc.		052400223	MANUFACTURE(70381-108)

Revised: 1/2021

Murad, LLC