

VERFOO BRIGHTENING HYDRATING ANTIWRINKLE SUNSCREEN- titanium dioxide, octinoxate cream
LCM TECHNOLOGY Co., Ltd

 Ethylhexyl Methoxycinnamate (Octinoxate) 7.5%
 Titanium Dioxide (Nano) 1.35%

Keep out of reach of children
 sunscreen

Apply 15 minutes before sun exposure.
 Reapply at least every 2 hours.
 Children under 6 months of age: ask a doctor.
 Apply generously and evenly to face and exposed areas of the body.

Helps prevent sunburn.
 Decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only.
 Do not use on damaged or broken skin.
 When using this product, keep out of eyes. Rinse with water to remove.
 Stop using and consult a doctor if rash or irritation occurs.
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Water, Ethylhexyl, Methoxycinnamate, Isododecane, Butylene Glycol, Cyclopentasiloxane, Niacinamide, Ethylhexyl, Salicylate, Silica, Methylene Bis-Benzotriazolyl Tetramethylbutylphenol, Ethylhexyl Triazone, Diethylamino Hydroxybenzoyl Hexyl Benzoate, Ethylhexyl Dimethyl PABA, Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine, Potassium Cetyl Phosphate, Sodium Chloride, Diethylhexyl Carbonate, Butyloctyl Sulfate, Trimethylsiloxysilicate, Pentaerythrityl Tetraethylhexanoate, Glycerin, Squalane, Bisabolol, Sodium Chloride, Phenoxyethanol, Polysorbate, Sodium Benzoate.

VEIRFOO Brightening Hydrating Antiwrinkle Sunscreen SPF50 PA+++		HYDRATING AND LIGHTWEIGHT SAFEGUARD THE SKIN	Net Contents: 40g (1.41 oz.)
Drug Facts		Warnings: • For external use only. • Do not use on damaged or broken skin. • When using this product, keep out of eyes. Rinse with water to remove. • Stop using and consult a doctor if rash or irritation occurs. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.	
Active Ingredients:	Purpose:	Directions: • Apply 15 minutes before sun exposure. • Reapply at least every 2 hours. • Children under 6 months of age: ask a doctor. • Apply generously and evenly to face and exposed areas of the body.	
Ethylhexyl Methoxycinnamate (Octinoxate) 7.5%	- Sunscreen	Inactive Ingredients: Water, Ethylhexyl, Methoxycinnamate, Isododecane, Butylene Glycol, Cyclopentasiloxane, Niacinamide, Ethylhexyl, Salicylate, Silica, Methylene Bis-Benzotriazolyl Tetramethylbutylphenol, Ethylhexyl Triazone, Ethylhexyl Dimethyl PABA, Potassium Cetyl Phosphate, Sodium Chloride, Titanium Dioxide, Diethylhexyl Carbonate, Butyloctyl Sulfate, Trimethylsiloxysilicate, Pentaerythrityl Tetraethylhexanoate, Glycerin, Squalane, Bisabolol, Fragrance, Sodium Chloride, Phenoxyethanol, Polysorbate, Sodium Benzoate.	
Titanium Dioxide (Nano) 1.35%	- Sunscreen		
Uses: • Helps prevent sunburn. • Decreases the risk of skin cancer and early skin aging caused by the sun.			
Manufactured by: LCM TECHNOLOGY CO., LTD 54-8 Handugoran-gil, Hyangnam-eup, Hwaseong-si, Gyeonggi-do, Republic of Korea			

VERFOO BRIGHTENING HYDRATING ANTIWRINKLE SUNSCREEN
 titanium dioxide, octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87489-001
---------------------	----------------	---------------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.35 g in 100 g
ETHYLHEXYL METHOXYCINNAMATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	ETHYLHEXYL METHOXYCINNAMATE	7.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ETHYLHEXYL DIMETHYL PABA (UNII: Z11006CMUZ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
NIACINAMIDE (UNII: 25X5118RD4)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
ISODODECANE (UNII: A8289P68Y2)	
ETHYLHEXYL SALICYLATE (UNII: 4X49Y0596W)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
PENTAERYTHRITYL TETRAETHYLHEXANOATE (UNII: XJ7052W897)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
METHYLENE BIS-BENZOTRIAZOLYL TETRAMETHYLBUTYLPHENOL (UNII: 8NT850T0YS)	
ETHYLHEXYL TRIAZONE (UNII: XQN8R9SAK4)	
DIETHYLHEXYL CARBONATE (UNII: YCD5000Z6L)	
GLYCERIN (UNII: PDC6A3C0OX)	
SQUALANE (UNII: GW89575KF9)	
BISABOLOL (UNII: 24WE03BX2T)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TRIMETHYLSILOXYSILICATE (M/Q 0.66) (UNII: 5041RX63GN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87489-001-02	1 in 1 BOX	03/11/2026	
1	NDC:87489-001-01	40 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/11/2026	

Labeler - LCM TECHNOLOGY Co., Ltd (696569497)

Establishment

Name	Address	ID/FEI	Business Operations
LCM TECHNOLOGY Co., Ltd		696569497	manufacture(87489-001)

Revised: 3/2026

LCM TECHNOLOGY Co., Ltd