

**MEMBERS MARK ARTHRITIS PAIN- acetaminophen tablet, film coated,
extended release
Sam's West Inc**

Sam's West, Inc. Arthritis Pain Drug Facts

Active ingredient (in each caplet)

Acetaminophen 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none"> • take 2 caplets every 8 hours with water • swallow whole; do not crush, chew, split or dissolve • do not take more than 6 caplets in 24 hours • do not use for more than 10 days unless directed by a doctor
under 18 years of age	<ul style="list-style-type: none"> • ask a doctor

Other information

- store at 20-25°C (68-77°F)

- meets the requirements of USP *Dissolution Test 4*

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid, titanium dioxide

Questions or comments?

1-800-809-0469

Principal Display Panel

Member's Mark™

COMPARE TO TYLENOL® 8HR ARTHRITIS PAIN ACTIVE INGREDIENT

Arthritis Pain

ACETAMINOPHEN EXTENDED-RELEASE TABLETS USP, 650 mg

Pain Reliever/Fever Reducer | 8 HR

200 CAPLETS**


650 mg EACH

**CAPSULE-SHAPED TABLETS

ACTUAL SIZE

•FOR THE TEMPORARY RELIEF OF MINOR ARTHRITIS PAIN

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN




COMPARE TO TYLENOL® 8HR
ARTHRITIS PAIN ACTIVE INGREDIENT*

TO OPEN: PUSH & TURN CAP
READ THE LABEL
NDC 68196-611-82

Arthritis Pain

ACETAMINOPHEN EXTENDED-RELEASE TABLETS
USP, 650 mg

⚡ Pain Reliever/Fever Reducer | 8 HR




200 CAPLETS**
650 mg EACH
**CAPSULE-SHAPED
TABLETS
ACTUAL SIZE

• FOR THE TEMPORARY RELIEF
OF MINOR ARTHRITIS PAIN

DO NOT USE WITH OTHER MEDICINES
CONTAINING ACETAMINOPHEN

Drug Facts	
Active ingredient (in each caplet) Acetaminophen 650 mg.....Pain reliever/fever reducer	Purpose Pain reliever/fever reducer
Uses ■ temporarily relieves minor aches and pains due to: ■ minor pain of arthritis ■ muscular aches ■ backache ■ premenstrual and menstrual cramps ■ the common cold ■ headache ■ toothache ■ temporarily reduces fever	
Warnings Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 6 caplets in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.	
Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.	
Ask a doctor before use if you have liver disease Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin Stop use and ask a doctor if ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present These could be signs of a serious condition.	

Drug Facts (continued)	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warnings: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.	
Directions ■ do not take more than directed (see overdose warning) adults ■ take 2 caplets every 8 hours with water ■ swallow whole; do not crush, chew, split or dissolve ■ do not take more than 6 caplets in 24 hours ■ do not use for more than 10 days unless directed by a doctor under 18 years of age ■ ask a doctor	
Other information ■ store at 20-25°C (68-77°F) ■ meets the requirements of USP <i>Dissolution Test 4</i>	
Inactive ingredients carnauba wax, colloidal silicon dioxide, croscarmellose sodium, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid, titanium dioxide	
Questions or comments? 1-800-809-0469	



PLASTIC WRAP PLASTIC BOTTLE

U.S. Patent 7,897,172
Contains No Aspirin
DISTRIBUTED BY:
SAM'S WEST, INC.
BENTONVILLE, AR 72716

EXP. LOT
: 54462 ZY F7

DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING
 *This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., McNeil Consumer Healthcare Division, distributor of Tylenol® 8HR Arthritis Pain.

MEMBERS MARK ARTHRITIS PAIN

acetaminophen tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68196-611
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	L544
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68196-611-82	200 in 1 BOTTLE; Type 0: Not a Combination Product	11/20/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075077	11/20/2025	

Labeler - Sam's West Inc (051957769)

Revised: 12/2025

Sam's West Inc