

**BUSCAPINA- acetaminophen, caffeine, pyrilamine maleate tablet, coated**  
**OPMX LLC**

-----  
**Buscapina Display w/100 caplets (50-2 pouches)**

***Drug Facts***

***Active ingredients (in each caplet)***

- Acetaminophen 500 mg
- Caffeine 60 mg
- Ppyrilamine maleate 15 mg

***Purpose***

- Pain reliever
- Diuretic
- Anthistamine

***Uses***

for the temporary relief of these symptoms associated with menstrual periods:

- cramps
- bloating
- water-weight gain
- headache
- backache
- muscle aches
- fatigue

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 6 caplets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin or severe allergic reactions.

Symptoms may include:

- skin reddening
- blisters
- rash
- hives
- facial swelling
- asthma (wheezing)
- shock

If a skin or general allergic reaction occurs, stop use and seek medical help right away.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- liver disease
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- you may get drowsy
- avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

### **Stop use and ask a doctor if**

- new symptoms appear
- redness or swelling is present
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days

### **If pregnant or breast-feeding**

ask a health professional before use.

### **Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not exceed recommended dosage**
- Adults and children 12 years and over:
- take 2 caplets with water every 6 hours as needed

- do not exceed 6 caplets per day
- Children under 12 years: do not use

### ***Other information***

- Store between 15-30°C(59-86°F)
- avoid excessive heat & humidity
- TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGN OF TAMPERING

### ***Inactive ingredients***

colloidal silicon dioxide, hydroxy propyl methyl cellulose, microcrystalline cellulose, polyethylene glycol, corn starch, povidone, sodium starch glycolate, stearic acid, talc, titanium dioxide, lactose, purified water

### ***Questions or comments?***

Call toll free 619-600-5632 Monday through Friday 9AM - 5PM EST

Licensed by: Gute Besserung Hauser LLC

Exclusively distributed by:

OPMX

Chula Vista, CA 91910

Phone: 619-600-5632

NDC 69729-818-50

Buscapina

*Pain Reliever*

*Alivia los Síntomas*

- **Cramps/Cólicos**
- Bloating/ Hinchazón
- Fatigue/Fatiga
- Headache/Dolor de Cabeza
- Backache/Dolor de espalda

**Acetaminophen** 500 mg Pain Reliever

**Caffeine** 60 mg Diuretic

**Pyrilamine Maleate** 15 mg Antihistamine

***100 Caplets 50 packs of 2 Caplets***



# BUSCAPINA

acetaminophen, caffeine, pyrilamine maleate tablet, coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69729-818
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>SODIUM STARCH GLYCOLATE TYPE A</b> (UNII: H8AV0SQX4D)	
<b>HYDROXYPROPYL METHYLCELLULOSE</b> (UNII: 3NXW29V3WO)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>LACTOSE</b> (UNII: J2B2A4N98G)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	V1
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69729-818-50	50 in 1 CARTON	03/11/2026	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/11/2026	

**Labeler** - OPMX LLC (029918743)

### Establishment

Name	Address	ID/FEI	Business Operations
Vovantis Laboratories Private Limited		650502151	manufacture(69729-818)

Revised: 3/2026

OPMX LLC