# ACADEMY CONTINUOUS SPF 50- avobenzone, octocrylene, oxybenzone spray ACADEMY, LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

## **Active Ingredients**

Avobenzone 3.0

Octocrylene 10.0

Oxybenzone 5.0

## Purpose

Sunscreen

#### Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decrease the risk of skin cancer and early skin aging caused by the sun.

## Warnings

## For external use only.

**Flammable:**Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120 <sup>0</sup>F. Do not use in the flame or spark. Keep away from sources of ignition. No smoking.

Do not use on damaged or broken skin.

## When using this product

- Keep away from face to avoid breathing it.
- Keep out of eyes. Rinse with water to remove.

## Stop use and ask a doctor

if rash occurs

## Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

- May stain some fabrics.
- Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

#### Directions

- hold container 4-6 inches from the skin to apply
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- Do not spray directly on face. Spray on hands and then apply to face

- do not apply in windy conditions
- use in well ventilated area
- reapply
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures**: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor


#### **Inactive ingredients**

Alcohol Denat., Acrylates/Octylacrylamide Copolymer, Caprylyl Glycol, Mineral Oil, PEG-8 Dimethicone, Aloe Barbadensis Leaf Extract, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thiosulfate Silica, Fragrance

## **Principal Display Panel**

Academy
SPORTS+OUTDOORS
SUNSCREEN CONTINUOUS
SPRAY
BROAD SPECTRUM SPF 50
50

Water Resistant (80 Minutes)
Spray at any angle
UVA/UVB Protection
6 FL.OZ. (177 mL)



#### Other information

• protect this product from excessive heat and direct sun

## **ACADEMY CONTINUOUS SPF 50**

avobenzone, octocrylene, oxybenzone spray

## **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:59054-140

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g	
OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	OXYBENZONE	5 g in 100 g	

Inactive Ingredients			
Ingredient Name	Strength		
CAPRYLYL GLYCOL (UNII: 00 YIU5438 U)			
MINERAL OIL (UNII: T5L8T28FGP)			
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)			
OCTYLDODECANOL (UNII: 461N1O614Y)			
VITAMIN A PALMITATE (UNII: 1D1K0 N0 VVC)			
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)			
.ALPHATO COPHERO L ACETATE (UNII: 9E8X80D2L0)			
ASCORBIC ACID (UNII: PQ6CK8PD0R)			

Packaging			
# Item Code	Package Description	Marketing Start Date	<b>Marketing End Date</b>
1 NDC:59054-140-34	170 g in 1 BOTTLE, PLASTIC		

Marketing Inform	Aarketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part352	08/30/2013			

# Labeler - ACADEMY, LTD (065092538)

Revised: 8/2013 ACADEMY, LTD