

CVS PAIN-RELIEVING- lidocaine patch
CVS Pharmacy

CVS Lidocaine Pain-Relieving Patch 371271

Active ingredient

Lidocaine 4%

Purpose

Topical Anesthetic

Use

For the temporary relief of pain

Warnings

For external use only

Do not use

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this carton.
- Do not use more than one patch in an 8 hour period. Maximum 3 patches per day.
- Rare cases of serious burns have been reported with products of this type
- Do not apply to wounds or damaged, broken or irritated skin
- Do not allow contact with the eyes and mucous membranes
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not use at the same time as other topical analgesics
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug products that can produce serious adverse effects if a child or pet chews or ingests this patch
- NOTE: patches may not adhere as well to all individuals, skin types, or certain parts of the body.

Stop use and ask a doctor if

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding

ask a physician before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Adults and children over 12 years of age:**
- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing completely to apply patch to affected area
- once applied, press firmly and rub on all sides and center of patch to help adhesive adhere to skin
- do not remove patch and reapply, this will result in the patch not sticking
- avoid strenuous exercise while wearing patch, this will result in patch not sticking
- do not use more than one patch in an 8 hour period.
- **Children under 12 years of age:** ask a doctor.

Other information

Store at room temperature - do not exceed 86° Fahrenheit, 30° Celsius.

Inactive ingredients

Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, Povidone, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water.

Principal Display Panel - Carton Label

CVS Health ®

Compare to the active

ingredient in Salonpas ®

4% Lidocaine Gel Patch*

Maximum Strength

Lidocaine concentration without a prescription †

Lidocaine Pain-Relieving

Patch

Lidocaine 4% Gel

Numbing muscle

& joint relief

For temporary relief of

minor aches & pains:

- Arthritis
- Bruises
- Strains & sprains

Unscented

6 Patches

3 15/16 IN X 5 1/2 IN (10 cm X 14 cm)

Pain-relieving ointment on a breathable adhesive pad

EACH PATCH IS SEALED IN A CHILD-RESISTANT POUCH FOR SAFETY

†Among over-the-counter topical analgesics



Compare to the active ingredient in Salonpas® 4% Lidocaine Gel Patch*



HOW TO APPLY



Drug Facts

Active ingredients	Purpose
Lidocaine 4%	Topical Anesthetic
Use For the temporary relief of pain.	
Warnings	
For external use only	
Do not use ■ more than 1 patch on your body at a time or on cut, irritated or swollen skin	
■ on puncture wounds ■ for more than one week without consulting a doctor	
When using this product ■ use only as directed. Read and follow all directions and warnings on this carton.	
■ Do not use more than one patch in an 8 hour period. Maximum 3 patches per day.	
■ Rare cases of serious burns have been reported with products of this type	
■ Do not apply to wounds or damaged, broken or irritated skin	
■ Do not allow contact with the eyes and mucous membranes	
■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use	
■ Do not use at the same time as other topical analgesics	
■ Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug products that can produce serious adverse effects if a child or pet chews or ingests this patch	
■ NOTE: patches may not adhere as well to all individuals, skin types, or certain parts of the body.	
Stop use and ask a doctor if ■ condition worsens ■ redness is present ■ irritation develops	
■ symptoms persist for more than 7 days or clear up and occur again within a few days	
■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied	
If pregnant or breast feeding ask a physician before use.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Adults/children 12 years and older ■ clean and dry affected area ■ remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle ■ carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area ■ once exposed portion of patch is positioned, carefully remove remaining backing completely to apply patch to affected area ■ once applied, press firmly and rub on all sides and center of patch to help adhesive adhere to skin ■ do not remove patch and reapply, this will result in the patch not sticking ■ avoid strenuous exercise while wearing patch, this will result in patch not sticking ■ do not use more than one patch in an 8 hour period.	
Children 12 years or younger: ask a doctor.	
Other information Store at room temperature – do not exceed 86° Fahrenheit, 30° Celsius.	
Inactive ingredients Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, Povidone, Sodium Polysulfate, Tartaric Acid, Titanium Dioxide, Water.	
*This product is not manufactured or distributed by Heambro Pharmaceutical Co., Inc., owner of the registered trademark Salonpas®	
Child-resistant packaging. Please read and understand the Drug Facts before using.	

MAXIMUM STRENGTH
Lidocaine concentration without a prescription*

Lidocaine Pain-Relieving Patch
LIDOCAINE 4% GEL
Numbing muscle & joint relief

For temporary relief of minor aches & pains:

- Arthritis
- Bruises
- Strains & sprains

*Among over-the-counter topical analgesics

Distributed by:
CVS Pharmacy, Inc.
One CVS Drive
Woonsocket, RI 02895
© 2014 CVS Pharmacy
CVS.com
1-800-SHOP-CVS
Made in China
Y-33144
100% money back guaranteed.
CVS.com/returnpolicy

MAXIMUM STRENGTH
Lidocaine concentration without a prescription*

Lidocaine Pain-Relieving Patch
LIDOCAINE 4% GEL
Numbing muscle & joint relief

LIDOCAINE 4% GEL

Numbing muscle & joint relief

For temporary relief of minor aches & pains:

- Arthritis
- Bruises
- Strains & sprains

Unscented

6 PATCHES
3 15/16 IN X 5 1/2 IN (10 cm X 14 cm)

Pain-relieving ointment on a breathable adhesive pad
EACH PATCH IS SEALED IN A CHILD-RESISTANT POUCH FOR SAFETY



*Among over-the-counter topical analgesics

MAXIMUM STRENGTH
Lidocaine concentration without a prescription*

Lidocaine Pain-Relieving Patch
LIDOCAINE 4% GEL
Numbing muscle & joint relief

For temporary relief of minor aches & pains:

- Arthritis
- Bruises
- Strains & sprains

*Among over-the-counter topical analgesics



CVS PAIN-RELIEVING
lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-371
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

TARTARIC ACID (UNII: W4888I119H)
POVIDONE (UNII: FZ989GH94E)
ALUMINUM GLYCINATE (UNII: 1K713C615K)
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)
METHYLPARABEN (UNII: A2I8C7HI9T)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)
GLYCERIN (UNII: PDC6A3C0OX)
KAOLIN (UNII: 24H4NWX5CO)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-371-06	6 in 1 CARTON	03/12/2026	
1		12 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/12/2026	

Labeler - CVS Pharmacy (062312574)

Revised: 3/2026

CVS Pharmacy