

LIDOCAINE HCL- lidocaine hcl cream
Matthias Therapeutics, LLC

Lidocaine HCL 4% Cream

Active ingredient

Lidocaine HCl 4%

Purpose

Topical Analgesic

Uses

- temporarily relieves minor pain

Warnings

For external use only

Do not use

- on puncture wounds
- on large area of the body or on cut, irritated, or swollen
- skin for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this carton.
- do not use in large quantities, particularly over raw surfaces or blistered areas
- do not allow contact with eyes
- do not bandage or apply local heat (such as heating pad) to the area of use
- do not use at the same time as other topical analgesics
- For CA Residents Only: TEA does not conform to Proposition 65

Stop use and ask a doctor if

condition worsens, redness is present, or irritation develops symptoms persist for more than 7 days or clear up and occur again within a few days

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **adults and children 12 years and older:** Apply a thin layer to the affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period.
- **children under 12 years:** Ask a doctor

Inactive ingredients

benzyl alcohol, carbomer, glycerin, hydrogenated lecithin, isopropyl palmitate, polysorbate 80, triethanolamine, vitamin E, water

Store at USP controlled room temperature 20° to 25° C (68° to 77° F)

Questions?

Call +1 (201) 685-0842

Distributed by:

Matthias Therapeutics, LLC

35 US P.O. Box 177,

Far Hills, NJ 07931

Principal Display Panel**Lidocaine HCL 4% Cream****NDC 87137-0101-07**

LIDOCAINE
H C I 4 % C R E A M



NET WT 2.7 OZ (76.5g)

NDC 87137-0101-07 2500262[00]



YOUR
GO-TO
OTC
PAIN
RELIEF



HOW TO
USE

Apply a thin layer.
Relief in minutes.
Comfort for hours.



MADE IN
THE USA



SHOP
ONLINE

matthiastrx.com

LIDOCAINE
HCl 4% CREAM



NET WT 2.7 OZ (76.5g)

FOLLOW
US!



Drug Facts

| Active Ingredient | Purpose |
|-------------------|-------------------|
| Lidocaine HCl 4% | Topical Analgesic |

Uses
 ■ temporarily relieves minor pain

Warnings
 For external use only
 Do not use
 ■ on puncture wounds ■ on large areas of the body
 ■ on cut, irritated, or swollen ■ skin for more than 1
 week without consulting a doctor

When using this product
 ■ use only as directed. Read and follow all directions
 and warnings on this carton. ■ do not use in large
 quantities, particularly over raw surfaces or blistered
 areas. ■ do not allow contact with eyes ■ do not
 bandage or apply local heat (such as heating pad) to
 the area of use ■ do not use at the same time as
 other topical analgesics ■ For CA Residents Only:
 TEA does not conform to Proposition 65

Stop use and ask a doctor if condition worsens,
 redness is present, or irritation develops symptoms
 persist for more than 7 days or clear up and occur
 again within a few days

If pregnant or breast-feeding ask a health
 professional before use.
 Keep out of reach of children. If swallowed, get medical
 help or contact a Poison Control Center right away.

Directions ■ adults and children 12 years and
 older: Apply a thin layer to the affected area every 8
 to 8 hours, not to exceed 3 applications in a 24 hour
 period. ■ children under 12 years: Ask a doctor

Inactive Ingredients benzyl alcohol, carbomer,
 glycerin, hydrogenated lecithin, isopropyl palmitate,
 polysorbate 80, triethanolamine, vitamin E, water

Store at USP controlled room temperature 20° to 25°
 C (68° to 77° F)

Questions? Call +1 (201) 685-0842

Distributed by
Matthias Therapeutics, LLC,
 35 US 202, P. O. Box 177,
 Far Hills, NJ 07931



2500264[00]

LIDOCAINE HCL

lidocaine hcl cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:87137-101 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-----------------------------------|--------------|
| LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE HYDROCHLORIDE ANHYDROUS | 4 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| WATER (UNII: 059QF0KO0R) | |
| ALPHA-TOCOPHEROL (UNII: H4N855PNZ1) | |
| CARBOMER (UNII: 0A5MM307FC) | |
| ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M) | |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) | |
| TRIETHANOLAMINE (UNII: 9O3K93S3TK) | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|--|
| Color | white | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:87137-101-07 | 1 in 1 CARTON | 03/12/2026 | |
| 1 | | 76.5 g in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017 | 03/12/2026 | |

Labeler - Matthias Therapeutics, LLC (144851747)

Revised: 3/2026

Matthias Therapeutics, LLC