

**NASAL DECONGESTANT PE- phenylephrine hcl 10 mg tablet  
NUVICARE LLC**

-----  
**Nasal Decongestant PE- Phenylephrine HCl 10 mg Tablet**

**Active Ingredient (in each tablet)**

Phenylephrine HCl 10mg

**Purpose**

Nasal decongestant

**USES:**

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to common cold, hay fever or other upper respiratory allergies

**WARNINGS:**

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

**When using this product do not exceed recommended dose.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur symptoms do not improve within 7 days or occur with a fever.

**If pregnant or breast-feeding,** ask a health professional before use.

**KEEP OUT OF REACH OF CHILDREN.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222).

**DIRECTIONS:**

- take 1 tablet every 4 hours
- adults and children 12 years and over: do not take more than 6 tablets in 24 hours
- children under 12 years: ask a doctor

**OTHER INFORMATION:**

- store between 20-25 °C (68-77 °F)
- do not use if seal under cap is broken or missing

**INACTIVE INGREDIENTS:**

Microcrystalline Cellulose, Dicalcium Phosphate, Croscarmellose Sodium, Colloidal Silicon Dioxide, Magnesium Stearate, Polyvinyl Alcohol, Polyethylene Glycol, FD& Red #40/Allura Red AC Aluminum Lake, Talc, Titanium Dioxide

**QUESTIONS OR COMMENTS ?**

Call 1 (718) 337-8733 or visit: [support@nuvicare.com](mailto:support@nuvicare.com)

**nuvi+care**  
nasal decongestant

Compare to **Sudafed<sup>®</sup> PE**  
Sinus Congestion active ingredients.

**MAXIMUM STRENGTH**  
**Nasal Decongestant PE**  
Phenylephrine HCl 10mg each tablet

✓ Sinus Congestion  
✓ Sinus Pressure  
✓ Non-Drowsy

**100**  
tablets

*not actual size*

**TAMPER EVIDENT** Do not use if safety seal under cap is broken or missing.

**DRUG FACTS**

**Active Ingredient (in each tablet)**  
Phenylephrine HCl 10mg..... Nasal decongestant

**USES:** ■ temporarily relieves sinus congestion and pressure ■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

**WARNINGS:** Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

(continued under label)

This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., McNeil Consumer Healthcare Division, owner of the registered trademark **SUDAFED PE<sup>®</sup> Sinus Congestion**.  
**Distributed by:** NuviCare LLC., Brooklyn, NY 11211, U.S.A.  
www.nuVICare.com  
PL0209-00

3 84324 00008 4  
Lot No. Exp. Dt.

**PEEL HERE**

**Drug Facts (continued)**

**Ask a doctor before use if you have**  
■ heart disease ■ high blood pressure  
■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland.

**When using this product do not exceed recommended dose.**

**Stop use and ask a doctor if**  
■ nervousness, dizziness, or sleeplessness occur symptoms do not improve within 7 days or occur with a fever. **If pregnant or breast-feeding**, ask a health professional before use.

**KEEP OUT OF REACH OF CHILDREN.**  
In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222).

**DIRECTIONS:** ■ take 1 tablet every 4 hours ■ adults and children 12 years and over: do not take more than 6 tablets in 24 hours ■ children under 12 years: ask a doctor

**OTHER INFORMATION:** ■ store between 20-25°C (68-77°F) ■ do not use if seal under cap is broken or missing

**INACTIVE INGREDIENTS:**  
Microcrystalline Cellulose, Dicalcium Phosphate, Croscarmellose Sodium, Colloidal Silicon Dioxide, Magnesium Stearate, Polyvinyl Alcohol, Polyethylene Glycol, FD&C Red #40/Allura Red AC Aluminum Lake, Taic, Titanium Dioxide.

**QUESTIONS OR COMMENTS?**  
Call 1 (718) 337-8733 or visit: support@nuvicare.com

## NASAL DECONGESTANT PE

phenylephrine hcl 10 mg tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84324-010
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1W5297W6MV)	PHENYLEPHRINE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>FD&amp;C RED NO. 40 ALUMINUM LAKE</b> (UNII: 6T47AS764T)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

**Product Characteristics**

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	S08
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84324-010-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/17/2024	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/17/2024	

**Labeler** - NUVICARE LLC (119257565)

**Registrant** - NUVICARE LLC (119257565)