

# NUMBING- menthol cream

## FlexiGo Inc



**How to Use it Correctly ?**  
 - Clean your hands and target area thoroughly with soap and water. Gently dry them afterward.  
 - Apply a thick layer of this cream to the target area, making sure to cover both target area and its surroundings.  
 - leave it on for 30-50 minutes for the best results (Keeping it on longer gives better effects)

**Notice:**  
 The duration of soothing effects may vary depending on temperature and individual skin type.

**Anorectal Hemorrhoidal Cream**  
 Numbing Cream  
**3% Menthol**  
 FAST EFFECT WITH EMU OIL AND ARNICAY  
 Long-Lasting Soothing  
 Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient          | Purpose           |
|----------------------------|-------------------|
| Menthol 3%.....            | Local Anesthetic  |
| Methyl Salicylate 10%..... | Topical Analgesic |

**Uses:**  
 For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.

**Warning**  
 (For external use only)

**Stop and ask a doctor if**  
 -an allergic reaction occurs.  
 -symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

**When using this product**  
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

**If pregnant or breast-feeding,**  
 ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA , Made in P.R.C

**DRUG FACTS (Continued)**


**Directions**  
 -For children under 12, consult a doctor.  
 -For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.  
 -Apply up to 4 times daily.

**DIRECTIONS:**  
 Store room temperature 59°-86°F (15°-30°C). Keep away from direct sunlight or heat.

**Inactive Ingredients**  
 Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.

**Questions or comments ?**  
 Contact us at  
 Rqekmy333k@outlook.com

SHELF LIFE: 3 years



**Anorectal Hemorrhoidal Cream**  
 Numbing Cream  
**3% Menthol**  
 FAST EFFECT WITH EMU OIL AND ARNICAY  
 Long-Lasting Soothing  
 Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient          | Purpose           |
|----------------------------|-------------------|
| Menthol 3%.....            | Local Anesthetic  |
| Methyl Salicylate 10%..... | Topical Analgesic |

**Uses:**  
 For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.

**Warning**  
 (For external use only)

**Stop and ask a doctor if**  
 -an allergic reaction occurs.  
 -symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

**When using this product**  
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

**If pregnant or breast-feeding**  
 ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

136\*186mm

120mm\*43mm\*37mm



**How to Use it Correctly ?**  
 - Clean your hands and target area thoroughly with soap and water. Gently dry them afterward.  
 - Apply a thick layer of this cream to the target area, making sure to cover both target area and its surroundings.  
 - leave it on for 30-50 minutes for the best results (keeping it on longer gives better effects)

**Notice:**  
 The duration of soothing effects may vary depending on temperature and individual skin type.

**Anorectal Hemorrhoidal Cream**  
**Numbing Cream**


**3% Menthol**

FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

| DRUG FACTS:  |                |
|--|----------------|
| <b>Active Ingredient</b>   | <b>Purpose</b> |
| Menthol 3%.....Local Anesthetic  |                |
| Methyl Salicylate 10%.....Topical Analgesic  |                |
| <b>Uses:</b>   |                |
| For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.  |                |
| <b>Warning</b><br>(For external use only)  |                |
| <b>Stop and ask a doctor if</b><br>-an allergic reaction occurs.<br>-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.   |                |
| <b>When using this product</b><br>do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing. |                |
| <b>If pregnant or breast-feeding,</b><br>ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.  |                |
| Design by USA , Made in P.R.C  |                |

| DRUG FACTS (Continued)  |
|---|
| <b>Directions</b>   |
| -For children under 12, consult a doctor.<br>-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.<br>-Apply up to 4 times daily. |
| <b>DIRECTIONS:</b>  |
| Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.  |
| <b>Inactive Ingredients</b>   |
| Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol Tocopheryl Acetate, Benzyl Alcohol, Aqua.   |
| <b>Questions or comments ?</b>  |
| Contact us at Rqekmy333kk@outlook.com   |
| SHELF LIFE: 3 years   |



FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient  | Purpose           |
|--|-------------------|
| Menthol 3%.....  | Local Anesthetic  |
| Methyl Salicylate 10%.....   | Topical Analgesic |
| <b>Uses:</b>   |                   |
| For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.  |                   |
| <b>Warning</b><br>(For external use only)  |                   |
| <b>Stop and ask a doctor if</b><br>-an allergic reaction occurs.<br>-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.   |                   |
| <b>When using this product</b><br>do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing. |                   |
| <b>If pregnant or breast-feeding</b><br>ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.   |                   |

136\*186mm

120mm\*43mm\*37mm



**How to Use it Correctly ?**  
 - Clean your hands and target area thoroughly with soap and water. Gently dry them afterward.  
 - Apply a thick layer of this cream to the target area, making sure to cover both target area and its surroundings.  
 - leave it on for 30-50 minutes for the best results (keeping it on longer gives better effects)

**Notice:**  
 The duration of soothing effects may vary depending on temperature and individual skin type.

**Anorectal Hemorrhoidal Cream**  
**Numbing Cream**

**3%**  
**Menthol**

FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient          | Purpose           |
|----------------------------|-------------------|
| Menthol 3%.....            | Local Anesthetic  |
| Methyl Salicylate 10%..... | Topical Analgesic |

**Uses:**  
 For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.

**Warning**  
 (For external use only)

**Stop and ask a doctor if**  
 -an allergic reaction occurs.  
 -symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

**When using this product**  
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

**If pregnant or breast-feeding,**  
 ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA , Made in P.R.C

**DRUG FACTS (Continued)**


**Directions**  
 -For children under 12, consult a doctor.  
 -For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.  
 -Apply up to 4 times daily.

**DIRECTIONS:**  
 Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

**Inactive Ingredients**  
 Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol Tocopheryl Acetate, Benzyl Alcohol, Aqua.

**Questions or comments ?**  
 Contact us at Rqekmy333kk@outlook.com

SHELF LIFE: 3 years



**Anorectal Hemorrhoidal Cream**  
**Numbing Cream**

**3%**  
**Menthol**

FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient          | Purpose           |
|----------------------------|-------------------|
| Menthol 3%.....            | Local Anesthetic  |
| Methyl Salicylate 10%..... | Topical Analgesic |

**Uses:**  
 For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.

**Warning**  
 (For external use only)

**Stop and ask a doctor if**  
 -an allergic reaction occurs.  
 -symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

**When using this product**  
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

**If pregnant or breast-feeding**  
 ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

136\*186mm

120mm\*43mm\*37mm



**How to Use it Correctly ?**  
 - Clean your hands and target area thoroughly with soap and water. Gently dry them afterward.  
 - Apply a thick layer of this cream to the target area, making sure to cover both target area and its surroundings.  
 - leave it on for 30-50 minutes for the best results (keeping it on longer gives better effects)

**Notice:**  
 The duration of soothing effects may vary depending on temperature and individual skin type.

**Anorectal Hemorrhoidal Cream**  
**Numbing Cream**

**3%**  
**Menthol**

FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient          | Purpose           |
|----------------------------|-------------------|
| Menthol 3%.....            | Local Anesthetic  |
| Methyl Salicylate 10%..... | Topical Analgesic |

**Uses:**  
 For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.

**Warning**  
 (For external use only)

**Stop and ask a doctor if**  
 -an allergic reaction occurs.  
 -symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

**When using this product**  
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

**If pregnant or breast-feeding,**  
 ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA , Made in P.R.C

**DRUG FACTS (Continued)**


**Directions**  
 -For children under 12, consult a doctor.  
 -For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.  
 -Apply up to 4 times daily.

**DIRECTIONS:**  
 Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

**Inactive Ingredients**  
 Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol Tocopheryl Acetate, Benzyl Alcohol, Aqua.

**Questions or comments ?**  
 Contact us at Rqekmy333kk@outlook.com

SHELF LIFE: 3 years



**Anorectal Hemorrhoidal Cream**  
**Numbing Cream**

**3%**  
**Menthol**

FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient          | Purpose           |
|----------------------------|-------------------|
| Menthol 3%.....            | Local Anesthetic  |
| Methyl Salicylate 10%..... | Topical Analgesic |

**Uses:**  
 For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.

**Warning**  
 (For external use only)

**Stop and ask a doctor if**  
 -an allergic reaction occurs.  
 -symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

**When using this product**  
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

**If pregnant or breast-feeding**  
 ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

136\*186mm

120mm\*43mm\*37mm



**How to Use it Correctly ?**  
 - Clean your hands and target area thoroughly with soap and water. Gently dry them afterward.  
 - Apply a thick layer of this cream to the target area, making sure to cover both target area and its surroundings.  
 - leave it on for 30-50 minutes for the best results (keeping it on longer gives better effects)

**Notice:**  
 The duration of soothing effects may vary depending on temperature and individual skin type.

**Anorectal Hemorrhoidal Cream**  
**Numbing Cream**

**3%**  
**Menthol**

FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient          | Purpose           |
|----------------------------|-------------------|
| Menthol 3%.....            | Local Anesthetic  |
| Methyl Salicylate 10%..... | Topical Analgesic |

**Uses:**  
 For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.

**Warning**  
 (For external use only)

**Stop and ask a doctor if**  
 -an allergic reaction occurs.  
 -symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

**When using this product**  
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

**If pregnant or breast-feeding,**  
 ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA , Made in P.R.C

**DRUG FACTS (Continued)**


**Directions**  
 -For children under 12, consult a doctor.  
 -For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.  
 -Apply up to 4 times daily.

**DIRECTIONS:**  
 Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

**Inactive Ingredients**  
 Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol Tocopheryl Acetate, Benzyl Alcohol, Aqua.

**Questions or comments ?**  
 Contact us at  
 Rqekmy333kk@outlook.com

SHELF LIFE: 3 years



**Anorectal Hemorrhoidal Cream**  
**Numbing Cream**

**3%**  
**Menthol**

FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient          | Purpose           |
|----------------------------|-------------------|
| Menthol 3%.....            | Local Anesthetic  |
| Methyl Salicylate 10%..... | Topical Analgesic |

**Uses:**  
 For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.

**Warning**  
 (For external use only)

**Stop and ask a doctor if**  
 -an allergic reaction occurs.  
 -symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

**When using this product**  
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

**If pregnant or breast-feeding**  
 ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

136\*186mm

120mm\*43mm\*37mm



**How to Use it Correctly ?**  
 - Clean your hands and target area thoroughly with soap and water. Gently dry them afterward.  
 - Apply a thick layer of this cream to the target area, making sure to cover both target area and its surroundings.  
 - leave it on for 30-50 minutes for the best results (keeping it on longer gives better effects)

**Notice:**  
 The duration of soothing effects may vary depending on temperature and individual skin type.

**Anorectal Hemorrhoidal Cream**  
**Numbing Cream**

**3%**  
**Menthol**

FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient          | Purpose           |
|----------------------------|-------------------|
| Menthol 3%.....            | Local Anesthetic  |
| Methyl Salicylate 10%..... | Topical Analgesic |

**Uses:**  
 For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.

**Warning**  
 (For external use only)

**Stop and ask a doctor if**  
 -an allergic reaction occurs.  
 -symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

**When using this product**  
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

**If pregnant or breast-feeding,**  
 ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA , Made in P.R.C

**DRUG FACTS (Continued)**


**Directions**  
 -For children under 12, consult a doctor.  
 -For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.  
 -Apply up to 4 times daily.

**DIRECTIONS:**  
 Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

**Inactive Ingredients**  
 Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol Tocopheryl Acetate, Benzyl Alcohol, Aqua.

**Questions or comments ?**  
 Contact us at Rqekmy333kk@outlook.com

SHELF LIFE: 3 years



**Anorectal Hemorrhoidal Cream**  
**Numbing Cream**

**3%**  
**Menthol**

FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient          | Purpose           |
|----------------------------|-------------------|
| Menthol 3%.....            | Local Anesthetic  |
| Methyl Salicylate 10%..... | Topical Analgesic |

**Uses:**  
 For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.

**Warning**  
 (For external use only)

**Stop and ask a doctor if**  
 -an allergic reaction occurs.  
 -symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

**When using this product**  
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

**If pregnant or breast-feeding**  
 ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

136\*186mm

120mm\*43mm\*37mm



**How to Use it Correctly ?**  
 - Clean your hands and target area thoroughly with soap and water. Gently dry them afterward.  
 - Apply a thick layer of this cream to the target area, making sure to cover both target area and its surroundings.  
 - leave it on for 30-50 minutes for the best results (keeping it on longer gives better effects)

**Notice:**  
 The duration of soothing effects may vary depending on temperature and individual skin type.

**Anorectal Hemorrhoidal Cream**  
**Numbing Cream**


**3%**  
**Menthol**

FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

| DRUG FACTS:  |                |
|--|----------------|
| <b>Active Ingredient</b>   | <b>Purpose</b> |
| Menthol 3%.....Local Anesthetic  |                |
| Methyl Salicylate 10%.....Topical Analgesic  |                |
| <b>Uses:</b>   |                |
| For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.  |                |
| <b>Warning</b>   |                |
| (For external use only)  |                |
| <b>Stop and ask a doctor if</b>  |                |
| -an allergic reaction occurs.<br>-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.  |                |
| <b>When using this product</b>   |                |
| do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing. |                |
| <b>If pregnant or breast-feeding,</b>  |                |
| ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.   |                |
| Design by USA , Made in P.R.C  |                |

| DRUG FACTS (Continued)  |
|---|
| <b>Directions</b>   |
| -For children under 12, consult a doctor.<br>-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.<br>-Apply up to 4 times daily. |
| <b>DIRECTIONS:</b>  |
| Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.  |
| <b>Inactive Ingredients</b>   |
| Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol Tocopheryl Acetate, Benzyl Alcohol, Aqua.   |
| <b>Questions or comments ?</b>  |
| Contact us at Rqekmy333kk@outlook.com   |
| SHELF LIFE: 3 years   |



FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient  | Purpose |
|--|---------|
| Menthol 3%.....Local Anesthetic  |         |
| Methyl Salicylate 10%.....Topical Analgesic  |         |
| <b>Uses:</b>   |         |
| For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.  |         |
| <b>Warning</b>   |         |
| (For external use only)  |         |
| <b>Stop and ask a doctor if</b>  |         |
| -an allergic reaction occurs.<br>-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.  |         |
| <b>When using this product</b>   |         |
| do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing. |         |
| <b>If pregnant or breast-feeding</b>   |         |
| ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.   |         |

136\*186mm

120mm\*43mm\*37mm



**How to Use it Correctly ?**  
 - Clean your hands and target area thoroughly with soap and water. Gently dry them afterward.  
 - Apply a thick layer of this cream to the target area, making sure to cover both target area and its surroundings.  
 - leave it on for 30-50 minutes for the best results (keeping it on longer gives better effects)

**Notice:**  
 The duration of soothing effects may vary depending on temperature and individual skin type.

**Anorectal Hemorrhoidal Cream**  
**Numbing Cream**

**3%**  
**Menthol**

FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient          | Purpose           |
|----------------------------|-------------------|
| Menthol 3%.....            | Local Anesthetic  |
| Methyl Salicylate 10%..... | Topical Analgesic |

**Uses:**  
 For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.

**Warning**  
 (For external use only)

**Stop and ask a doctor if**  
 -an allergic reaction occurs.  
 -symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

**When using this product**  
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

**If pregnant or breast-feeding,**  
 ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA , Made in P.R.C

**DRUG FACTS (Continued)**


**Directions**  
 -For children under 12, consult a doctor.  
 -For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.  
 -Apply up to 4 times daily.

**DIRECTIONS:**  
 Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

**Inactive Ingredients**  
 Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol Tocopheryl Acetate, Benzyl Alcohol, Aqua.

**Questions or comments ?**  
 Contact us at Rqekmy333kk@outlook.com

SHELF LIFE: 3 years



**Anorectal Hemorrhoidal Cream**  
**Numbing Cream**

**3%**  
**Menthol**

FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient          | Purpose           |
|----------------------------|-------------------|
| Menthol 3%.....            | Local Anesthetic  |
| Methyl Salicylate 10%..... | Topical Analgesic |

**Uses:**  
 For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.

**Warning**  
 (For external use only)

**Stop and ask a doctor if**  
 -an allergic reaction occurs.  
 -symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

**When using this product**  
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

**If pregnant or breast-feeding**  
 ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

136\*186mm

120mm\*43mm\*37mm



**How to Use it Correctly ?**  
 - Clean your hands and target area thoroughly with soap and water. Gently dry them afterward.  
 - Apply a thick layer of this cream to the target area, making sure to cover both target area and its surroundings.  
 - leave it on for 30-50 minutes for the best results (keeping it on longer gives better effects)

**Notice:**  
 The duration of soothing effects may vary depending on temperature and individual skin type.

**Anorectal Hemorrhoidal Cream**  
**Numbing Cream**

**3% Menthol**

FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient          | Purpose           |
|----------------------------|-------------------|
| Menthol 3%.....            | Local Anesthetic  |
| Methyl Salicylate 10%..... | Topical Analgesic |

**Uses:**  
 For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.

**Warning**  
 (For external use only)

**Stop and ask a doctor if**  
 -an allergic reaction occurs.  
 -symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

**When using this product**  
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

**If pregnant or breast-feeding,**  
 ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA , Made in P.R.C

**DRUG FACTS (Continued)**


**Directions**  
 -For children under 12, consult a doctor.  
 -For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.  
 -Apply up to 4 times daily.

**DIRECTIONS:**  
 Store room temperature 59°-86°F(15°-30°C). Keep away from direct sunlight or heat.

**Inactive Ingredients**  
 Carbomer 934, Lecithin(Soybean) Emu Oil, Arnica, Propylene Glycol Tocopheryl Acetate, Benzyl Alcohol, Aqua.

**Questions or comments ?**  
 Contact us at Rqekmy333kk@outlook.com

SHELF LIFE: 3 years



**How to Use it Correctly ?**  
 - Clean your hands and target area thoroughly with soap and water. Gently dry them afterward.  
 - Apply a thick layer of this cream to the target area, making sure to cover both target area and its surroundings.  
 - leave it on for 30-50 minutes for the best results (keeping it on longer gives better effects)

**Notice:**  
 The duration of soothing effects may vary depending on temperature and individual skin type.

**Anorectal Hemorrhoidal Cream**  
**Numbing Cream**

**3% Menthol**

FAST EFFECT WITH EMU OIL AND ARNICAY  
**Long-Lasting Soothing**

Net Wt. 60ML/2 OZ

**DRUG FACTS:**

| Active Ingredient          | Purpose           |
|----------------------------|-------------------|
| Menthol 3%.....            | Local Anesthetic  |
| Methyl Salicylate 10%..... | Topical Analgesic |

**Uses:**  
 For the temporary alleviation of localized discomfort, pruritus, or burning sensation in the perianal area associated with anorectal disorders.

**Warning**  
 (For external use only)


**Stop and ask a doctor if**  
 -an allergic reaction occurs.  
 -symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

**When using this product**  
 do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

**If pregnant or breast-feeding**  
 ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.


136\*186mm

120mm\*43mm\*37mm



136\*186mm

120mm\*43mm\*37mm



136\*186mm

120mm\*43mm\*37mm

## NUMBING menthol cream

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:85524-2605 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| <b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)                  | MENTHOL           | 3 g in 100 mL  |
| <b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ) | METHYL SALICYLATE | 10 g in 100 mL |

### Inactive Ingredients

| Ingredient Name                          | Strength |
|--|----------|
| <b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH) |          |
| <b>EMU OIL</b> (UNII: 344821WD61)        |          |

|   |  |
|---|--|
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)  |  |
| <b>CARBOMER 934</b> (UNII: Z135WT9208)      |  |
| <b>AQUA</b> (UNII: 059QF0KO0R)              |  |
| <b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62) |  |

### Product Characteristics

|                 |       |                     |  |
|-----------------|-------|---------------------|--|
| <b>Color</b>    | white | <b>Score</b>        |  |
| <b>Shape</b>    |       | <b>Size</b>         |  |
| <b>Flavor</b>   |       | <b>Imprint Code</b> |  |
| <b>Contains</b> |       |                     |  |

### Packaging

| # | Item Code        | Package Description                                  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:85524-2605-2 | 1 in 1 BOX   | 03/28/2026           |                    |
| 1 | NDC:85524-2605-1 | 60 mL in 1 BOTTLE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA                | NDA022029                                | 03/28/2026           |                    |

**Labeler** - FlexiGo Inc (118951527)

**Registrant** - 3038119951 (118951527)

### Establishment

| Name        | Address | ID/FEI    | Business Operations                         |
|-------------|---------|-----------|---|
| FlexiGo Inc |         | 118951527 | manufacture(85524-2605) , label(85524-2605) |

Revised: 3/2026

FlexiGo Inc