

**MEIJER MAXIMUM STRENGTH FOAMING ACNE FACE WASH ACNE MEDICATION-
benzoyl peroxide lotion
Meijer Distribution, Inc**

**Meijer® Maximum Strength Foaming Acne Face Wash
Acne Medication**

Drug Facts

Active ingredient

Benzoyl peroxide 10%

Purpose

Acne medication

Use

- for treatment of acne

Warnings

For external use only.

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor

- if skin irritation occurs or gets worse.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison

Control Center (1-800-222-1222) right away.

Directions

- wet area to be cleansed
- apply acne wash and gently massage area for 1-2 minutes
- rinse thoroughly and pat dry
- because excessive drying of the skin may occur, start with 1 application daily, then gradually increase to 2 to 3 times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other information

store at room temperature

Inactive ingredients

water, glycerin, decyl glucoside, sodium hydroxypropylsulfonate laurylglucoside crosspolymer, PEG-40 stearate, propanediol, sorbitan stearate, stearic acid, ammonium acryloyldimethyltaurate/VP copolymer, diethylhexyl sodium sulfosuccinate, carbomer, dimethicone, silica, sodium citrate, xanthan gum, sodium chloride, sodium hydroxide.

Questions or comments?

1-866-567-8600

**DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544**

PRINCIPAL DISPLAY PANEL - 156 g Tube Carton

meijer®

Compare to PanOxyl®
Active Ingredient*

MAXIMUM
STRENGTH

foaming
acne face
wash

Benzoyl Peroxide 10%

For treatment of acne
on face, chest & back

SULFATE FREE, PHTHALATE
FREE & PARABEN FREE

Helps to improve
the appearance of
existing blemishes

Helps to prevent
future breakouts

NET WT 5.5 OZ (156 g)

MAXIMUM STRENGTH

foaming acne face wash

Benzoyl Peroxide 10%

Compare to PanOxyl®
Active Ingredient*

meijer

meijer

MAXIMUM
STRENGTH

foaming acne face wash

Benzoyl Peroxide 10%

For treatment of acne
on face, chest & back

SULFATE FREE, PHTHALATE
FREE & PARABEN FREE

foaming

For treatment of

SULFATE FREE

Helps to improve the appearance of existing blemishes

Helps to prevent future breakouts

NET WT 5.5 OZ (156 g)

Compare to PanOxyl® Active Ingredient*

MAXIMUM STRENGTH acne face wash

Benzoyl Peroxide 10%

ment of acne on face, chest & back
-FREE, PHTHALATE FREE & PARABEN FREE

MAXIMUM STRENGTH foaming acne face wash

Benzoyl Peroxide 10%

Compare to PanOxyl® Active Ingredient*

MAXIMUM STRENGTH acne face wash

Benzoyl Peroxide 10%

acne on face, chest & back
PHTHALATE FREE & PARABEN FREE

Drug Facts

Active ingredient	Purpose
Benzoyl peroxide 10%	Acne medication

Use • for treatment of acne

Warnings

For external use only.

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- skin irritation and dryness is more likely to occur if you use another

meijer

foaming ac

For treatment of a
SULFATE FREE, PH

• skin irritation and dryness is more likely to occur if you use certain topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time • avoid unnecessary sun exposure and use a sunscreen • avoid contact with the eyes, lips and mouth • avoid contact with hair and dyed fabrics, which may be bleached by this product • skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor • if skin irritation occurs or gets worse.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions • wet area to be cleansed • apply acne wash and gently massage area for 1-2 minutes • rinse thoroughly and pat dry • because excessive drying of the skin may occur, start with 1 application daily, then gradually increase to 2 to 3 times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day • if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other information store at room temperature

Inactive ingredients water, glycerin, decyl glucoside, sodium hydroxypropylsulfonate laurylglucoside crosspolymer, PEG-40 stearate, propanediol, sorbitan stearate, stearic acid, ammonium acryloyldimethyltaurate/VP copolymer, diethylhexyl sodium sulfosuccinate, carbomer, dimethicone, silica, sodium citrate, xanthan gum, sodium chloride, sodium hydroxide.

Questions or comments? 1-866-567-8600

*This product is not manufactured or distributed by Stiefel Laboratories, Inc., owner of the registered trademark PanOxyl®.

DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com



WWW.MEIJER.COM/SAISFACIION



Made in Canada 07-239

PID 4978986



7 08820 69847 5

MEIJER MAXIMUM STRENGTH FOAMING ACNE FACE WASH ACNE MEDICATION

benzoyl peroxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0022
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	100 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Glycerin (UNII: PDC6A3C00X)	
Decyl Glucoside (UNII: Z17H97EA6Y)	
SODIUM HYDROXYPROPYLSULFONATE LAURYLGLUCOSIDE-7 CROSSPOLYMER (UNII: K9R4VJQ1IB)	
PEG-40 MONOSTEARATE (UNII: ECU18C66Q7)	
Propanediol (UNII: 5965N8W85T)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
Stearic Acid (UNII: 4ELV7Z65AP)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)	
DOCUSATE SODIUM (UNII: F05Q2T2JA0)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
Dimethicone (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
Xanthan Gum (UNII: TTV12P4NEE)	
Sodium Chloride (UNII: 451W47IQ8X)	
Sodium Hydroxide (UNII: 55X04QC32I)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0022-1	1 in 1 CARTON	11/01/2021	
1		156 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	11/01/2021	

Labeler - Meijer Distribution, Inc (006959555)

Registrant - Garcoa, Inc. (036464697)

Establishment

Name	Address	ID/FEI	Business Operations
SV Labs Toronto Corporation		203917476	manufacture(79481-0022)

Revised: 11/2024

Meijer Distribution, Inc