

KOVR MILITARY GRADE SUNSCREEN FOR WOMEN- zinc oxide lotion
ACTIVE LIFE INC

Drug Facts

Active Ingredients

Zinc Oxide 14.6% w/w

Purpose

Sunscreen

Uses:

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun

Warnings

For external use only.

Do not use on damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove

Stop use and ask doctor if

- Rash or irritation develops and lasts

Keep out of reach of children

- If the product is swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Apply liberally 15 minutes before sun exposure

Reapply:

- After 80 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures, including:

- Limit time in the sun, especially from 10 a.m. – 2 p.m.
- Wear long sleeve shirts, pants, hats, and sunglasses

- **Children under 6 months:** Ask a doctor

Other Information:

Protect this product from excessive heat and direct sun

Inactive Ingredients:

Water, Coco-Caprylate/Caprates, Isoamyl Laurate, Glycerin, Propanediol, Shea Butter, Jojoba Seed Oil, Polyglyceryl-6 Stearate, Aloe Barbadensis Leaf Extract, Green Tea Leaf Extract, Sphingomonas Ferment Extract, Pongamia Pinnata Seed Extract, Xanthan Gum, Cetyl Alcohol, Silica, Lecithin, Sclerotium Gum, Polyhydroxystearic Acid, Triethoxycaprylylsilane, Pullulan, Phenoxyethanol, Ethylhexylglycerin

Questions?

Call us : (800) 410-6154

Product label

Drug Facts

Active Ingredients	Purpose
Zinc Oxide 14.6% w/w	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun

Warnings

For external use only
Do not use on damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove

Stop using and ask doctor if

- Rash or irritation develops and lasts

Keep out of reach of children

- If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long sleeve shirts, pants, hats, and sunglasses
- Children under 6 months:** Ask a doctor

Other Information: Protect this product from excessive heat and direct sun.

Inactive Ingredients: Water, Coco-Caprylate/Caprate, Isoamyl Laurate, Glycerin, Propanediol, Shea (Butyrospermum Parkii) Butter, Jojoba (Simmondsia Chinensis) Seed Oil, Polyglyceryl-6 Stearate, Polyglyceryl-6 Behenate, Aloe Barbadensis Leaf Extract, Green Tea (Camellia Sinensis) Leaf Extract, Sphingomonas Ferment Extract, Pongamia Pinnata Seed Extract, Xanthan Gum, Cetyl Alcohol, Silica, Lecithin, Sclerotium Gum, Polyhydroxystearic Acid, Triethoxycaprylylsilane, Pullulan, Phenoxyethanol, Ethylhexylglycerin

Questions? Call us:
(800) 410-6154

KOVR MILITARY GRADE SUNSCREEN FOR WOMEN

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83531-501
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	14.6 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H)	
ISOAMYL LAURATE (UNII: M1SLX00M3M)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	

SHEA BUTTER (UNII: K49155WL9Y)	
JOJOBA OIL (UNII: 724GKU717M)	
POLYGLYCERYL-6 STEARATE (UNII: ETY9Q81E2T)	
ALOE VERA LEAF JUICE (UNII: RUE8E6T4NB)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PONGAMIA PINNATA SEED (UNII: C2BRV53B1V)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
BETASIZOFIRAN (UNII: 2X51AD1X3T)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PULLULAN (UNII: 8ZQ0AYU1TT)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERMENT COMPLEX 6/PF (UNII: RH73PR9HMA)	
POLYGLYCERYL-6 BEHENATE (UNII: 4T2L7QI313)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83531-501-01	1 in 1 CARTON	10/15/2025	
1		118 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/15/2025	

Labeler - ACTIVE LIFE INC (087241186)

Establishment

Name	Address	ID/FEI	Business Operations
SOUTHEAST HOLDINGS CORP.		080504027	manufacture(83531-501)

Revised: 11/2025

ACTIVE LIFE INC